
pyPESTO Documentation

Release 0.2.0

The pyPESTO developers

Jul 02, 2020

USER'S GUIDE

1	Install and upgrade	3
1.1	Requirements	3
1.2	Install from PIP	3
1.3	Install from GIT	3
1.4	Upgrade	4
1.5	Install optional packages	4
2	Examples	5
2.1	Rosenbrock banana	5
2.2	Conversion reaction	18
2.3	Fixed parameters	22
2.4	AMICI Python example “Boehm”	25
2.5	Model import using the Petab format	32
2.6	Storage	38
2.7	A sampler study	44
2.8	MCMC sampling diagnostics	58
2.9	Download the examples as notebooks	62
3	Storage	63
3.1	pyPESTO Problem	63
3.2	Parameter estimation	63
3.3	Sampling	65
3.4	Profiling	65
4	Contribute	67
4.1	Contribute documentation	67
4.2	Contribute tests	67
4.3	Contribute code	68
5	Deploy	69
5.1	Versioning scheme	69
5.2	Creating a new release	69
6	Documentation	71
6.1	Requirements	71
6.2	Build the documentation	71
7	Objective	73
8	Problem	91

9	PEtab	97
10	Optimize	99
11	Profile	103
12	Sampling	107
13	Result	113
14	Visualize	117
15	Engines	127
16	Startpoint	129
17	Storage	131
18	Logging	133
19	Release notes	135
19.1	0.2 series	135
19.2	0.1 series	135
19.3	0.0 series	137
20	Authors	141
21	Contact	143
22	License	145
23	Logo	147
24	Indices and tables	149
	Python Module Index	151
	Index	153

Version: 0.2.0

Source code: <https://github.com/icb-dcm/pypesto>

INSTALL AND UPGRADE

1.1 Requirements

This package requires Python 3.6 or later. It is tested on Linux using Travis continuous integration.

1.1.1 I cannot use my system's Python distribution, what now?

Several Python distributions can co-exist on a single system. If you don't have access to a recent Python version via your system's package manager (this might be the case for old operating systems), it is recommended to install the latest version of the [Anaconda Python 3 distribution](#).

Also, there is the possibility to use multiple virtual environments via:

```
python3 -m virtualenv ENV_NAME
source ENV_NAME/bin/activate
```

where ENV_NAME denotes an individual environment name, if you do not want to mess up the system environment.

1.2 Install from PIP

The package can be installed from the Python Package Index PyPI via pip:

```
pip3 install pypesto
```

1.3 Install from GIT

If you want the bleeding edge version, install directly from github:

```
pip3 install git+https://github.com/icb-dcm/pypesto.git
```

If you need to have access to the source code, you can download it via:

```
git clone https://github.com/icb-dcm/pypesto.git
```

and then install from the local repository via:

```
cd pypesto
pip3 install .
```

1.4 Upgrade

If you want to upgrade from an existing previous version, replace `install` by `install --upgrade` in the above commands.

1.5 Install optional packages

- This package includes multiple comfort methods simplyfing its use for parameter estimation for models generated using the toolbox `amici`. To use AMICI, install it via pip:

```
pip3 install amici
```

- This package inherently supports optimization using the `dlib` toolbox. To use it, install `dlib` via:

```
pip3 install dlib
```

CHAPTER TWO

EXAMPLES

The following examples cover typical use cases and should help get a better idea of how to use this package:

2.1 Rosenbrock banana

Here, we perform optimization for the Rosenbrock banana function, which does not require an AMICI model. In particular, we try several ways of specifying derivative information.

```
[1]: import pypesto
import pypesto.visualize as visualize
import numpy as np
import scipy as sp
import matplotlib.pyplot as plt
from mpl_toolkits.mplot3d import Axes3D

%matplotlib inline
```

2.1.1 Define the objective and problem

```
[2]: # first type of objective
objective1 = pypesto.Objective(fun=sp.optimize.rosen,
                               grad=sp.optimize.rosen_der,
                               hess=sp.optimize.rosen_hess)

# second type of objective
def rosen2(x):
    return (sp.optimize.rosen(x),
            sp.optimize.rosen_der(x),
            sp.optimize.rosen_hess(x))
objective2 = pypesto.Objective(fun=rosen2, grad=True, hess=True)

dim_full = 10
lb = -5 * np.ones((dim_full, 1))
ub = 5 * np.ones((dim_full, 1))


problem1 = pypesto.Problem(objective=objective1, lb=lb, ub=ub)
problem2 = pypesto.Problem(objective=objective2, lb=lb, ub=ub)
```

Illustration

```
[3]: x = np.arange(-2, 2, 0.1)
y = np.arange(-2, 2, 0.1)
x, y = np.meshgrid(x, y)
z = np.zeros_like(x)
for j in range(0, x.shape[0]):
    for k in range(0, x.shape[1]):
        z[j,k] = objective1([x[j,k], y[j,k]], (0,))
```

```
[4]: fig = plt.figure()
fig.set_size_inches(*[14,10])
ax = plt.axes(projection='3d')
ax.plot_surface(X=x, Y=y, Z=z)
plt.xlabel('x axis')
plt.ylabel('y axis')
ax.set_title('cost function values')

[4]: Text(0.5, 0.92, 'cost function values')
```



2.1.2 Run optimization

```
[5]: import pypesto.optimize as optimize

[6]: %%time

# create different optimizers
optimizer_bfgs = optimize.ScipyOptimizer(method='l-bfgs-b')
optimizer_tnc = optimize.ScipyOptimizer(method='TNC')
optimizer_dogleg = optimize.ScipyOptimizer(method='dogleg')

# set number of starts
n_starts = 20

# save optimizer trace
history_options = pypesto.HistoryOptions(trace_record=True)

# Run optimizaitons for different optimzers
result1_bfgs = optimize.minimize(
    problem=problem1, optimizer=optimizer_bfgs,
    n_starts=n_starts, history_options=history_options)
result1_tnc = optimize.minimize(
    problem=problem1, optimizer=optimizer_tnc,
    n_starts=n_starts, history_options=history_options)
result1_dogleg = optimize.minimize(
    problem=problem1, optimizer=optimizer_dogleg,
    n_starts=n_starts, history_options=history_options)

# Optimize second type of objective
result2 = optimize.minimize(
    problem=problem2, optimizer=optimizer_tnc, n_starts=n_starts)

Function values from history and optimizer do not match: 2.685929315976887, 2.
→9820162443657527
Parameters obtained from history and optimizer do not match: [ 9.81668828e-01  9.
←70664899e-01  9.44081691e-01  8.86185728e-01
 7.98866760e-01  6.27503392e-01  3.49193984e-01  1.00863999e-01
 1.18119992e-02 -4.83096174e-04], [0.98232811  0.9607169   0.93006041  0.86376905  0.
←72679074  0.51464422
 0.25715153  0.03390018  0.0134388   0.00224348]
Function values from history and optimizer do not match: 2.932320470464073, 3.
→104833804292291
Parameters obtained from history and optimizer do not match: [9.85695690e-01  9.
←66998320e-01  9.34405532e-01  8.72211105e-01
 7.61716907e-01  5.82160864e-01  2.90132686e-01  5.88015713e-02
 1.02493152e-02  1.44786818e-04], [9.76820249e-01  9.49203293e-01  9.03611145e-01  8.
←32711736e-01
 6.92021069e-01  4.71244784e-01  2.26981271e-01  1.93600745e-02
 9.06285841e-03  3.00716108e-04]
Function values from history and optimizer do not match: 7.128857018893593, 7.
→737539574292646
Parameters obtained from history and optimizer do not match: [-9.74521002e-01  9.
←48916364e-01  8.98382180e-01  7.95485807e-01
 6.32334509e-01  3.95389632e-01  1.55262583e-01  2.24615758e-02
 9.92812211e-03  4.70538835e-05], [-0.95137113  0.92287756  0.85600385  0.74220324
←0.53469862  0.25223695
 0.05388462  0.01175751  0.01035533  0.00121333]
Function values from history and optimizer do not match: 4.047666500407507, 4.
→8092850089870245
```

(continues on next page)

(continued from previous page)

```

Parameters obtained from history and optimizer do not match: [9.57097378e-01 9.
↪15272882e-01 8.35583627e-01 6.92924153e-01
4.69156347e-01 1.98916115e-01 2.87951418e-02 1.21495892e-02
1.14276335e-02 2.48487865e-04], [9.37837181e-01 8.73541886e-01 7.61292462e-01 5.
↪64720865e-01
2.84119482e-01 6.17767487e-02 1.53662912e-02 1.54992154e-02
1.49513982e-02 2.98560604e-04]
Function values from history and optimizer do not match: 4.760963749486806, 5.
↪255690010134404
Parameters obtained from history and optimizer do not match: [-0.98990379 0.98886801
↪0.98189121 0.96587616 0.93451723 0.87262109
0.75889559 0.56883791 0.31364781 0.07883034], [-0.99248035 0.99162316 0.
↪97889433 0.95364865 0.91078502 0.8261375
0.68236478 0.45820395 0.17444197 0.01383626]
Function values from history and optimizer do not match: 1.8159939922237558, 2.
↪5425135960926237
Parameters obtained from history and optimizer do not match: [9.90583524e-01 9.
↪80917081e-01 9.63072632e-01 9.30325108e-01
8.61713989e-01 7.40678602e-01 5.38268550e-01 2.71328618e-01
5.43996813e-02 7.89698144e-04], [9.89162276e-01 9.78043570e-01 9.51094059e-01 9.
↪02211862e-01
8.07645490e-01 6.35406055e-01 3.75384767e-01 1.11075371e-01
1.30319964e-02 2.11963742e-04]
Function values from history and optimizer do not match: 2.2546577084566284, 2.
↪988463828057193
Parameters obtained from history and optimizer do not match: [9.86890406e-01 9.
↪73738159e-01 9.51089323e-01 9.02086672e-01
8.09027663e-01 6.46629154e-01 4.04671023e-01 1.51442890e-01
1.94187285e-02 2.45054194e-04], [9.81148194e-01 9.60640784e-01 9.21690034e-01 8.
↪55030060e-01
7.31180374e-01 5.23069013e-01 2.44624625e-01 3.39441804e-02
1.03741576e-02 2.45306769e-05]
Function values from history and optimizer do not match: 0.3545683077008359, 0.
↪5906121485206447
Parameters obtained from history and optimizer do not match: [0.99668472 0.99262575 0.
↪98945665 0.98129911 0.96532923 0.93081497
0.86315388 0.74328951 0.53910453 0.2736718 ], [0.9963228 0.99215562 0.98514259 0.
↪97132273 0.94683482 0.89670025
0.80300196 0.64224614 0.40061592 0.14210795]
Function values from history and optimizer do not match: 1.442951465698237, 2.
↪117657844069939
Parameters obtained from history and optimizer do not match: [0.99253701 0.98698288 0.
↪97438388 0.94864025 0.89249411 0.79343394
0.62110958 0.37154848 0.12142293 0.00337751], [9.85576055e-01 9.72515609e-01 9.
↪52500598e-01 9.14984751e-01
8.40282960e-01 7.07108893e-01 4.93844010e-01 2.19299261e-01
1.80684261e-02 2.39353088e-04]
Function values from history and optimizer do not match: 0.4310215367360306, 0.
↪7200757805862191
Parameters obtained from history and optimizer do not match: [0.99728801 0.99265292 0.
↪98655945 0.97724776 0.95330363 0.91375386
0.83290125 0.68949822 0.4687524 0.21461214], [0.99666432 0.99530499 0.9871224 0.
↪96976884 0.94230384 0.89383977
0.79420195 0.62752848 0.3793222 0.11129682]
Function values from history and optimizer do not match: 6.33997905147026, 7.
↪069668392692864
Parameters obtained from history and optimizer do not match: [7.84450616e-01 6.
↪10188497e-01 3.64032562e-01 1.19476022e-01

```

(continues on next page)

(continued from previous page)

```

1.25200919e-02 9.74166479e-03 1.00503247e-02 8.51949533e-03
9.92120699e-03 1.97235559e-04], [ 7.13358486e-01 4.93846146e-01 2.05601150e-01 2.
˓→46828697e-02
1.00531820e-02 8.83759494e-03 9.93584452e-03 1.16356575e-02
1.00772170e-02 -9.19777874e-05]
Function values from history and optimizer do not match: 1.080010188007246, 1.
˓→638996874292531
Parameters obtained from history and optimizer do not match: [0.99354151 0.98796198 0.
˓→97743947 0.96147507 0.92290179 0.84825176
0.71159467 0.49318554 0.223647 0.03035961], [0.99093761 0.98310117 0.96952353 0.
˓→94165684 0.88399848 0.77718421
0.59296742 0.3287277 0.08605952 0.00216266]
Function values from history and optimizer do not match: 6.334069745693479, 7.
˓→027921368861192
Parameters obtained from history and optimizer do not match: [-0.98264119 0.97390376
˓→0.94694027 0.8905699 0.79188661 0.62198099
0.37540054 0.12148722 0.01380672 0.00504649], [-0.97385408 0.95844934 0.
˓→9257917 0.85697013 0.71970238 0.49533252
0.21270446 0.03011495 0.00979574 -0.00651404]


CPU times: user 2.74 s, sys: 37.7 ms, total: 2.78 s
Wall time: 2.74 s


```

Visualize and compare optimization results

```
[7]: # plot separated waterfalls
visualize.waterfall(result1_bfgs, size=(15, 6))
visualize.waterfall(result1_tnc, size=(15, 6))
visualize.waterfall(result1_dogleg, size=(15, 6))

[7]: <matplotlib.axes._subplots.AxesSubplot at 0x7fb3be1ba0d0>
```






We can now have a closer look, which method performed better: Let's first compare bfgs and TNC, since both methods gave good results. How does the fine convergence look like?

```
[8]: # plot one list of waterfalls
visualize.waterfall([result1_bfgs, result1_tnc],
                    legends=['L-BFGS-B', 'TNC'],
                    start_indices=10,
                    scale_y='lin')

[8]: <matplotlib.axes._subplots.AxesSubplot at 0x7fb3bf463760>
```




```
[9]: # retrieve second optimum
all_x = result1_bfgs.optimize_result.get_for_key('x')
all_fval = result1_bfgs.optimize_result.get_for_key('fval')
x = all_x[19]
fval = all_fval[19]
print('Second optimum at: ' + str(fval))

# create a reference point from it
ref = {'x': x, 'fval': fval, 'color': [
    0.2, 0.4, 1., 1.], 'legend': 'second optimum'}
ref = visualize.create_references(ref)

# new waterfall plot with reference point for second optimum
visualize.waterfall(result1_dogleg, size=(15, 6),
                     scale_y='lin', y_limits=[-1, 101],
                     reference=ref, colors=[0., 0., 0., 1.])

Second optimum at: 3.9865791142048876
[9]: <matplotlib.axes._subplots.AxesSubplot at 0x7fb3bde83940>
```





2.1.3 Visualize parameters

There seems to be a second local optimum. We want to see whether it was also found by the dogleg method

```
[10]: visualize.parameters([result1_bfgs, result1_tnc],
                        legends=['L-BFGS-B', 'TNC'],
                        balance_alpha=False)
visualize.parameters(result1_dogleg,
                     legends='dogleg',
                     reference=ref,
                     size=(15, 10),
                     start_indices=[0, 1, 2, 3, 4, 5],
                     balance_alpha=False)
```

```
[10]: <matplotlib.axes._subplots.AxesSubplot at 0x7fb3bdd5b430>
```





If the result needs to be examined in more detail, it can easily be exported as a pandas.DataFrame:

```
[11]: df = result1_tnc.optimize_result.as_dataframe(
    ['fval', 'n_fval', 'n_grad', 'n_hess', 'n_res', 'n_sres', 'time'])
df.head()


[11]:      fval  n_fval  n_grad  n_hess  n_res  n_sres     time
0  0.590612      101      101       0       0       0  0.052775
1  1.779748      101      101       0       0       0  0.049476
2  2.117658      101      101       0       0       0  0.039615
3  2.542514      101      101       0       0       0  0.064188
4  2.982016      101      101       0       0       0  0.024157
```

Optimizer history

Let's compare optimizer progress over time.

```
[12]: # plot one list of waterfalls
visualize.optimizer_history([result1_bfgs, result1_tnc],
                           legends=['L-BFGS-B', 'TNC'],
                           reference=ref)
# plot one list of waterfalls
visualize.optimizer_history(result1_dogleg,
                           reference=ref)

[12]: <matplotlib.axes._subplots.AxesSubplot at 0x7fb3bdbcc820>
```



We can also visualize this using other scalings or offsets...


```
[13]: # plot one list of waterfalls
visualize.optimizer_history([result1_bfgs, result1_tnc],
                           legends=['L-BFGS-B', 'TNC'],
                           reference=ref,
```


(continues on next page)

(continued from previous page)

```
offset_y=0.)  
  
# plot one list of waterfalls  
visualize.optimizer_history([result1_bfgs, result1_tnc],  
                           legends=['L-BFGS-B', 'TNC'],  
                           reference=ref,  
                           scale_y='lin',  
                           y_limits=[-1., 11.])
```

[13]: <matplotlib.axes._subplots.AxesSubplot at 0x7fb3be01d130>





2.1.4 Compute profiles

The profiling routine needs a problem, a results object and an optimizer.

Moreover it accepts an index of integer (profile_index), whether or not a profile should be computed.

Finally, an integer (result_index) can be passed, in order to specify the local optimum, from which profiling should be started.

```
[14]: import pypesto.profile as profile
```

```
[15]: %%time

# compute profiles
profile_options = profile.ProfileOptions(min_step_size=0.0005,
    delta_ratio_max=0.05,
    default_step_size=0.005,
    ratio_min=0.01)

result1_bfgs = profile.parameter_profile(
    problem=problem1,
    result=result1_bfgs,
    optimizer=optimizer_bfgs,
    profile_index=np.array([1, 1, 1, 0, 0, 1, 0, 1, 0, 0, 0]),
    result_index=0,
    profile_options=profile_options)

# compute profiles from second optimum
result1_bfgs = profile.parameter_profile(
    problem=problem1,
```

(continues on next page)

(continued from previous page)

```

result=result1_bfgs,
optimizer=optimizer_bfgs,
profile_index=np.array([1, 1, 1, 0, 0, 1, 0, 1, 0, 0, 0]),
result_index=19,
profile_options=profile_options)


CPU times: user 1.31 s, sys: 4.28 ms, total: 1.32 s
Wall time: 1.32 s

```

Visualize and analyze results

pypesto offers easy-to-use visualization routines:

```
[16]: # specify the parameters, for which profiles should be computed
ax = visualize.profiles(result1_bfgs, profile_indices = [0,1,2,5,7],
                        reference=ref, profile_list_ids=[0, 1])
```



Approximate profiles

When computing the profiles is computationally too demanding, it is possible to employ to at least consider a normal approximation with covariance matrix given by the Hessian or FIM at the optimal parameters.

```

[17]: %%time

result1_tnc = profile.approximate_parameter_profile(
    problem=problem1,
    result=result1_bfgs,
    profile_index=np.array([1, 1, 1, 0, 0, 1, 0, 1, 0, 0, 0]),
    result_index=0,
    n_steps=1000)

CPU times: user 25 ms, sys: 16.3 ms, total: 41.4 ms
Wall time: 24.2 ms


```

These approximate profiles require at most one additional function evaluation, can however yield substantial approximation errors:

```
[18]: axes = visualize.profiles(
    result1_bfgs, profile_indices = [0,1,2,5,7], profile_list_ids=[0, 2],
```


(continues on next page)

(continued from previous page)



We can also plot approximate confidence intervals based on profiles:

```
[19]: visualize.profile_cis(
    result1_bfgs, confidence_level=0.95, profile_list=2)
[19]: <matplotlib.axes._subplots.AxesSubplot at 0x7fb3bda13f10>
```



2.2 Conversion reaction

```
[1]: import importlib
import os
import sys
import numpy as np
import amici
import amici.plotting
import pypesto
import pypesto.optimize as optimize
```

(continues on next page)

(continued from previous page)

```
import pypesto.visualize as visualize

# sbml file we want to import
sbml_file = 'conversion_reaction/model_conversion_reaction.xml'
# name of the model that will also be the name of the python module
model_name = 'model_conversion_reaction'
# directory to which the generated model code is written
model_output_dir = 'tmp/' + model_name
```


2.2.1 Compile AMICI model

```
[2]: # import sbml model, compile and generate amici module
sbml_importer = amici.SbmlImporter(sbml_file)
sbml_importer.sbml2amici(model_name,
                        model_output_dir,
                        verbose=False)
```

2.2.2 Load AMICI model

```
[3]: # load amici module (the usual starting point later for the analysis)
sys.path.insert(0, os.path.abspath(model_output_dir))
model_module = importlib.import_module(model_name)
model = model_module.getModel()
model.requireSensitivitiesForAllParameters()
model.setTimepoints(amici.DoubleVector(np.linspace(0, 10, 11)))
model.setParameterScale(amici.ParameterScaling_log10)
model.setParameters(amici.DoubleVector([-0.3, -0.7]))
solver = model.getSolver()
solver.setSensitivityMethod(amici.SensitivityMethod_forward)
solver.setSensitivityOrder(amici.SensitivityOrder_first)

# how to run amici now:
rdata = amici.runAmiciSimulation(model, solver, None)
amici.plotting.plotStateTrajectories(rdata)
edata = amici.ExpData(rdata, 0.2, 0.0)
```



2.2.3 Optimize

```
[4]: # create objective function from amici model
# pesto.AmiciObjective is derived from pesto.Objective,
# the general pesto objective function class
objective = pypesto.AmiciObjective(model, solver, [edata], 1)

# create optimizer object which contains all information for doing the optimization
optimizer = optimize.ScipyOptimizer(method='ls_trf')

#optimizer.solver = 'bfgs/meigo'
# if select meigo -> also set default values in solver_options
#optimizer.options = {'maxiter': 1000, 'disp': True} # = pesto.default_options_meigo()
#optimizer.startpoints = []
#optimizer.startpoint_method = 'lhs/uniform/something/function'
#optimizer.n_starts = 100

# see PestoOptions.m for more required options here
# returns OptimizationResult, see parameters.MS for what to return
# list of final optim results foreach multistart, times, hess, grad,
# flags, meta information (which optimizer -> optimizer.get_repr())

# create problem object containing all information on the problem to be solved
problem = pypesto.Problem(objective=objective,
                            lb=[-2,-2], ub=[2,2])

# maybe lb, ub = inf
# other constraints: kwargs, class pesto.Constraints
# constraints on pams, states, esp. pesto.AmiciConstraints (e.g. pam1 + pam2<= const)
# if optimizer cannot handle -> error
# maybe also scaling / transformation of parameters encoded here

# do the optimization
result = optimize.minimize(problem=problem,
                           optimizer=optimizer,
```

(continues on next page)



(continued from previous page)

```
n_starts=10)
# optimize is a function since it does not need an internal memory,
# just takes input and returns output in the form of a Result object
# 'result' parameter: e.g. some results from somewhere -> pick best start points
```

2.2.4 Visualize

```
[5]: # waterfall, parameter space, scatter plots, fits to data
# different functions for different plotting types
visualize.waterfall(result)
visualize.parameters(result)
```

```
[5]: <matplotlib.axes._subplots.AxesSubplot at 0x7f94c94caf10>
```



2.2.5 Data storage

```
[6]: # result = pypesto.storage.load('db_file.db')
```

2.2.6 Profiles

```
[7]: # there are three main parts: optimize, profile, sample. the overall structure of profiles and sampling
# will be similar to optimizer like above.
# we intend to only have just one result object which can be reused everywhere, but
# not have one huge class but
# maybe simplified views on it for optimization, profiles and sampling is still to be solved

# profiler = pypesto.Profiler()

# result = pypesto.profile(problem, profiler, result=None)
# possibly pass result object from optimization to get good parameter guesses
```

2.2.7 Sampling

```
[8]: # sampler = pypesto.Sampler()

# result = pypesto.sample(problem, sampler, result=None)
```

```
[9]: # open: how to parallelize. the idea is to use methods similar to those in pyabc for working on clusters.
# one way would be to specify an additional 'engine' object passed to optimize(), profile(), sample(),
# which in the default setting just does a for loop, but can also be customized.
```

2.3 Fixed parameters

In this notebook we will show how to use fixed parameters. Therefore, we employ our Rosenbrock example. We define two problems, where for the first problem all parameters are optimized, and for the second we fix some of them to specified values.

2.3.1 Define problem

```
[1]: import pypesto
import pypesto.optimize as optimize
import pypesto.visualize as visualize
import numpy as np
import scipy as sp
import matplotlib.pyplot as plt

%matplotlib inline
```

```
[2]: objective = pypesto.Objective(fun=sp.optimize.rosen,
                                    grad=sp.optimize.rosen_der,
                                    hess=sp.optimize.rosen_hess)

dim_full = 5
lb = -2 * np.ones((dim_full, 1))
ub = 2 * np.ones((dim_full, 1))

problem1 = pypesto.Problem(objective=objective, lb=lb, ub=ub)

x_fixed_indices = [1, 3]
x_fixed_vals = [1, 1]
problem2 = pypesto.Problem(objective=objective, lb=lb, ub=ub,
                            x_fixed_indices=x_fixed_indices,
                            x_fixed_vals=x_fixed_vals)
```

2.3.2 Optimize


```
[3]: optimizer = optimize.ScipyOptimizer()
n_starts = 10

result1 = optimize.minimize(problem=problem1, optimizer=optimizer,
                           n_starts=n_starts)
result2 = optimize.minimize(problem=problem2, optimizer=optimizer,
                           n_starts=n_starts)
```

2.3.3 Visualize

```
[4]: fig, ax = plt.subplots()
visualize.waterfall(result1, ax)
visualize.waterfall(result2, ax)
visualize.parameters(result1)
visualize.parameters(result2)
visualize.parameters(result2, free_indices_only=False)

[4]: <matplotlib.axes._subplots.AxesSubplot at 0x7f20fa2cb610>
```



```
[5]: result1.optimize_result.as_dataframe(['fval', 'x', 'grad'])
```

```
[5]:
```

	fval	x	\
0	2.022723e-15	[0.9999999968027713, 0.9999999970150876, 0.999...	
1	3.832127e-15	[1.000000001618862, 1.0000000047380952, 1.0000...	
2	7.988008e-15	[1.0000000009030485, 0.9999999982859689, 0.999...	
3	4.661877e-14	[0.9999999992768297, 0.9999999894566999, 0.999...	
4	6.151816e-13	[0.9999999398648562, 0.9999999090575173, 0.999...	
5	1.327320e-12	[0.9999999267085512, 0.99999991895025, 0.99999...	
6	2.521171e-12	[0.999999839960006, 0.9999996629755371, 0.9999...	
7	5.375107e-12	[0.9999998969013908, 0.9999996490337628, 0.999...	
8	3.930839e+00	[-0.9620509968872256, 0.9357393197092883, 0.88...	
9	3.930839e+00	[-0.9620514206197717, 0.9357401908444977, 0.88...	

(continues on next page)

(continued from previous page)

	grad
0	[-1.3702124449204894e-06, 1.917680693150103e-0...
1	[-5.969108301807649e-07, -8.623518470433341e-0...
2	[1.4098573738966503e-06, -6.527378682946435e-0...
3	[3.6373374643681077e-06, -3.613648629398039e-0...
4	[-1.1851390057087987e-05, 1.598467434394614e-0...
5	[-2.6359837874834265e-05, 2.8396766402856424e-0...
6	[6.4577191149738275e-06, -7.581527039594846e-0...
7	[5.770140858377358e-05, -3.966471222798165e-05...
8	[-1.1770859303261716e-05, 4.709609595865416e-0...
9	[1.0594713295564162e-05, -4.397219156659915e-0...

```
[6]: result2.optimize_result.as_dataframe(['fval', 'x', 'grad'])
```

	fval	x \
0	1.031777e-15	[1.0000000012277463, 1.0, 1.000000000845726, ...]
1	1.187638e-14	[1.0000000017234034, 1.0, 1.0000000014374597, ...]
2	4.179333e-14	[1.0000000060736702, 1.0, 1.0000000050478117, ...]
3	1.460436e-13	[0.999999981785562, 1.0, 1.0000000040547574, 1...
4	1.393609e-12	[0.9999999985626473, 1.0, 1.0000000510663347, ...]
5	3.989975e+00	[-0.9949747455971544, 1.0, 1.0000000020085573,...]
6	3.989975e+00	[-0.994974748217752, 1.0, 1.000000000549698, ...]
7	3.989975e+00	[-0.9949747505467921, 1.0, 0.9999999992314743,...]
8	3.989975e+00	[-0.9949747602666027, 1.0, 1.0000000076954891,...]
9	3.989975e+00	[-0.9949747432588176, 1.0, 1.0000000091137728,...]

	grad
0	[9.84652573128484e-07, nan, 8.474171631650976e...]
1	[1.3821695451945408e-06, nan, 1.44033462788786...]
2	[4.871083556714134e-06, nan, 5.057907368000786...]
3	[-1.4607978843603304e-05, nan, 4.0628669467046...]
4	[-1.1527568487671475e-06, nan, 5.1168470537873...]
5	[9.743714355359145e-07, nan, 2.012574438333715...]
6	[-1.095821260399532e-06, nan, 5.50797460998368...]
7	[-2.9356923390011502e-06, nan, -7.700627384359...]
8	[-1.061404842506164e-05, nan, 7.71088016046407...]
9	[2.8215866132441647e-06, nan, 9.13200045965695...]

2.4 AMICI Python example “Boehm”

This is an example using the “boehm_ProteomeRes2014.xml” model to demonstrate and test SBML import and AMICI Python interface.

```
[1]: import libsbml
import importlib
import amici
import pypesto
import os
import sys
import numpy as np
import matplotlib.pyplot as plt

# temporarily add the simulate file
sys.path.insert(0, 'boehm_JProteomeRes2014')
```

(continues on next page)

(continued from previous page)

```
from benchmark import import DataProvider

# sbml file
sbml_file = 'boehm_JProteomeRes2014/boehm_JProteomeRes2014.xml'

# name of the model that will also be the name of the python module
model_name = 'boehm_JProteomeRes2014'

# output directory
model_output_dir = 'tmp/' + model_name
```

2.4.1 The example model

Here we use libsbml to show the reactions and species described by the model (this is independent of AMICI).

```
[2]: sbml_reader = libsbml.SBMLReader()
sbml_doc = sbml_reader.readSBML(os.path.abspath(sbml_file))
sbml_model = sbml_doc.getModel()
dir(sbml_doc)
print(os.path.abspath(sbml_file))
print('Species: ', [s.getId() for s in sbml_model.getListOfSpecies()])

print('\nReactions:')
for reaction in sbml_model.getListOfReactions():
    reactants = ' + '.join(['%s %s'%(int(r.getStoichiometry()) if r.
    getStoichiometry() > 1 else '', r.getSpecies()) for r in reaction.
    getListOfReactants()])
    products = ' + '.join(['%s %s'%(int(r.getStoichiometry()) if r.
    getStoichiometry() > 1 else '', r.getSpecies()) for r in reaction.
    getListOfProducts()])
    reversible = '<' if reaction.getReversible() else ''
    print('%3s: %10s %1s->%10s\t[%s]' % (reaction.getId(),
        reactants,
        reversible,
        products,
        libsbml.formulaToL3String(reaction.getKineticLaw().
        getMath())))

```

/home/yannik/pypesto/doc/example/boehm_JProteomeRes2014/boehm_JProteomeRes2014.xml

Species: ['STAT5A', 'STAT5B', 'pApB', 'pApA', 'pBpB', 'nucpApA', 'nucpApB', 'nucpBpB']

Reactions:

v1_v_0:	2 STAT5A	->	pApA	[cyt * BaF3_Epo * STAT5A^2 * k_phos]	
v2_v_1:	STAT5A	+	STAT5B	-> pApB [cyt * BaF3_Epo * STAT5A *	
	STAT5B * k_phos]				
v3_v_2:	2 STAT5B	->	pBpB	[cyt * BaF3_Epo * STAT5B^2 * k_phos]	
v4_v_3:	pApA	->	nucpApA	[cyt * k_imp_homo * pApA]	
v5_v_4:	pApB	->	nucpApB	[cyt * k_imp_hetero * pApB]	
v6_v_5:	pBpB	->	nucpBpB	[cyt * k_imp_homo * pBpB]	
v7_v_6:	nucpApA	->	2 STAT5A	[nuc * k_exp_homo * nucpApA]	
v8_v_7:	nucpApB	->	STAT5A	+	[nuc * k_exp_hetero * nucpApB]
v9_v_8:	nucpBpB	->	2 STAT5B	[nuc * k_exp_homo * nucpBpB]	

2.4.2 Importing an SBML model, compiling and generating an AMICI module

Before we can use AMICI to simulate our model, the SBML model needs to be translated to C++ code. This is done by `amici.SbmlImporter`.

```
[3]: # Create an SbmlImporter instance for our SBML model
sbml_importer = amici.SbmlImporter(sbml_file)
```

In this example, we want to specify fixed parameters, observables and a σ parameter. Unfortunately, the latter two are not part of the [SBML standard](#). However, they can be provided to `amici.SbmlImporter.sbml2amici` as demonstrated in the following.

Constant parameters

Constant parameters, i.e. parameters with respect to which no sensitivities are to be computed (these are often parameters specifying a certain experimental condition) are provided as a list of parameter names.

```
[4]: constantParameters = {'ratio', 'specC17'}
```

Observables

We used SBML's `AssignmentRule <http://sbml.org/Software/libSBML/5.13.0/docs//python-api/classlibsbtm1_1_1_rule.html>`__ as a non-standard way to specify *Model outputs* within the SBML file. These rules need to be removed prior to the model import (AMICI does at this time not support these Rules). This can be easily done using `amici.assignmentRules2observables()`.

In this example, we introduced parameters named `observable_*` as targets of the observable AssignmentRules. Where applicable we have `observable_*_sigma` parameters for σ parameters (see below).

```
[5]: # Retrieve model output names and formulae from AssignmentRules and remove the
#       ↪respective rules
observables = amici.assignmentRules2observables(
    sbml_importer.sbml, # the libsbml model object
    filter_function=lambda variable: variable.getId().startswith('observable_')
    ↪and not variable.getId().endswith('_sigma')
)
print('Observables:', observables)

Observables: {'observable_pSTAT5A_rel': {'name': '', 'formula': '(100 * pApB + 200 * ↪
    ↪pApA * specC17) / (pApB + STAT5A * specC17 + 2 * pApA * specC17)'}, 'observable_
    ↪pSTAT5B_rel': {'name': '', 'formula': '-(100 * pApB - 200 * pBpB * (specC17 - 1)) / ↪
    ↪(STAT5B * (specC17 - 1) - pApB + 2 * pBpB * (specC17 - 1))'}, 'observable_rSTAT5A_
    ↪rel': {'name': '', 'formula': '(100 * pApB + 100 * STAT5A * specC17 + 200 * pApA * ↪
    ↪specC17) / (2 * pApB + STAT5A * specC17 + 2 * pApA * specC17 - STAT5B * (specC17 - ↪
    ↪1) - 2 * pBpB * (specC17 - 1))'}}
```

σ parameters

To specify measurement noise as a parameter, we simply provide a dictionary with (preexisting) parameter names as keys and a list of observable names as values to indicate which sigma parameter is to be used for which observable.

```
[6]: sigma_vals = ['sd_pSTAT5A_rel', 'sd_pSTAT5B_rel', 'sd_rSTAT5A_rel']
observable_names = observables.keys()
sigmas = dict(zip(list(observable_names), sigma_vals))
print(sigmas)

{'observable_pSTAT5A_rel': 'sd_pSTAT5A_rel', 'observable_pSTAT5B_rel': 'sd_pSTAT5B_rel',
 'observable_rSTAT5A_rel': 'sd_rSTAT5A_rel'}
```

Generating the module

Now we can generate the python module for our model. `amici.SbmlImporter.sbml2amici` will symbolically derive the sensitivity equations, generate C++ code for model simulation, and assemble the python module.

```
[7]: sbml_importer.sbml2amici(model_name,
                           model_output_dir,
                           verbose=False,
                           observables=observables,
                           constantParameters=constantParameters,
                           sigmas=sigmas
                           )
```

Importing the module and loading the model

If everything went well, we need to add the previously selected model output directory to our `PYTHON_PATH` and are then ready to load newly generated model:

```
[8]: sys.path.insert(0, os.path.abspath(model_output_dir))
model_module = importlib.import_module(model_name)
```

And get an instance of our model from which we can retrieve information such as parameter names:

```
[9]: model = model_module.getModel()

print("Model parameters:", list(model.getParameterIds()))
print("Model outputs: ", list(model.getObservableIds()))
print("Model states:  ", list(model.getStateIds()))

Model parameters: ['Epo_degradation_BaF3', 'k_exp_hetero', 'k_exp_homo', 'k_imp_hetero',
                   'k_imp_homo', 'k_phos', 'sd_pSTAT5A_rel', 'sd_pSTAT5B_rel', 'sd_rSTAT5A_rel']
Model outputs:   ['observable_pSTAT5A_rel', 'observable_pSTAT5B_rel', 'observable_
                   rSTAT5A_rel']
Model states:    ['STAT5A', 'STAT5B', 'pApB', 'pApA', 'pBpB', 'nucpApA', 'nucpApB',
                   'nucpBpB']
```

2.4.3 Running simulations and analyzing results

After importing the model, we can run simulations using `amici.runAmiciSimulation`. This requires a `Model` instance and a `Solver` instance. Optionally you can provide measurements inside an `ExpData` instance, as shown later in this notebook.

```
[10]: h5_file = 'boehm_JProteomeRes2014/data_boehm_JProteomeRes2014.h5'
dp = DataProvider(h5_file)

[11]: # set timepoints for which we want to simulate the model
timepoints = amici.DoubleVector(dp.get_timepoints())
model.setTimepoints(timepoints)

# set fixed parameters for which we want to simulate the model
model.setFixedParameters(amici.DoubleVector(np.array([0.693, 0.107])))

# set parameters to optimal values found in the benchmark collection
model.setParameterScale(2)
model.setParameters(amici.DoubleVector(np.array([-1.568917588,
-4.999704894,
-2.209698782,
-1.786006548,
4.990114009,
4.197735488,
0.585755271,
0.818982819,
0.498684404
])))

# Create solver instance
solver = model.getSolver()

# Run simulation using model parameters from the benchmark collection and default_
˓→solver options
rdata = amici.runAmiciSimulation(model, solver)

[12]: # Create edata
edata = amici.ExpData(rdata, 1.0, 0)

# set observed data
edata.setObservedData(amici.DoubleVector(dp.get_measurements()[:, 0]), 0)
edata.setObservedData(amici.DoubleVector(dp.get_measurements()[:, 1]), 1)
edata.setObservedData(amici.DoubleVector(dp.get_measurements()[:, 2]), 2)

# set standard deviations to optimal values found in the benchmark collection
edata.setObservedDataStdDev(amici.DoubleVector(np.array(16*[10**0.585755271])), 0)
edata.setObservedDataStdDev(amici.DoubleVector(np.array(16*[10**0.818982819])), 1)
edata.setObservedDataStdDev(amici.DoubleVector(np.array(16*[10**0.498684404])), 2)

[13]: rdata = amici.runAmiciSimulation(model, solver, edata)

print('Chi2 value reported in benchmark collection: 47.9765479')
print('chi2 value using AMICI:')
print(rdata['chi2'])

Chi2 value reported in benchmark collection: 47.9765479
chi2 value using AMICI:
```

(continues on next page)

(continued from previous page)

47.97654266893465

2.4.4 Run optimization using pyPESTO

```
[14]: # create objective function from amici model
# pesto.AmiciObjective is derived from pesto.Objective,
# the general pesto objective function class

model.requireSensitivitiesForAllParameters()

solver.setSensitivityMethod(amici.SensitivityMethod_forward)
solver.setSensitivityOrder(amici.SensitivityOrder_first)

objective = pypesto.AmiciObjective(model, solver, [edata], 1)
```

```
[15]: import pypesto.optimize as optimize

# create optimizer object which contains all information for doing the optimization
optimizer = optimize.ScipyOptimizer()

optimizer.solver = 'bfsgs'
```

```
[16]: # create problem object containing all information on the problem to be solved
x_names = ['x' + str(j) for j in range(0, 9)]
problem = pypesto.Problem(objective=objective,
                           lb=-5*np.ones((9)), ub=5*np.ones((9)),
                           x_names=x_names)
```

```
[17]: # do the optimization
result = optimize.minimize(problem=problem,
                           optimizer=optimizer,
                           n_starts=10) # 200

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function CVode : At t = 197.098 and h = 5.31558e-05, the error test failed repeatedly or with |h| = hmin.
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 197.097676: AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function CVode : At t = 153.887 and h = 3.19493e-05, the error test failed repeatedly or with |h| = hmin.
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 153.886960: AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function CVode : At t = 175.27 and h = 1.75497e-05, the error test failed repeatedly or with |h| = hmin.
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 175.270281: AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function CVode : At t = 89.6211 and h = 2.65581e-05, the error test failed repeatedly or with |h| = hmin.
```

(continues on next page)

(continued from previous page)

[Warning] AMICI:simulation: AMICI forward simulation failed at t = 89.621132:
AMICI failed to integrate the forward problem



2.4.5 Visualization

Create waterfall and parameter plot

```
[18]: # waterfall, parameter space,
import pypesto.visualize as visualize

visualize.waterfall(result)
visualize.parameters(result)
```

[18]: <matplotlib.axes._subplots.AxesSubplot at 0x7feec1f59280>



2.5 Model import using the Petab format

In this notebook, we illustrate how to use pyPESTO together with PEtab and AMICI. We employ models from the benchmark collection, which we first download:

```
[1]: import pypesto
import pypesto.petab
import pypesto.optimize as optimize
import pypesto.visualize as visualize
import amici
import petab

import os
import numpy as np
import matplotlib.pyplot as plt

%matplotlib inline

!git clone --depth 1 https://github.com/Benchmarking-Initiative/Benchmark-Models-
˓→PEtab.git tmp/benchmark-models || (cd tmp/benchmark-models && git pull)

folder_base = "tmp/benchmark-models/Benchmark-Models/"

fatal: destination path 'tmp/benchmark-models' already exists and is not an empty directory.
˓→Already up to date.
```

2.5.1 Import

Manage PEtab model

A PEtab problem comprises all the information on the model, the data and the parameters to perform parameter estimation. We import a model as a `petab.Problem`.

```
[2]: # a collection of models that can be simulated

#model_name = "Zheng_PNAS2012"
model_name = "Boehm_JProteomeRes2014"
#model_name = "Fujita_SciSignal2010"
#model_name = "Sneyd_PNAS2002"
#model_name = "Borghans_BiophysChem1997"
#model_name = "Elowitz_Nature2000"
#model_name = "Crauste_CellSystems2017"
#model_name = "Lucarelli_CellSystems2018"
#model_name = "Schwen_PONE2014"
#model_name = "Blasi_CellSystems2016"

# the yaml configuration file links to all needed files
yaml_config = os.path.join(folder_base, model_name, model_name + '.yaml')

# create a petab problem
petab_problem = petab.Problem.from_yaml(yaml_config)
```

Import model to AMICI

The model must be imported to pyPESTO and AMICI. Therefore, we create a `pypesto.PetabImporter` from the problem, and create an AMICI model.

```
[3]: importer = pypesto.petab.PetabImporter(petab_problem)

model = importer.create_model()

# some model properties
print("Model parameters:", list(model.getParameterIds()), '\n')
print("Model const parameters:", list(model.getFixedParameterIds()), '\n')
print("Model outputs: ", list(model.getObservableIds()), '\n')
print("Model states: ", list(model.getStateIds()), '\n')

Model parameters: ['Epo_degradation_BaF3', 'k_exp_hetero', 'k_exp_homo', 'k_imp_hetero',
                   ↪, 'k_imp_homo', 'k_phos', 'ratio', 'specC17', 'noiseParameter1_pSTAT5A_rel',
                   ↪'noiseParameter1_pSTAT5B_rel', 'noiseParameter1_rSTAT5A_rel']

Model const parameters: []

Model outputs: ['pSTAT5A_rel', 'pSTAT5B_rel', 'rSTAT5A_rel']

Model states: ['STAT5A', 'STAT5B', 'pApB', 'pApA', 'pBpB', 'nucpApA', 'nucpApB',
                ↪'nucpBpB']
```

Create objective function

To perform parameter estimation, we need to define an objective function, which integrates the model, data, and noise model defined in the PEtab problem.

```
[4]: import libsbml
converter_config = libsbml.SBMLLocalParameterConverter() \
    .getDefaultValueProperties()
petab_problem.sbml_document.convert(converter_config)

obj = importer.create_objective()

# for some models, hyperparameters need to be adjusted
#obj.amici_solver.setMaxSteps(10000)
#obj.amici_solver.setRelativeTolerance(1e-7)
#obj.amici_solver.setAbsoluteTolerance(1e-7)
```

We can request variable derivatives via `sensi_orders`, or function values or residuals as specified via `mode`. Passing `return_dict`, we obtain the direct result of the AMICI simulation.

```
[5]: ret = obj(petab_problem.x_nominal_scaled, mode='mode_fun', sensi_orders=(0,1), return_
            ↪dict=True)
print(ret)

{'fval': 138.22199677513575, 'grad': array([ 2.20386015e-02,  5.53227506e-02,  5.
    ↪78886452e-03,  5.40656415e-03,
        -4.51595809e-05,  7.91163446e-03,  0.00000000e+00,  1.07840959e-02,
        2.40378735e-02,  1.91919657e-02,  0.00000000e+00]), 'hess': array([[0., 0., 0.,
    ↪, 0., 0., 0., 0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
```

(continues on next page)

(continued from previous page)

```
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
[0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.]),
'rdatas': [<amici.numpy.
˓→ReturnDataView object at 0x7fb394714cd0>] }
```

The problem defined in PEtab also defines the fixing of parameters, and parameter bounds. This information is contained in a `pypesto.Problem`.

```
[6]: problem = importer.create_problem(obj)
```

In particular, the problem accounts for the fixing of parameters.

```
[7]: print(problem.x_fixed_indices, problem.x_free_indices)
```

```
[6, 10] [0, 1, 2, 3, 4, 5, 7, 8, 9]
```

The problem creates a copy of the objective function that takes into account the fixed parameters. The objective function is able to calculate function values and derivatives. A finite difference check whether the computed gradient is accurate:

```
[8]: objective = problem.objective
ret = objective(petab_problem.x_nominal_free_scaled, sensi_orders=(0,1))
print(ret)

(138.22199677513575, array([ 2.20386015e-02,  5.53227506e-02,  5.78886452e-03,  5.
˓→40656415e-03,
      -4.51595809e-05,  7.91163446e-03,  1.07840959e-02,  2.40378735e-02,
      1.91919657e-02]))
```

```
[9]: eps = 1e-4
```

```
def fd(x):
    grad = np.zeros_like(x)
    j = 0
    for i, xi in enumerate(x):
        mask = np.zeros_like(x)
        mask[i] += eps
        valinc, _ = objective(x+mask, sensi_orders=(0,1))
        valdec, _ = objective(x-mask, sensi_orders=(0,1))
        grad[j] = (valinc - valdec) / (2*eps)
        j += 1
    return grad
```

```
fdval = fd(petab_problem.x_nominal_free_scaled)
```

```
print("fd: ", fdval)
```

```
print("l2 difference: ", np.linalg.norm(ret[1] - fdval))
```

```
fd: [0.02493368 0.05309659 0.00530587 0.01291083 0.00587754 0.01473653
0.01078279 0.02403657 0.01919066]
```

```
l2 difference: 0.012310244824532846
```

In short

All of the previous steps can be shortened by directly creating an importer object and then a problem:

```
[10]: importer = pypesto.petab.PetabImporter.from_yaml(yaml_config)
problem = importer.create_problem()
```

2.5.2 Run optimization

Given the problem, we can perform optimization. We can specify an optimizer to use, and a parallelization engine to speed things up.

```
[11]: optimizer = optimize.ScipyOptimizer()

# engine = pypesto.engine.SingleCoreEngine()
engine = pypesto.engine.MultiProcessEngine()

# do the optimization
result = optimize.minimize(problem=problem, optimizer=optimizer,
                            n_starts=10, engine=engine)

Engine set up to use up to 4 processes in total. The number was automatically
determined and might not be appropriate on some systems.

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
with |h| = hmin.

[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
with |h| = hmin.

[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
with |h| = hmin.

[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
with |h| = hmin.

[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
with |h| = hmin.

[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
with |h| = hmin.

[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem
```

(continues on next page)

(continued from previous page)

AMICI failed to integrate the forward problem

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:  
AMICI failed to integrate the forward problem
```

```
[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function  
→CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or  
→with |h| = hmin.
```

(continues on next page)

(continued from previous page)

```
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
    ↪CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
    ↪with |h| = hmin.
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
    ↪CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
    ↪with |h| = hmin.
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
    ↪CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
    ↪with |h| = hmin.
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem

[Warning] AMICI:CVODES:CVode:ERR_FAILURE: AMICI ERROR: in module CVODES in function
    ↪CVode : At t = 129.296 and h = 7.99525e-06, the error test failed repeatedly or
    ↪with |h| = hmin.
[Warning] AMICI:simulation: AMICI forward simulation failed at t = 129.295950:
AMICI failed to integrate the forward problem
```

2.5.3 Visualize

The results are contained in a `pypesto.Result` object. It contains e.g. the optimal function values.

```
[12]: result.optimize_result.get_for_key('fval')


[12]: [145.75941164508708,
 150.66829665808604,
 151.0111203508512,
 156.3408523704166,
 158.80993946232553,
 171.1342910354579,
 209.9307084952844,
 249.7459886904473,
 249.74599725959808,
 249.7459974434843]
```

We can use the standard pyPESTO plotting routines to visualize and analyze the results.

```
[13]: ref = visualize.create_references(
    x=petab_problem.x_nominal_scaled, fval=obj(petab_problem.x_nominal_scaled))

visualize.waterfall(result, reference=ref, scale_y='lin')
visualize.parameters(result, reference=ref)

[13]: <matplotlib.axes._subplots.AxesSubplot at 0x7fb345161310>
```



2.6 Storage

This notebook illustrates how simulations and results can be saved to file.

```
[1]: import pypesto
import pypesto.optimize as optimize
import pypesto.visualize as visualize
from pypesto.store import (save_to_hdf5, read_from_hdf5)

import numpy as np
import scipy as sp
import matplotlib.pyplot as plt
import tempfile

%matplotlib inline
```

2.6.1 Define the objective and problem

```
[2]: objective = pypesto.Objective(fun=sp.optimize.rosen,
                                    grad=sp.optimize.rosen_der,
                                    hess=sp.optimize.rosen_hess)

dim_full = 10
lb = -3 * np.ones((dim_full, 1))
ub = 3 * np.ones((dim_full, 1))

problem = pypesto.Problem(objective=objective, lb=lb, ub=ub)

# create optimizers
optimizer = optimize.ScipyOptimizer(method='l-bfgs-b')

# set number of starts
n_starts = 20
```

2.6.2 Objective function traces

During optimization, it is possible to regularly write the objective function trace to file. This is useful e.g. when runs fail, or for various diagnostics. Currently, pyPESTO can save histories to 3 backends: in-memory, as CSV files, or to HDF5 files.

Memory History

To record the history in-memory, just set `trace_record=True` in the `pypesto.HistoryOptions`. Then, the optimization result contains those histories:

```
[3]: # record the history
history_options = pypesto.HistoryOptions(trace_record=True)


# Run optimizations
result = optimize.minimize(
    problem=problem, optimizer=optimizer,
    n_starts=n_starts, history_options=history_options)
```

Now, in addition to queries on the result, we can also access the

```
[4]: print("History type: ", type(result.optimize_result.list[0].history))
# print("Function value trace of best run: ", result.optimize_result.list[0].history.
#       get_fval_trace())

fig, ax = plt.subplots(1, 2)
visualize.waterfall(result, ax=ax[0])
visualize.optimizer_history(result, ax=ax[1])
fig.set_size_inches((15, 5))

History type: <class 'pypesto.objective.history.MemoryHistory'>
```



CSV History

The in-memory storage is however not stored anywhere. To do that, it is possible to store either to CSV or HDF5. This is specified via the `storage_file` option. If it ends in `.csv`, a `pypesto.objective.history.CsvHistory` will be employed; if it ends in `.hdf5` a `pypesto.objective.history.Hdf5History`. Occurrences of the substring `{id}` in the filename are replaced by the multistart id, allowing to maintain a separate file per run (this is necessary for CSV as otherwise runs are overwritten).

```
[5]: # record the history and store to CSV
history_options = pypesto.HistoryOptions(trace_record=True, storage_file='history_{id}\
.csv')


# Run optimizations
result = optimize.minimize(
    problem=problem, optimizer=optimizer,
    n_starts=n_starts, history_options=history_options)
```

Note that for this simple cost function, saving to CSV takes a considerable amount of time. This overhead decreases for more costly simulators, e.g. using ODE simulations via AMICI.

```
[6]: print("History type: ", type(result.optimize_result.list[0].history))
# print("Function value trace of best run: ", result.optimize_result.list[0].history.\
→get_fval_trace())

fig, ax = plt.subplots(1, 2)
visualize.waterfall(result, ax=ax[0])
visualize.optimizer_history(result, ax=ax[1])
fig.set_size_inches((15, 5))

History type: <class 'pypesto.objective.history.CsvHistory'>
```



HDF5 History

TODO: This is not fully implemented yet (it's on the way ...).

2.6.3 Result storage

Result objects can be stored to HDF5 files. When applicable, this is preferable to just pickling results, which is not guaranteed to be reproducible in the future.

```
[7]: # Run optimizations
result = optimize.minimize(
    problem=problem, optimizer=optimizer,
    n_starts=n_starts)
```



```
[8]: result.optimize_result.list[0:2]
```

```
[8]: [{"id": "17",
  "x": array([0.99999994, 0.99999994, 1.          , 1.00000003, 1.00000011,
             1.00000009, 1.00000002, 0.99999991, 0.99999978, 0.99999952]),
  "fval": 8.70780056471112e-12,
  "grad": array([-2.31616041e-05, -3.81308795e-05,  1.32978065e-05, -1.23392144e-05,
                6.52303854e-05,  3.58850228e-05,  1.86401788e-05, -7.46042767e-06,
                8.02520832e-06, -8.71388750e-06]),
  "hess": None,
  "res": None,
  "sres": None,
  "n_fval": 87,
  "n_grad": 87,
  "n_hess": 0,
  "n_res": 0,
  "n_sres": 0,
  "x0": array([ 1.45114268,  2.06074379,  1.64058197,  0.6213187 ,  2.28867279,
              0.20877178,  1.83054994, -0.35049857, -2.66672642, -2.75180939]),
  "fval0": 16215.296810239959,
  "history": <pypesto.objective.history.History at 0x7f8dbd6ae070>,
  "exitflag": 0,
  "time": 0.020003557205200195,
  "message": b'CONVERGENCE: REL_REDUCTION_OF_F_<=_FACTR*EPSMCH' },
```

(continues on next page)


(continued from previous page)

```
{
    'id': '7',
    'x': array([0.99999998, 0.99999991, 0.99999996, 1.00000002, 1.00000011,
               1.00000024, 1.00000032, 1.00000046, 1.00000083, 1.00000177]),
    'fval': 1.2244681497661217e-11,
    'grad': array([ 1.82728495e-05, -6.74518178e-05, -1.27149830e-05, -2.05128948e-06,
                  3.27446361e-06,  6.39483721e-05,  4.57675698e-05, -4.81356983e-06,
                  -5.53900259e-05,  2.06167771e-05]),
    'hess': None,
    'res': None,
    'sres': None,
    'n_fval': 91,
    'n_grad': 91,
    'n_hess': 0,
    'n_res': 0,
    'n_sres': 0,
    'x0': array([ 0.80798177, -0.91430344, -2.6742686 , -1.76685642,  0.16784518,
                 1.70273894,  0.03732323,  2.71928657,  1.29546904, -2.9200907 ]),
    'fval0': 18006.95154502575,
    'history': <pypesto.objective.history.History at 0x7f8dbd6ae6a0>,
    'exitflag': 0,
    'time': 0.024848461151123047,
    'message': b'CONVERGENCE: REL_REDUCTION_OF_F_<=_FACTR*EPSMCH' } ]
```

As usual, having obtained our result, we can directly perform some plots:

```
[9]: # plot waterfall
visualize.waterfall(result, size=(15,6))

[9]: <matplotlib.axes._subplots.AxesSubplot at 0x7f8dbd812d00>
```



Save optimization result as HDF5 file

The optimization result can be saved via a `pypesto.store.OptimizationResultHDF5Writer`.

```
[10]: fn = tempfile.mktemp(".hdf5")

# Write result
hdf5_writer = save_to_hdf5.OptimizationResultHDF5Writer(fn)
hdf5_writer.write(result)

# Write problem
hdf5_writer = save_to_hdf5.ProblemHDF5Writer(fn)
hdf5_writer.write(problem)
```

Read optimization result from HDF5 file

When reading in the stored result again, we recover the original optimization result:

```
[11]: # Read result and problem
hdf5_reader = read_from_hdf5.OptimizationResultHDF5Reader(fn)
result = hdf5_reader.read()

[12]: result.optimize_result.list[0:2]
[12]: [ {'id': '17',
      'x': array([0.99999994, 0.99999994, 1.          , 1.00000003, 1.00000011,
                 1.00000009, 1.00000002, 0.99999991, 0.99999978, 0.99999952]),
      'fval': 8.70780056471112e-12,
      'grad': array([-2.31616041e-05, -3.81308795e-05,  1.32978065e-05, -1.23392144e-05,
                     6.52303854e-05,  3.58850228e-05,  1.86401788e-05, -7.46042767e-06,
                     8.02520832e-06, -8.71388750e-06]),
      'hess': None,
      'res': None,
      'sres': None,
      'n_fval': 87,
      'n_grad': 87,
      'n_hess': 0,
      'n_res': 0,
      'n_sres': 0,
      'x0': array([ 1.45114268,  2.06074379,  1.64058197,  0.6213187 ,  2.28867279,
                  0.20877178,  1.83054994, -0.35049857, -2.66672642, -2.75180939]),
      'fval0': 16215.296810239959,
      'history': None,
      'exitflag': 0,
      'time': 0.020003557205200195,
      'message': b'CONVERGENCE: REL_REDUCTION_OF_F_<=_FACTR*EPSMCH'},
     { 'id': '7',
      'x': array([0.99999998, 0.99999991, 0.99999996, 1.00000002, 1.00000011,
                 1.00000024, 1.00000032, 1.00000046, 1.00000083, 1.00000177]),
      'fval': 1.2244681497661217e-11,
      'grad': array([ 1.82728495e-05, -6.74518178e-05, -1.27149830e-05, -2.05128948e-06,
                     3.27446361e-06,  6.39483721e-05,  4.57675698e-05, -4.81356983e-06,
                     -5.53900259e-05,  2.06167771e-05]),
      'hess': None,
      'res': None,
      'sres': None},
```


(continues on next page)

(continued from previous page)

```
'n_fval': 91,
'n_grad': 91,
'n_hess': 0,
'n_res': 0,
'n_sres': 0,
'x0': array([ 0.80798177, -0.91430344, -2.6742686 , -1.76685642,  0.16784518,
             1.70273894,  0.03732323,  2.71928657,  1.29546904, -2.9200907 ]),
'fval0': 18006.95154502575,
'history': None,
'exitflag': 0,
'time': 0.024848461151123047,
'message': b'CONVERGENCE: REL_REDUCTION_OF_F_<=_FACTR*EPSMCH' }]
```

[13]: # plot waterfalls
`pypesto.visualize.waterfall(result, size=(15, 6))`

[13]: <matplotlib.axes._subplots.AxesSubplot at 0x7f8dbd534a60>



2.7 A sampler study

In this notebook, we perform a short study of how various samplers implemented in pyPESTO perform.

2.7.1 The pipeline

First, we show a typical workflow, fully integrating the samplers with a PEtab problem, using a toy example of a conversion reaction.

[1]: `import pypesto
import pypesto.petab
import pypesto.optimize as optimize
import pypesto.sample as sample
import pypesto.visualize as visualize
import petab`

(continues on next page)

(continued from previous page)


```
# import to petab
petab_problem = petab.Problem.from_yaml(
    "conversion_reaction/conversion_reaction.yaml")
# import to pypesto
importer = pypesto.petab.PetabImporter(petab_problem)
# create problem
problem = importer.create_problem()
```

Commonly, as a first step, optimization is performed, in order to find good parameter point estimates.

```
[2]: %%time
result = optimize.minimize(problem, n_starts=10)

CPU times: user 2.43 s, sys: 319 ms, total: 2.75 s
Wall time: 3.09 s
```

```
[3]: ax = visualize.waterfall(result, size=(4,4))
```



Next, we perform sampling. Here, we employ a `pypesto.sample.AdaptiveParallelTemperingSampler` sampler, which runs Markov Chain Monte Carlo (MCMC) chains on different temperatures. For each chain, we employ a `pypesto.sample.AdaptiveMetropolisSampler`. For more on the samplers see below or the API documentation.

```
[4]: sampler = sample.AdaptiveParallelTemperingSampler(
    internal_sampler=sample.AdaptiveMetropolisSampler(),
    n_chains=3)
```

For the actual sampling, we call the `pypesto.sample.sample` function. By passing the `result` object to the function, the previously found global optimum is used as starting point for the MCMC sampling.

```
[5]: %%time
result = sample.sample(problem, n_samples=10000, sampler=sampler, result=result)

100%| 10000/10000 [01:32<00:00, 108.33it/s]

CPU times: user 1min 3s, sys: 6.2 s, total: 1min 10s
Wall time: 1min 32s
```


When the sampling is finished, we can analyse our results. A first thing to do is to analyze the sampling burn-in:

```
[6]: sample.geweke_test(result)
```

```
[6]: 0
```


pyPESTO provides functions to analyse both the sampling process as well as the obtained sampling result. Visualizing the traces e.g. allows to detect burn-in phases, or fine-tune hyperparameters. First, the parameter trajectories can be visualized:

```
[7]: sample.geweke_test(result)
ax = visualize.sampling_parameters_trace(result, use_problem_bounds=False)
```



Next, also the log posterior trace can be visualized:


```
[8]: ax = visualize.sampling_fval_trace(result)
```



To visualize the result, there are various options. The scatter plot shows histograms of 1-dim parameter marginals and


scatter plots of 2-dimensional parameter combinations:


```
[9]: ax = visualize.sampling_scatter(result, size=[13, 6])
```



sampling_1d_marginals allows to plot e.g. kernel density estimates or histograms (internally using seaborn):

```
[10]: for i_chain in range(len(result.sample_result.betas)):
    visualize.sampling_1d_marginals(
        result, i_chain=i_chain, suptitle=f"Chain: {i_chain}")
```





That's it for the moment on using the sampling pipeline.

2.7.2 1-dim test problem

To compare and test the various implemented samplers, we first study a 1-dimensional test problem of a gaussian mixture density, together with a flat prior.

```
[11]: import numpy as np
from scipy.stats import multivariate_normal
import seaborn as sns
import pypesto

def density(x):
    return 0.3*multivariate_normal.pdf(x, mean=-1.5, cov=0.1) + \
        0.7*multivariate_normal.pdf(x, mean=2.5, cov=0.2)
```

(continues on next page)

(continued from previous page)

```
def nllh(x):
    return - np.log(density(x))

objective = pypesto.Objective(fun=nllh)
problem = pypesto.Problem(
    objective=objective, lb=-4, ub=5, x_names=[ 'x' ])
```

The likelihood has two separate modes:

```
[12]: xs = np.linspace(-4, 5, 100)
ys = [density(x) for x in xs]

ax = sns.lineplot(xs, ys, color='C1')
```


Metropolis sampler

For this problem, let us try out the simplest sampler, the `pypesto.sample.MetropolisSampler`.

```
[13]: %%time
sampler = sample.MetropolisSampler({'std': 0.5})
result = sample.sample(problem, 1e4, sampler, x0=np.array([0.5]))


100%| 10000/10000 [00:04<00:00, 2011.51it/s]

CPU times: user 4.85 s, sys: 183 ms, total: 5.04 s
Wall time: 5 s
```



```
[14]: sample.geweke_test(result)
ax = visualize.sampling_1d_marginals(result)
ax[0][0].plot(xs, ys)

[14]: []
```




The obtained posterior does not accurately represent the distribution, often only capturing one mode. This is because it is hard for the Markov chain to jump between the distribution's two modes. This can be fixed by choosing a higher proposal variation std:

```
[15]: %time
sampler = sample.MetropolisSampler({'std': 1})
result = sample.sample(problem, 1e4, sampler, x0=np.array([0.5]))
100%| 10000/10000 [00:04<00:00, 2026.01it/s]
CPU times: user 4.87 s, sys: 145 ms, total: 5.01 s
Wall time: 4.95 s
```

```
[16]: sample.geweke_test(result)
ax = visualize.sampling_1d_marginals(result)
ax[0][0].plot(xs, ys)
```

```
[16]: <matplotlib.lines.Line2D at 0x7f5714aa5f10>
```



In general, MCMC have difficulties exploring multimodel landscapes. One way to overcome this is to use parallel tempering. There, various chains are run, lifting the densities to different temperatures. At high temperatures, proposed steps are more likely to get accepted and thus jumps between modes more likely.

Parallel tempering sampler


In pyPESTO, the most basic parallel tempering algorithm is the `pypesto.sample.ParallelTemperingSampler`. It takes an `internal_sampler` parameter, to specify what sampler to use for performing sampling the different chains. Further, we can directly specify what inverse temperatures `betas` to use. When not specifying the `betas` explicitly but just the number of chains `n_chains`, an established near-exponential decay scheme is used.


```
[17]: %%time
sampler = sample.ParallelTemperingSampler(
    internal_sampler=sample.MetropolisSampler(),
    betas=[1, 1e-1, 1e-2])
result = sample.sample(problem, 1e4, sampler, x0=np.array([0.5]))

100%| 10000/10000 [00:17<00:00, 575.00it/s]

CPU times: user 17.3 s, sys: 297 ms, total: 17.6 s
Wall time: 17.4 s
```

```
[18]: sample.geweke_test(result)
for i_chain in range(len(result.sample_result.betas)):
    visualize.sampling_1d_marginals(
        result, i_chain=i_chain, suptitle=f"Chain: {i_chain}")
```






Of interest is here finally the first chain at index `i_chain=0`, which approximates the posterior well.

Adaptive Metropolis sampler

The problem of having to specify the proposal step variation manually can be overcome by using the `pypesto.sample.AdaptiveMetropolisSampler`, which iteratively adjusts the proposal steps to the function landscape.

```
[19]: %%time
sampler = sample.AdaptiveMetropolisSampler()
result = sample.sample(problem, 1e4, sampler, x0=np.array([0.5]))
100%| 10000/10000 [00:06<00:00, 1526.08it/s]
CPU times: user 6.47 s, sys: 119 ms, total: 6.59 s
Wall time: 6.58 s
```

```
[20]: sample.geweke_test(result)
ax = visualize.sampling_1d_marginals(result)
```



Adaptive parallel tempering sampler


The `pypesto.sample.AdaptiveParallelTemperingSampler` iteratively adjusts the temperatures to obtain good swapping rates between chains.


```
[21]: %%time
sampler = sample.AdaptiveParallelTemperingSampler(
    internal_sampler=sample.AdaptiveMetropolisSampler(), n_chains=3)
result = sample.sample(problem, 1e4, sampler, x0=np.array([0.5]))

100%| 10000/10000 [00:20<00:00, 494.22it/s]

CPU times: user 20.1 s, sys: 210 ms, total: 20.3 s
Wall time: 20.3 s
```

```
[22]: sample.geweke_test(result)
for i_chain in range(len(result.sample_result.betas)):
    visualize.sampling_1d_marginals(
        result, i_chain=i_chain, suptitle=f"Chain: {i_chain}")
```





```
[23]: result.sample_result.betas
[23]: array([1.0000000e+00, 2.2121804e-01, 2.0000000e-05])
```

Pymc3 sampler

```
[24]: %%time
sampler = sample.Pymc3Sampler()
result = sample.sample(problem, 1e4, sampler, x0=np.array([0.5]))


Auto-assigning NUTS sampler...
Initializing NUTS using jitter+adapt_diag...
Initializing NUTS failed. Falling back to elementwise auto-assignment.
Sequential sampling (1 chains in 1 job)
Slice: [x]

<IPython.core.display.HTML object>

Sampling 1 chain for 1_000 tune and 10_000 draw iterations (1_000 + 10_000 draws_
↪total) took 31 seconds.
Only one chain was sampled, this makes it impossible to run some convergence checks

CPU times: user 37 s, sys: 797 ms, total: 37.8 s
Wall time: 39.8 s
```

```
[25]: sample.geweke_test(result)
for i_chain in range(len(result.sample_result.betas)):
    visualize.sampling_1d_marginals(
        result, i_chain=i_chain, suptitle=f"Chain: {i_chain}")
```



If not specified, pymc3 chooses an adequate sampler automatically.

2.7.3 2-dim test problem: Rosenbrock banana

The adaptive parallel tempering sampler with chains running adaptive Metropolis samplers is also able to sample from more challenging posterior distributions. To illustrates this shortly, we use the Rosenbrock function.

```
[26]: import scipy.optimize as so
import pypesto

# first type of objective
objective = pypesto.Objective(fun=so.rosen)

dim_full = 4
lb = -5 * np.ones((dim_full, 1))
ub = 5 * np.ones((dim_full, 1))

problem = pypesto.Problem(objective=objective, lb=lb, ub=ub)
```

```
[27]: %%time
sampler = sample.AdaptiveParallelTemperingSampler(
    internal_sampler=sample.AdaptiveMetropolisSampler(), n_chains=10)
result = sample.sample(problem, 1e4, sampler, x0=np.zeros(dim_full))

100%| | 10000/10000 [00:40<00:00, 244.08it/s]

CPU times: user 40.9 s, sys: 238 ms, total: 41.2 s
Wall time: 41 s
```


```
[28]: ax = visualize.sampling_scatter(result)
ax = visualize.sampling_1d_marginals(result)


Burn in index not found in the results, the full chain will be shown.
You may want to use, e.g., 'pypesto.sample.geweke_test'.
```

(continues on next page)

(continued from previous page)

Burn in index not found in the results, the full chain will be shown.
You may want to use, e.g., 'pypesto.sample.geweke_test'.





[]:

2.8 MCMC sampling diagnostics

In this notebook, we illustrate how to assess the quality of your MCMC samples, e.g. convergence and auto-correlation, in pyPESTO.

2.8.1 The pipeline

First, we load the model and data to generate the MCMC samples from. In this example we show a toy example of a conversion reaction, loaded as a PEtab problem.

```
[1]: import pypesto
import pypesto.petab
import pypesto.optimize as optimize
import pypesto.sample as sample
import pypesto.visualize as visualize

import petab
import numpy as np
import logging

# log diagnostics
logger = logging.getLogger("pypesto.sample.diagnostics")
logger.setLevel(logging.INFO)
logger.addHandler(logging.StreamHandler())

# import to petab
petab_problem = petab.Problem.from_yaml(
    "conversion_reaction/conversion_reaction.yaml")
# import to pypesto
importer = pypesto.petab.PetabImporter(petab_problem)
```

(continues on next page)

(continued from previous page)

```
# create problem
problem = importer.create_problem()
```

Create the sampler object, in this case we will use adaptive parallel tempering with 3 temperatures.

```
[2]: sampler = sample.AdaptiveParallelTemperingSampler(
    internal_sampler=sample.AdaptiveMetropolisSampler(),
    n_chains=3)
```


First, we will initiate the MCMC chain at a “random” point in parameter space, e.g. $\theta_{start} = [3, -4]$

```
[3]: result = sample.sample(problem, n_samples=10000, sampler=sampler, x0=np.array([3, -4]))
elapsed_time = result.sample_result.time
print(f'Elapsed time: {round(elapsed_time, 2)}')

100%| 10000/10000 [01:35<00:00, 104.78it/s]
Elapsed time: 71.04
```

```
[4]: ax = visualize.sampling_parameters_trace(result, use_problem_bounds=False, size=(12,
    ↪5))
```


Burn in index not found in the results, the full chain will be shown.
You may want to use, e.g., 'pypesto.sample.geweke_test'.




By visualizing the chains, we can see a warm up phase occurring until convergence of the chain is reached. This is commonly known as “burn in” phase and should be discarded. An automatic way to evaluate and find the index of the chain in which the warm up is finished can be done by using the Geweke test.

```
[5]: sample.geweke_test(result=result)
ax = visualize.sampling_parameters_trace(result, use_problem_bounds=False, size=(12,
    ↪5))

Geweke burn-in index: 500
```



```
[6]: ax = visualize.sampling_parameters_trace(result, use_problem_bounds=False, full_
    ↪trace=True, size=(12,5))
```



Commonly, as a first step, optimization is performed, in order to find good parameter point estimates.

```
[7]: res = optimize.minimize(problem, n_starts=10)
```

By passing the result object to the function, the previously found global optimum is used as starting point for the MCMC sampling.


```
[8]: res = sample.sample(problem, n_samples=10000, sampler=sampler, result=res)
elapsed_time = res.sample_result.time
print('Elapsed time: '+str(round(elapsed_time,2)))
100%|| 10000/10000 [01:03<00:00, 156.39it/s]
Elapsed time: 60.56
```

When the sampling is finished, we can analyse our results. pyPESTO provides functions to analyse both the sampling process as well as the obtained sampling result. Visualizing the traces e.g. allows to detect burn-in phases, or fine-tune

hyperparameters. First, the parameter trajectories can be visualized:

```
[9]: ax = visualize.sampling_parameters_trace(res, use_problem_bounds=False, size=(12, 5))
```


Burn in index not found in the results, the full chain will be shown.
You may want to use, e.g., 'pypesto.sample.geweke_test'.



By visual inspection one can see that the chain is already converged from the start. This is already showing the benefit of initiating the chain at the optimal parameter vector. However, this may not be always the case.

```
[10]: sample.geweke_test(result=res)
ax = visualize.sampling_parameters_trace(res, use_problem_bounds=False, size=(12, 5))
```

Geweke burn-in index: 0



2.9 Download the examples as notebooks

- Rosenbrock
- Conversion reaction
- Fixed parameters
- Boehm model
- Petab import
- Storage
- Sampler study
- Sampling diagnostics

Note: Some of the notebooks have extra dependencies.

STORAGE

It is important to be able to store analysis results efficiently, easily accessible, and portable across systems. For this aim, pyPESTO allows to store results in efficient, portable **HDF5** files. Further, optimization trajectories can be stored using various backends, including HDF5 and CSV.

In the following, describe the file formats. For detailed information on usage, consult the `doc/example/hdf5_storage.ipynb` notebook, and the API documentation for the `pypesto.objective.history` and `pypesto.storage` modules.

3.1 pyPESTO Problem

```
+ /problem/
- Attributes:
  - filled by objective.get_config()
  - ...

- lb [float n_par]
- ub [float n_par]
- lb_full [float n_par_full]
- ub_full [float n_par_full]
- dim [int]
- dim_full [int]
- x_fixed_values [float (n_par_full-n_par)]
- x_fixed_indices [int (n_par_full-n_par)]
- x_free_indices [int n_par]
- x_names [str n_par_full]
```

3.2 Parameter estimation

3.2.1 Parameter estimation settings

Parameter estimation settings are saved in `/optimization/settings`.

3.2.2 Parameter estimation results

Parameter estimation results are saved in `/optimization/results/`.

Results per local optimization

Results of the n 'th multistart are saved in the format

```
+ /optimization/results/$n/
- fval: [float]
    Objective function value of best iteration
- x: [float n_par_full]
    Parameter set of best iteration
- grad: [float n_par_full]
    Gradient of objective function at point x
- hess: [float n_par_full x n_par_full]
    Hessian matrix of objective function at point x
- n_fval: [int]
    Total number of objective function evaluations
- n_grad: [int]
    Number of gradient evaluations
- n_hess: [int]
    Number of Hessian evaluations
- x0: [float n_par_full]
    Initial parameter set
- fval0: [float]
    Objective function value at starting parameters
- exitflag: [str] Some exit flag
- time: [float] Execution time
- message: [str] Some exit message
```

Trace per local optimization

When objective function call histories are saved to HDF5, they are under `/optimization/results/$n/trace/`.

```
+ /optimization/results/$n/trace/
- fval: [float n_iter]
    Objective function value of best iteration
- x: [float n_iter x n_par_full]
    Parameter set of best iteration
- grad: [float n_iter x n_par_full]
    Gradient of objective function at point x
- hess: [float n_iter x n_par_full x n_par_full]
    Hessian matrix of objective function at point x
- time: [float n_iter] Executition time
- chi2: [float n_iter x ...]
- schi2: [float n_iter x ...]
```

3.3 Sampling

3.3.1 Sampling results

Sampling results are saved in `/sampling/chains/`.

```
+ /sampling/chains/$n/
```

TODO

3.4 Profiling

TODO

3.4.1 Profiling results

TODO

CONTRIBUTE

4.1 Contribute documentation

To make pypesto easily usable, we are committed to documenting extensively. This involves in particular documenting the functionality of methods and classes, the purpose of single lines of code, and giving usage examples. The documentation is hosted on pypesto.readthedocs.io and updated automatically every time the master branch on github.com/icb-dcm/pypesto is updated. To compile the documentation locally, use:

```
cd doc  
make html
```

4.2 Contribute tests

Tests are located in the `test` folder. All files starting with `test_` contain tests and are automatically run on Travis CI. To run them manually, type:

```
python3 -m pytest test
```

or alternatively:

```
python3 -m unittest test
```

You can also run specific tests.

Tests can be written with [pytest](#) or the [unittest](#) module.

4.2.1 PEP8

We try to respect the [PEP8](#) coding standards. We run [flake8](#) as part of the tests. If flake8 complains, the tests won't pass. You can run it via:

```
./run_flake8.sh
```

in Linux from the base directory, or directly from python. More, you can use the tool [autopep8](#) to automatically fix various coding issues.

4.3 Contribute code

If you start working on a new feature or a fix, if not already done, please create an issue on github shortly describing your plans and assign it to yourself.

To get your code merged, please:

1. create a pull request to develop
2. if not already done in a commit message already, use the pull request description to reference and automatically close the respective issue (see <https://help.github.com/articles/closing-issues-using-keywords/>)
3. check that all tests on travis pass
4. check that the documentation is up-to-date
5. request a code review

General notes:

- Internally, we use numpy for arrays. In particular, vectors are represented as arrays of shape (n,).
- Use informative commmit messages.

DEPLOY

New features and bug fixes are continuously added to the develop branch. On every merge to master, the version number in `pypesto/version.py` should be incremented as described below.

5.1 Versioning scheme

For version numbers, we use A . B . C, where

- C is increased for bug fixes,
- B is increased for new features and minor API breaking changes,
- A is increased for major API breaking changes.

5.2 Creating a new release

After new commits have been added to the develop branch, changes can be merged to master and a new version of pyPESTO can be released. Every merge to master should coincide with an incremented version number and a git tag on the respective merge commit.

5.2.1 Merge into master

1. create a pull request from develop to master
2. check that all tests on travis pass
3. check that the documentation is up-to-date
4. adapt the version number in the file `pesto/version.py` (see above)
5. update the release notes in `doc/releasenotes.rst`
6. request a code review
7. merge into the origin master branch

To be able to actually perform the merge, sufficient rights may be required. Also, at least one review is required.

5.2.2 Creating a release on github

After merging into master, create a new release on Github. In the release form:

- specify a tag with the new version as specified in `pesto/version.py`, prefixed with v (e.g. `v0.0.1`)
- include the latest additions to `doc/releasenotes.rst` in the release description

Tagging the release commit will automatically trigger deployment of the new version to pypi.

**CHAPTER
SIX**

DOCUMENTATION

The doc/ folder contains the files for building the pyPESTO documentation.

6.1 Requirements

The documentation is based on sphinx. Install via

```
pip3 install sphinx
```

Furthermore, the files specified in ./rtd_pip_reqs.txt and ./rtd_apt_reqs.txt are required. Install via

```
pip3 install --upgrade -r ./rtd_pip_reqs.txt
```

and

```
cat ./rtd_apt_reqs.txt | xargs sudo apt install -y
```

respectively.

6.2 Build the documentation

The documentation can be built in different formats, e.g. in html via

```
make html
```

The built documentation can then be found locally in the _build sub-directory.

The documentation is built and published automatically on readthedocs.io every time the master branch on github.com is changed. It is recommended to compile and check the documentation manually beforehand.

OBJECTIVE

```
class pypesto.objective.AggregatedObjective(objectives: Sequence[pypesto.objective.base.ObjectiveBase], x_names: Sequence[str] = None)
```

Bases: pypesto.objective.base.ObjectiveBase

This class aggregates multiple objectives into one objective.

```
__init__(objectives: Sequence[pypesto.objective.base.ObjectiveBase], x_names: Sequence[str] = None)
```

Constructor.

Parameters

- **objectives** – Sequence of pypesto.ObjectiveBase instances
- **x_names** – Sequence of names of the (optimized) parameters. (Details see documentation of x_names in pypesto.ObjectiveBase)

```
call_unprocessed(x, sensi_orders, mode) → Dict[str, Union[float, numpy.ndarray, Dict]]
```

Call objective function without pre- or post-processing and formatting.

Parameters

- **x** – The parameters for which to evaluate the objective function.
- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns A dict containing the results.

Return type

```
check_mode(mode) → bool
```

Check if the objective is able to compute in the requested mode.

Parameters **mode** – Whether to compute function values or residuals.

Returns Boolean indicating whether mode is supported

Return type

```
check_sensi_orders(sensi_orders, mode) → bool
```

Check if the objective is able to compute the requested sensitivities.

Parameters

- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns Boolean indicating whether combination of sensi_orders and mode is supported

Return type flag

initialize()

Initialize the objective function. This function is used at the beginning of an analysis, e.g. optimization, and can e.g. reset the objective memory. By default does nothing.

class pypesto.objective.**AmiciCalculator**

Bases: object

Class to perform the actual call to AMICI and obtain requested objective function values.

__call__(x_dct: Dict, sensi_order: int, mode: str, amici_model: Union[amici.Model, amici.ModelPtr], amici_solver: Union[amici.Solver, amici.SolverPtr], edatas: List[amici.ExpData], n_threads: int, x_ids: Sequence[str], parameter_mapping: ParameterMapping, fim_for_hess: bool)

Perform the actual AMICI call.

Called within the `AmiciObjective.__call__()` method.

Parameters

- **x_dct** – Parameters for which to compute function value and derivatives.
- **sensi_order** – Maximum sensitivity order.
- **mode** – Call mode (function value or residual based).
- **amici_model** – The AMICI model.
- **amici_solver** – The AMICI solver.
- **edatas** – The experimental data.
- **n_threads** – Number of threads for AMICI call.
- **x_ids** – Ids of optimization parameters.
- **parameter_mapping** – Mapping of optimization to simulation parameters.
- **fim_for_hess** – Whether to use the FIM (if available) instead of the Hessian (if requested).

__init__()

Initialize self. See `help(type(self))` for accurate signature.

initialize()

Initialize the calculator. Default: Do nothing.

class pypesto.objective.**AmiciObjectBuilder**

Bases: abc.ABC

Allows to build AMICI model, solver, and edatas.

This class is useful for pickling an `pypesto.AmiciObjective`, which is required in some parallelization schemes. Therefore, this class itself must be pickleable.

abstract create_edatas(model: Union[amici.Model, amici.ModelPtr]) → Sequence[amici.ExpData]

Create AMICI experimental data.

abstract create_model() → Union[amici.Model, amici.ModelPtr]

Create an AMICI model.

abstract create_solver(model: Union[amici.Model, amici.ModelPtr]) → Union[amici.Solver, amici.SolverPtr]

Create an AMICI solver.

```
class pypesto.objective.AmiciObjective(amici_model: Union[amici.Model,
                                                          amici.ModelPtr],
                                         amici_solver: Union[amici.Solver,
                                                             amici.SolverPtr],
                                         edatas: Union[Sequence[amici.ExpData],
                                                      amici.ExpData],
                                         max_sensi_order: int = None,
                                         x_ids: Sequence[str] = None,
                                         x_names: Sequence[str] = None,
                                         parameter_mapping: ParameterMapping = None,
                                         guess_steadystate: bool = True,
                                         n_threads: int = 1,
                                         fim_for_hess: bool = True,
                                         amici_object_builder: pypesto.objective.amici.AmiciObjectBuilder
                                         = None,
                                         calculator: pypesto.objective.amici_calculator.AmiciCalculator
                                         = None)
```

Bases: pypesto.objective.base.ObjectiveBase

This class allows to create an objective directly from an amici model.

```
__init__(amici_model: Union[amici.Model, amici.ModelPtr], amici_solver: Union[amici.Solver,
                                amici.SolverPtr], edatas: Union[Sequence[amici.ExpData], amici.ExpData],
                                max_sensi_order: int = None, x_ids: Sequence[str] = None, x_names: Sequence[str] = None,
                                parameter_mapping: ParameterMapping = None,
                                guess_steadystate: bool = True, n_threads: int = 1, fim_for_hess: bool = True,
                                amici_object_builder: pypesto.objective.amici.AmiciObjectBuilder = None,
                                calculator: pypesto.objective.amici_calculator.AmiciCalculator = None)
```

Constructor.

Parameters

- **amici_model** – The amici model.
- **amici_solver** – The solver to use for the numeric integration of the model.
- **edatas** – The experimental data. If a list is passed, its entries correspond to multiple experimental conditions.
- **max_sensi_order** – Maximum sensitivity order supported by the model. Defaults to 2 if the model was compiled with o2mode, otherwise 1.
- **x_ids** – Ids of optimization parameters. In the simplest case, this will be the AMICI model parameters (default).
- **x_names** – Names of optimization parameters.
- **parameter_mapping** – Mapping of optimization parameters to model parameters. Format as created by *amici.petab_objective.create_parameter_mapping*. The default is just to assume that optimization and simulation parameters coincide.
- **guess_steadystate** – Whether to guess steadystates based on previous steadystates and respective derivatives. This option may lead to unexpected results for models with conservation laws and should accordingly be deactivated for those models.
- **n_threads** – Number of threads that are used for parallelization over experimental conditions. If amici was not installed with openMP support this option will have no effect.
- **fim_for_hess** – Whether to use the FIM whenever the Hessian is requested. This only applies with forward sensitivities. With adjoint sensitivities, the true Hessian will be used, if available. FIM or Hessian will only be exposed if *max_sensi_order>1*.
- **amici_object_builder** – AMICI object builder. Allows recreating the objective for pickling, required in some parallelization schemes.
- **calculator** – Performs the actual calculation of the function values and derivatives.

apply_steadystate_guess (*condition_ix: int, x_dct: Dict*)

Use the stored steadystate as well as the respective sensitivity (if available) and parameter value to approximate the steadystate at the current parameters using a zeroth or first order taylor approximation: $x_{ss}(x') = x_{ss}(x) [+ dx_{ss}/dx(x)*(x'-x)]$

call_unprocessed (*x, sensi_orders, mode*)

Call objective function without pre- or post-processing and formatting.

Parameters

- **x** – The parameters for which to evaluate the objective function.
- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns A dict containing the results.

Return type result

check_mode (*mode*)

Check if the objective is able to compute in the requested mode.

Parameters mode – Whether to compute function values or residuals.

Returns Boolean indicating whether mode is supported

Return type flag

check_sensi_orders (*sensi_orders, mode*) → bool

Check if the objective is able to compute the requested sensitivities.

Parameters

- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns Boolean indicating whether combination of sensi_orders and mode is supported

Return type flag

initialize ()

Initialize the objective function. This function is used at the beginning of an analysis, e.g. optimization, and can e.g. reset the objective memory. By default does nothing.

par_arr_to_dct (*x: Sequence[float]*) → Dict[str, float]

Create dict from parameter vector.

reset_steadystate_guesses ()

Resets all steadystate guess data

store_steadystate_guess (*condition_ix: int, x_dct: Dict, rdata: amici.ReturnData*)

Store condition parameter, steadystate and steadystate sensitivity in steadystate_guesses if steadystate guesses are enabled for this condition

```
class pypesto.objective.CsvHistory(file: str, x_names: Sequence[str] = None, options: Union[pypesto.objective.history.HistoryOptions, Dict] = None, load_from_file: bool = False)
```

Bases: pypesto.objective.history.History

Stores a representation of the history in a CSV file.

Parameters

- **file** – CSV file name.

- **x_names** – Parameter names.
- **options** – History options.
- **load_from_file** – If True, history will be initialized from data in the specified file

__init__(file: str, x_names: Sequence[str] = None, options: Union[pypesto.objective.history.HistoryOptions, Dict] = None, load_from_file: bool = False)
 Initialize self. See help(type(self)) for accurate signature.

finalize()
 Finalize history. Called after a run.

get_chi2_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
 Chi2 values.
 Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_fval_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
 Function values.
 Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_grad_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
 Gradients.
 Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_hess_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
 Hessians.
 Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_res_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
 Residuals.
 Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_schi2_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
 Chi2 sensitivities.
 Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_sres_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
 Residual sensitivities.
 Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

```
get_time_trace (ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float,
numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
```

Cumulative execution times.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

```
get_x_trace (ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float,
numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
```

Parameters.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

```
update (x: numpy.ndarray, sensi_orders: Tuple[int, ...], mode: str, result: Dict[str, Union[float,
numpy.ndarray]]) → None
```

Update history after a function evaluation.

Parameters

- **x** – The parameter vector.
- **sensi_orders** – The sensitivity orders computed.
- **mode** – The objective function mode computed (function value or residuals).
- **result** – The objective function values for parameters *x*, sensitivities *sensi_orders* and mode *mode*.

```
class pypesto.objective.Hdf5History (id: str, file: str, options: Union[pypesto.objective.history.HistoryOptions, Dict] = None)
```

Bases: pypesto.objective.history.History

Stores a representation of the history in an HDF5 file.

Parameters

- **id** – Id of the history
- **file** – HDF5 file name.
- **options** – History options.

```
__init__ (id: str, file: str, options: Union[pypesto.objective.history.HistoryOptions, Dict] = None)
```

Initialize self. See help(type(self)) for accurate signature.

```
finalize()
```

Finalize history. Called after a run.

```
update (x: numpy.ndarray, sensi_orders: Tuple[int, ...], mode: str, result: Dict[str, Union[float,
numpy.ndarray]]) → None
```

Update history after a function evaluation.

Parameters

- **x** – The parameter vector.
- **sensi_orders** – The sensitivity orders computed.
- **mode** – The objective function mode computed (function value or residuals).
- **result** – The objective function values for parameters *x*, sensitivities *sensi_orders* and mode *mode*.

```
class pypesto.objective.History(options: Union[pypesto.objective.history.HistoryOptions,
Dict] = None)
```

Bases: pypesto.objective.history.HistoryBase

Tracks numbers of function evaluations only, no trace.

Parameters **options** – History options.

```
__init__(options: Union[pypesto.objective.history.HistoryOptions, Dict] = None)
```

Initialize self. See help(type(self)) for accurate signature.

```
finalize()
```

Finalize history. Called after a run.

```
property n_fval
```

Number of function evaluations.

```
property n_grad
```

Number of gradient evaluations.

```
property n_hess
```

Number of Hessian evaluations.

```
property n_res
```

Number of residual evaluations.

```
property n_sres
```

Number of residual sensitivity evaluations.

```
property start_time
```

Start time.

```
update(x: numpy.ndarray, sensi_orders: Tuple[int, ...], mode: str, result: Dict[str, Union[float,
numpy.ndarray]]) → None
```

Update history after a function evaluation.

Parameters

- **x** – The parameter vector.
- **sensi_orders** – The sensitivity orders computed.
- **mode** – The objective function mode computed (function value or residuals).
- **result** – The objective function values for parameters *x*, sensitivities *sensi_orders* and mode *mode*.

```
class pypesto.objective.HistoryBase
```

Bases: abc.ABC

Abstract base class for history objects.

Can be used as a dummy history, but does not implement any history functionality.

```
finalize()
```

Finalize history. Called after a run.

```
get_chi2_trace(ix: Optional[Union[int, Sequence[int]]] = None) → Union[Sequence[float], float]
```

Chi2 values.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

```
get_fval_trace(ix: Optional[Union[int, Sequence[int]]] = None) → Union[Sequence[float], float]
```

Function values.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_grad_trace (*ix*: *Optional[Union[int, Sequence[int]]]* = *None*) →
 Union[Sequence[Union[numpy.ndarray, np.nan]], numpy.ndarray, np.nan]
 Gradients.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_hess_trace (*ix*: *Optional[Union[int, Sequence[int]]]* = *None*) →
 Union[Sequence[Union[numpy.ndarray, np.nan]], numpy.ndarray, np.nan]
 Hessians.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_res_trace (*ix*: *Optional[Union[int, Sequence[int]]]* = *None*) →
 Union[Sequence[Union[numpy.ndarray, np.nan]], numpy.ndarray, np.nan]
 Residuals.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_schi2_trace (*ix*: *Optional[Union[int, Sequence[int]]]* = *None*) →
 Union[Sequence[Union[numpy.ndarray, np.nan]], numpy.ndarray, np.nan]
 Chi2 sensitivities.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_sres_trace (*ix*: *Optional[Union[int, Sequence[int]]]* = *None*) →
 Union[Sequence[Union[numpy.ndarray, np.nan]], numpy.ndarray, np.nan]
 Residual sensitivities.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_time_trace (*ix*: *Optional[Union[int, Sequence[int]]]* = *None*) → Union[Sequence[float], float]
 Cumulative execution times.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_x_trace (*ix*: *Optional[Union[int, Sequence[int]]]* = *None*) → Union[Sequence[numpy.ndarray],
 numpy.ndarray]
 Parameters.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

property n_fval
 Number of function evaluations.

property n_grad
 Number of gradient evaluations.

property n_hess
 Number of Hessian evaluations.

property n_res
 Number of residual evaluations.

property n_sres

Number or residual sensitivity evaluations.

property start_time

Start time.

update(*x*: `numpy.ndarray`, *sensi_orders*: `Tuple[int, ...]`, *mode*: `str`, *result*: `Dict[str, Union[float, numpy.ndarray]]`) → `None`

Update history after a function evaluation.

Parameters

- **x** – The parameter vector.
- **sensi_orders** – The sensitivity orders computed.
- **mode** – The objective function mode computed (function value or residuals).
- **result** – The objective function values for parameters *x*, sensitivities *sensi_orders* and mode *mode*.

```
class pypesto.objective.HistoryOptions(trace_record: bool = False, trace_record_grad: bool = True, trace_record_hess: bool = True, trace_record_res: bool = True, trace_record_sres: bool = True, trace_record_chi2: bool = True, trace_record_schi2: bool = True, trace_save_iter: int = 10, storage_file: str = None)
```

Bases: dict

Options for the objective that are used in optimization, profiling and sampling.

In addition implements a factory pattern to generate history objects.

Parameters

- **trace_record** – Flag indicating whether to record the trace of function calls. The `trace_record_*` flags only become effective if `trace_record` is True. Default: False.
- **trace_record_grad** – Flag indicating whether to record the gradient in the trace. Default: True.
- **trace_record_hess** – Flag indicating whether to record the Hessian in the trace. Default: False.
- **trace_record_res** – Flag indicating whether to record the residual in the trace. Default: False.
- **trace_record_sres** – Flag indicating whether to record the residual sensitivities in the trace. Default: False.
- **trace_record_chi2** – Flag indicating whether to record the chi2 in the trace. Default: True.
- **trace_record_schi2** – Flag indicating whether to record the chi2 sensitivities in the trace. Default: True.
- **trace_save_iter** – After how many iterations to store the trace.
- **storage_file** – File to save the history to. Can be any of `None`, a “`{filename}.csv`”, or a “`{filename}.hdf5`” file. Depending on the values, the `create_history` method creates the appropriate object. Occurrences of “`{id}`” in the file name are replaced by the *id* upon creation of a history, if applicable.

```
__init__(trace_record: bool = False, trace_record_grad: bool = True, trace_record_hess: bool = True, trace_record_res: bool = True, trace_record_sres: bool = True, trace_record_chi2: bool = True, trace_record_schi2: bool = True, trace_save_iter: int = 10, storage_file: str = None)
```

Initialize self. See help(type(self)) for accurate signature.

```
static assert_instance(maybe_options: Union[HistoryOptions, Dict]) → pypesto.objective.history.HistoryOptions
```

Returns a valid options object.

Parameters `maybe_options` (`HistoryOptions` or `dict`) –

```
create_history(id: str, x_names: Sequence[str]) → pypesto.objective.history.History
```

Factory method creating a `History` object.

Parameters

- `id` – Identifier for the history.
- `x_names` – Parameter names.

```
class pypesto.objective.MemoryHistory(options: Union[pypesto.objective.history.HistoryOptions, Dict] = None)
```

Bases: `pypesto.objective.history.History`

Tracks numbers of function evaluations and keeps an in-memory trace of function evaluations.

Parameters `options` – History options.

```
__init__(options: Union[pypesto.objective.history.HistoryOptions, Dict] = None)
```

Initialize self. See help(type(self)) for accurate signature.

```
get_chi2_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
```

Chi2 values.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

```
get_fval_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
```

Function values.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

```
get_grad_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
```

Gradients.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

```
get_hess_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
```

Hessians.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

```
get_res_trace(ix: Optional[Union[Sequence[int], int]] = None) → Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
```

Residuals.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_schi2_trace (*ix*: *Optional[Union[Sequence[int], int]]* = *None*) →
Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]
Chi2 sensitivities.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_sres_trace (*ix*: *Optional[Union[Sequence[int], int]]* = *None*) → *Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]*
Residual sensitivities.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_time_trace (*ix*: *Optional[Union[Sequence[int], int]]* = *None*) → *Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]*
Cumulative execution times.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

get_x_trace (*ix*: *Optional[Union[Sequence[int], int]]* = *None*) → *Union[Sequence[Union[float, numpy.ndarray, np.nan]], float, numpy.ndarray, np.nan]*
Parameters.

Takes as parameter an index or indices and returns corresponding trace values. If only a single value is requested, the list is flattened.

update (*x*: *numpy.ndarray*, *sensi_orders*: *Tuple[int, ...]*, *mode*: *str*, *result*: *Dict[str, Union[float, numpy.ndarray]]*) → *None*
Update history after a function evaluation.

Parameters

- **x** – The parameter vector.
- **sensi_orders** – The sensitivity orders computed.
- **mode** – The objective function mode computed (function value or residuals).
- **result** – The objective function values for parameters *x*, sensitivities *sensi_orders* and mode *mode*.

class *pypesto.objective.NegLogParameterPriors* (*prior_list*: *List[Dict]*, *x_names*: *Sequence[str]* = *None*)
Bases: *pypesto.objective.base.ObjectiveBase*

This class implements Negative Log Priors on Parameters.

Contains a list of prior dictionaries for the individual parameters of the format

{‘index’: [int], ‘density_fun’: [Callable], ‘density_dx’: [Callable], ‘density_ddx’: [Callable]}

A prior instance can be added to e.g. an objective, that gives the likelihood, by an AggregatedObjective.

Notes

All callables should correspond to log-densities. That is, they return log-densities and their corresponding derivatives. Internally, values are multiplied by -1, since pyPESTO expects the Objective function to be of a negative log-density type.

__init__ (*prior_list*: *List[Dict]*, *x_names*: *Sequence[str]* = *None*)

Constructor

Parameters

- **prior_list** – List of dicts containing the individual parameter priors. Format see above.
- **x_names** – Sequence of parameter names (optional).

call_unprocessed (*x*: *numpy.ndarray*, *sensi_orders*: *Tuple[int, ...]*, *mode*: *str*) → *Dict[str, Union[float, numpy.ndarray, Dict]]*

Call objective function without pre- or post-processing and formatting.

Parameters

- **x** – The parameters for which to evaluate the objective function.
- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns A dict containing the results.

Return type result

check_mode (*mode*) → *bool*

Check if the objective is able to compute in the requested mode.

Parameters **mode** – Whether to compute function values or residuals.

Returns Boolean indicating whether mode is supported

Return type flag

check_sensi_orders (*sensi_orders*: *Tuple[int, ...]*, *mode*: *str*) → *bool*

Check if the objective is able to compute the requested sensitivities.

Parameters

- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns Boolean indicating whether combination of sensi_orders and mode is supported

Return type flag

gradient_neg_log_density (*x*)

Computes the gradient of the negative log-density for a parameter vector x.

hessian_neg_log_density (*x*)

Computes the hessian of the negative log-density for a parameter vector x.

hessian_vp_neg_log_density (*x, p*)

Computes the hessian vector product of the hessian of the negative log-density for a parameter vector x with a vector p.

neg_log_density (*x*)

Computes the negative log-density for a parameter vector x.

```
class pypesto.objective.NegLogPriors (objectives: Sequence[pypesto.objective.base.ObjectiveBase],  
                                         x_names: Sequence[str] = None)  
Bases: pypesto.objective.aggregated.AggregatedObjective
```

Aggregates different forms of negative log-prior distributions.

Allows to distinguish priors from the likelihood by testing the type of an objective.

Consists basically of a list of individual negative log-priors, given in self.objectives.

```
class pypesto.objective.Objective (fun: Callable = None, grad: Union[Callable, bool] =  
                                    None, hess: Callable = None, hessp: Callable = None,  
                                    res: Callable = None, sres: Union[Callable, bool] = None,  
                                    x_names: Sequence[str] = None)
```

Bases: pypesto.objective.base.ObjectiveBase

The objective class allows the user explicitly specify functions that compute the function value and/or residuals as well as respective derivatives.

Parameters

- **fun** – The objective function to be minimized. If it only computes the objective function value, it should be of the form

```
fun(x) -> float
```

where x is an 1-D array with shape (n,), and n is the parameter space dimension.

- **grad** – Method for computing the gradient vector. If it is a callable, it should be of the form

```
grad(x) -> array_like, shape (n,).
```

If its value is True, then fun should return the gradient as a second output.

- **hess** – Method for computing the Hessian matrix. If it is a callable, it should be of the form

```
hess(x) -> array, shape (n, n).
```

If its value is True, then fun should return the gradient as a second, and the Hessian as a third output, and grad should be True as well.

- **hessp** – Method for computing the Hessian vector product, i.e.

```
hessp(x, v) -> array_like, shape (n,)
```

computes the product H*v of the Hessian of fun at x with v.

- **res** – Method for computing residuals, i.e.

```
res(x) -> array_like, shape (m,).
```

- **sres** – Method for computing residual sensitivities. If its is a callable, it should be of the form

```
sres(x) -> array, shape (m, n).
```

If its value is True, then res should return the residual sensitivities as a second output.

- **x_names** – Parameter names. None if no names provided, otherwise a list of str, length dim_full (as in the Problem class). Can be read by the problem.

```
__init__ (fun: Callable = None, grad: Union[Callable, bool] = None, hess: Callable = None, hessp:  
           Callable = None, res: Callable = None, sres: Union[Callable, bool] = None, x_names:  
           Sequence[str] = None)
```

Initialize self. See help(type(self)) for accurate signature.

```
call_unprocessed(x, sensi_orders, mode)
```

Call objective function without pre- or post-processing and formatting.

Returns A dict containing the results.

Return type result

```
check_mode(mode)
```

Check if the objective is able to compute in the requested mode.

Parameters mode – Whether to compute function values or residuals.

Returns Boolean indicating whether mode is supported

Return type flag

```
check_sensi_orders(sensi_orders, mode)
```

Check if the objective is able to compute the requested sensitivities.

Parameters

- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns Boolean indicating whether combination of sensi_orders and mode is supported

Return type flag

```
property has_fun
```

```
property has_grad
```

```
property has_hess
```

```
property has_hessp
```

```
property has_res
```

```
property has_sres
```

```
class pypesto.objective.ObjectiveBase(x_names: Sequence[str] = None)
```

Bases: abc.ABC

The objective class is a simple wrapper around the objective function, giving a standardized way of calling. Apart from that, it manages several things including fixing of parameters and history.

The objective function is assumed to be in the format of a cost function, log-likelihood function, or log-posterior function. These functions are subject to minimization. For profiling and sampling, the sign is internally flipped, all returned and stored values are however given as returned by this objective function. If maximization is to be performed, the sign should be flipped before creating the objective function.

history

For storing the call history. Initialized by the methods, e.g. the optimizer, in *initialize_history()*.

pre_post_processor

Preprocess input values to and postprocess output values from `__call__`. Configured in `update_from_problem()`.

```
__call__(x: numpy.ndarray, sensi_orders: Tuple[int, ...] = 0, mode: str = 'mode_fun', return_dict: bool = False) → Union[float, numpy.ndarray, Tuple, Dict[str, Union[float, numpy.ndarray, Dict]]]
```

Method to obtain arbitrary sensitivities. This is the central method which is always called, also by the `get_*` methods.

There are different ways in which an optimizer calls the objective function, and in how the objective function provides information (e.g. derivatives via separate functions or along with the function values). The different calling modes increase efficiency in space and time and make the objective flexible.

Parameters

- **x** – The parameters for which to evaluate the objective function.
- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.
- **return_dict** – If False (default), the result is a Tuple of the requested values in the requested order. Tuples of length one are flattened. If True, instead a dict is returned which can carry further information.

Returns By default, this is a tuple of the requested function values and derivatives in the requested order (if only 1 value, the tuple is flattened). If *return_dict*, then instead a dict is returned with function values and derivatives indicated by ids.

Return type

`result = ObjectiveFunction().__init__(x_names: Sequence[str] = None)`

Initialize self. See help(type(self)) for accurate signature.

`abstract call_unprocessed(x: numpy.ndarray, sensi_orders: Tuple[int, ...], mode: str) → Dict[str, Union[float, numpy.ndarray, Dict]]`

Call objective function without pre- or post-processing and formatting.

Parameters

- **x** – The parameters for which to evaluate the objective function.
- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns A dict containing the results.

Return type

`check_grad(x: numpy.ndarray, x_indices: Sequence[int] = None, eps: float = 1e-05, verbosity: int = 1, mode: str = 'mode_fun') → pandas.core.frame.DataFrame`

Compare gradient evaluation: Firstly approximate via finite differences, and secondly use the objective gradient.

Parameters

- **x** – The parameters for which to evaluate the gradient.
- **x_indices** – Indices for which to compute gradients. Default: all.
- **eps** – Finite differences step size. Default: 1e-5.
- **verbosity** – Level of verbosity for function output. * 0: no output, * 1: summary for all parameters, * 2: summary for individual parameters. Default: 1.
- **mode** – Residual (MODE_RES) or objective function value (MODE_FUN, default) computation mode.

Returns gradient, finite difference approximations and error estimates.

Return type

`abstract check_mode(mode) → bool`

Check if the objective is able to compute in the requested mode.

Parameters mode – Whether to compute function values or residuals.

Returns Boolean indicating whether mode is supported

Return type flag

abstract `check_sensi_orders(sensi_orders, mode) → bool`

Check if the objective is able to compute the requested sensitivities.

Parameters

- **sensi_orders** – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- **mode** – Whether to compute function values or residuals.

Returns Boolean indicating whether combination of sensi_orders and mode is supported

Return type flag

get_fval (*x*: `numpy.ndarray`) → float

Get the function value at *x*.

get_grad (*x*: `numpy.ndarray`) → `numpy.ndarray`

Get the gradient at *x*.

get_hess (*x*: `numpy.ndarray`) → `numpy.ndarray`

Get the Hessian at *x*.

get_res (*x*: `numpy.ndarray`) → `numpy.ndarray`

Get the residuals at *x*.

get_sres (*x*: `numpy.ndarray`) → `numpy.ndarray`

Get the residual sensitivities at *x*.

property has_fun

property has_grad

property has_hess

property has_hessp

property has_res

property has_sres

initialize()

Initialize the objective function. This function is used at the beginning of an analysis, e.g. optimization, and can e.g. reset the objective memory. By default does nothing.

static output_to_tuple (*sensi_orders*: `Tuple[int, ...]`, *mode*: str, `**kwargs`: `Union[float, numpy.ndarray]`) → Tuple

Return values as requested by the caller, since usually only a subset is demanded. One output is returned as-is, more than one output are returned as a tuple in order (fval, grad, hess).

update_from_problem (*dim_full*: int, *x_free_indices*: Sequence[int], *x_fixed_indices*: Sequence[int], *x_fixed_vals*: Sequence[float])

Handle fixed parameters. Later, the objective will be given parameter vectors *x* of dimension *dim*, which have to be filled up with fixed parameter values to form a vector of dimension *dim_full* \geq *dim*. This vector is then used to compute function value and derivatives. The derivatives must later be reduced again to dimension *dim*.

This is so as to make the fixing of parameters transparent to the caller.

The methods preprocess, postprocess are overwritten for the above functionality, respectively.

Parameters

- **dim_full** – Dimension of the full vector including fixed parameters.
- **x_free_indices** – Vector containing the indices (zero-based) of free parameters (complimentary to x_fixed_indices).
- **x_fixed_indices** – Vector containing the indices (zero-based) of parameter components that are not to be optimized.
- **x_fixed_vals** – Vector of the same length as x_fixed_indices, containing the values of the fixed parameters.

```
class pypesto.objective.OptimizerHistory(history: pypesto.objective.history.History, x0: numpy.ndarray, generate_from_history: bool = False)
```

Bases: object

Objective call history. Container around a History object, which keeps track of optimal values.

fval0, fval_min

Initial and best function value found.

chi20, chi2_min

Initial and best chi2 value found.

x0, x_min

Initial and best parameters found.

grad_min

gradient for best parameters

hess_min

hessian (approximation) for best parameters

res_min

residuals for best parameters

sres_min

residual sensitivities for best parameters

Parameters

- **history** – History object to attach to this container. This history object implements the storage of the actual history.
- **x0** – Initial values for optimization
- **generate_from_history** – If set to true, this function will try to fill attributes of this function based on the provided history

```
__init__(history: pypesto.objective.history.History, x0: numpy.ndarray, generate_from_history: bool = False) → None
```

Initialize self. See help(type(self)) for accurate signature.

extract_from_history(*var*, *ix*)

finalize()

```
update(x: numpy.ndarray, sensi_orders: Tuple[int], mode: str, result: Dict[str, Union[float, numpy.ndarray]]) → None
```

Update history and best found value.

pypesto.objective.res_to_chi2(*res*: numpy.ndarray)

We assume that the residuals res are related to an objective function value chi2 via:

```
chi2 = sum(res**2)
```

which is consistent with the AMICI definition but NOT the ‘Linear’ formulation in scipy.

`pypesto.objective.sres_to_schi2` (*res*: `numpy.ndarray`, *sres*: `numpy.ndarray`)

In line with the assumptions in `res_to_chi2`.

CHAPTER
EIGHT

PROBLEM

A problem contains the objective as well as all information like prior describing the problem to be solved.

`pypesto.problem.Iterable`

The central part of internal API.

This represents a generic version of type ‘origin’ with type arguments ‘params’. There are two kind of these aliases: user defined and special. The special ones are wrappers around builtin collections and ABCs in collections.abc. These must have ‘name’ always set. If ‘inst’ is False, then the alias can’t be instantiated, this is used by e.g. typing.List and typing.Dict.

alias of Iterable

`pypesto.problem.List`

The central part of internal API.

This represents a generic version of type ‘origin’ with type arguments ‘params’. There are two kind of these aliases: user defined and special. The special ones are wrappers around builtin collections and ABCs in collections.abc. These must have ‘name’ always set. If ‘inst’ is False, then the alias can’t be instantiated, this is used by e.g. typing.List and typing.Dict.

alias of List

`class pypesto.problem.NegLogPriors (objectives: Sequence[pypesto.objective.base.ObjectiveBase],
x_names: Sequence[str] = None)`

Bases: pypesto.objective.aggregated.AggregatedObjective

Aggregates different forms of negative log-prior distributions.

Allows to distinguish priors from the likelihood by testing the type of an objective.

Consists basically of a list of individual negative log-priors, given in self.objectives.

`class pypesto.problem.ObjectiveBase (x_names: Sequence[str] = None)`

Bases: abc.ABC

The objective class is a simple wrapper around the objective function, giving a standardized way of calling. Apart from that, it manages several things including fixing of parameters and history.

The objective function is assumed to be in the format of a cost function, log-likelihood function, or log-posterior function. These functions are subject to minimization. For profiling and sampling, the sign is internally flipped, all returned and stored values are however given as returned by this objective function. If maximization is to be performed, the sign should be flipped before creating the objective function.

`history`

For storing the call history. Initialized by the methods, e.g. the optimizer, in `initialize_history()`.

`pre_post_processor`

Preprocess input values to and postprocess output values from `__call__`. Configured in `update_from_problem()`.

`__call__(x: numpy.ndarray, sensi_orders: Tuple[int, ...] = 0, mode: str = 'mode_fun', return_dict: bool = False) → Union[float, numpy.ndarray, Tuple, Dict[str, Union[float, numpy.ndarray, Dict]]]`

Method to obtain arbitrary sensitivities. This is the central method which is always called, also by the `get_*` methods.

There are different ways in which an optimizer calls the objective function, and in how the objective function provides information (e.g. derivatives via separate functions or along with the function values). The different calling modes increase efficiency in space and time and make the objective flexible.

Parameters

- `x` – The parameters for which to evaluate the objective function.
- `sensi_orders` – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- `mode` – Whether to compute function values or residuals.
- `return_dict` – If False (default), the result is a Tuple of the requested values in the requested order. Tuples of length one are flattened. If True, instead a dict is returned which can carry further information.

Returns By default, this is a tuple of the requested function values and derivatives in the requested order (if only 1 value, the tuple is flattened). If `return_dict`, then instead a dict is returned with function values and derivatives indicated by ids.

Return type

`__init__(x_names: Sequence[str] = None)`

Initialize self. See `help(type(self))` for accurate signature.

`abstract call_unprocessed(x: numpy.ndarray, sensi_orders: Tuple[int, ...], mode: str) → Dict[str, Union[float, numpy.ndarray, Dict]]`

Call objective function without pre- or post-processing and formatting.

Parameters

- `x` – The parameters for which to evaluate the objective function.
- `sensi_orders` – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.
- `mode` – Whether to compute function values or residuals.

Returns A dict containing the results.

Return type

`check_grad(x: numpy.ndarray, x_indices: Sequence[int] = None, eps: float = 1e-05, verbosity: int = 1, mode: str = 'mode_fun') → pandas.core.frame.DataFrame`

Compare gradient evaluation: Firstly approximate via finite differences, and secondly use the objective gradient.

Parameters

- `x` – The parameters for which to evaluate the gradient.
- `x_indices` – Indices for which to compute gradients. Default: all.
- `eps` – Finite differences step size. Default: 1e-5.
- `verbosity` – Level of verbosity for function output. * 0: no output, * 1: summary for all parameters, * 2: summary for individual parameters. Default: 1.
- `mode` – Residual (MODE_RES) or objective function value (MODE_FUN, default) computation mode.

Returns gradient, finite difference approximations and error estimates.

Return type result

abstract `check_mode(mode) → bool`

Check if the objective is able to compute in the requested mode.

Parameters `mode` – Whether to compute function values or residuals.

Returns Boolean indicating whether mode is supported

Return type flag

abstract `check_sensi_orders(sensi_orders, mode) → bool`

Check if the objective is able to compute the requested sensitivities.

Parameters

- `sensi_orders` – Specifies which sensitivities to compute, e.g. (0,1) -> fval, grad.

- `mode` – Whether to compute function values or residuals.

Returns Boolean indicating whether combination of sensi_orders and mode is supported

Return type flag

`get_fval(x: numpy.ndarray) → float`

Get the function value at x.

`get_grad(x: numpy.ndarray) → numpy.ndarray`

Get the gradient at x.

`get_hess(x: numpy.ndarray) → numpy.ndarray`

Get the Hessian at x.

`get_res(x: numpy.ndarray) → numpy.ndarray`

Get the residuals at x.

`get_sres(x: numpy.ndarray) → numpy.ndarray`

Get the residual sensitivities at x.

`property has_fun`

`property has_grad`

`property has_hess`

`property has_hessp`

`property has_res`

`property has_sres`

`initialize()`

Initialize the objective function. This function is used at the beginning of an analysis, e.g. optimization, and can e.g. reset the objective memory. By default does nothing.

`static output_to_tuple(sensi_orders: Tuple[int, ...], mode: str, **kwargs: Union[float, numpy.ndarray]) → Tuple`

Return values as requested by the caller, since usually only a subset is demanded. One output is returned as-is, more than one output are returned as a tuple in order (fval, grad, hess).

`update_from_problem(dim_full: int, x_free_indices: Sequence[int], x_fixed_indices: Sequence[int], x_free_vals: Sequence[float])`

Handle fixed parameters. Later, the objective will be given parameter vectors x of dimension dim, which have to be filled up with fixed parameter values to form a vector of dimension dim_full \geq dim. This

vector is then used to compute function value and derivatives. The derivatives must later be reduced again to dimension dim.

This is so as to make the fixing of parameters transparent to the caller.

The methods preprocess, postprocess are overwritten for the above functionality, respectively.

Parameters

- **dim_full** – Dimension of the full vector including fixed parameters.
- **x_free_indices** – Vector containing the indices (zero-based) of free parameters (complimentary to x_fixed_indices).
- **x_fixed_indices** – Vector containing the indices (zero-based) of parameter components that are not to be optimized.
- **x_fixed_vals** – Vector of the same length as x_fixed_indices, containing the values of the fixed parameters.

```
class pypesto.problem.Problem(objective:          pypesto.objective.base.ObjectiveBase,      lb:
                                Union[numumpy.ndarray, List[float]], ub: Union[numumpy.ndarray,
                                List[float]], dim_full: Optional[int] = None, x_fixed_indices:
                                Optional[Iterable[int]] = None, x_fixed_vals: Optional[Iterable[float]] =
                                None, x_guesses: Optional[Iterable[float]] = None, x_names: Optional[Iterable[str]] =
                                None, x_scales: Optional[Iterable[str]] = None, x_priors_defs:
                                Optional[pypesto.objective.priors.NegLogPriors] = None)
```

Bases: object

The problem formulation. A problem specifies the objective function, boundaries and constraints, parameter guesses as well as the parameters which are to be optimized.

Parameters

- **objective** – The objective function for minimization. Note that a shallow copy is created.
- **ub** (*lb*,) – The lower and upper bounds. For unbounded directions set to inf.
- **dim_full** – The full dimension of the problem, including fixed parameters.
- **x_fixed_indices** – Vector containing the indices (zero-based) of parameter components that are not to be optimized.
- **x_fixed_vals** – Vector of the same length as x_fixed_indices, containing the values of the fixed parameters.
- **x_guesses** – Guesses for the parameter values, shape (g, dim), where g denotes the number of guesses. These are used as start points in the optimization.
- **x_names** – Parameter names that can be optionally used e.g. in visualizations. If objective.get_x_names() is not None, those values are used, else the values specified here are used if not None, otherwise the variable names are set to ['x0', ... 'x{dim_full}']. The list must always be of length dim_full.
- **x_scales** – Parameter scales can be optionally given and are used e.g. in visualisation and prior generation. Currently the scales 'lin', 'log` and 'log10' are supported.
- **x_priors_defs** – Definitions of priors for parameters. Types of priors, and their required and optional parameters, are described in the *Prior* class.
- **dim** – The number of non-fixed parameters. Computed from the other values.
- **x_free_indices** (*array_like of int*) – Vector containing the indices (zero-based) of free parameters (complimentary to x_fixed_indices).

Notes

On the fixing of parameter values:

The number of parameters dim_full the objective takes as input must be known, so it must be either lb a vector of that size, or dim_full specified as a parameter.

All vectors are mapped to the reduced space of dimension dim in `__init__`, regardless of whether they were in dimension dim or dim_full before. If the full representation is needed, the methods `get_full_vector()` and `get_full_matrix()` can be used.

```
__init__(objective: pypesto.objective.base.ObjectiveBase, lb: Union[numpy.ndarray,
    List[float]], ub: Union[numpy.ndarray, List[float]], dim_full: Optional[int]
    = None, x_fixed_indices: Optional[Iterable[int]] = None, x_fixed_vals: Optional[Iterable[float]] = None, x_guesses: Optional[Iterable[float]] = None, x_names: Optional[Iterable[str]] = None, x_scales: Optional[Iterable[str]] = None, x_priors_defs: Optional[pypesto.objective.priors.NegLogPriors] = None)
    Initialize self. See help(type(self)) for accurate signature.
```

property dim

```
fix_parameters(parameter_indices: Union[Iterable[int], int], parameter_vals: Union[Iterable[float], float]) → None
    Fix specified parameters to specified values
```

```
full_index_to_free_index(full_index: int)
    Calculate index in reduced vector from index in full vector.
```

Parameters `full_index` (*The index in the full vector.*) –

Returns `free_index`

Return type The index in the free vector.

```
get_full_matrix(x: Optional[numpy.ndarray]) → Optional[numpy.ndarray]
    Map matrix from dim to dim_full. Usually used for hessian.
```

Parameters `x` (*array_like, shape=(dim, dim)*) – The matrix in dimension dim.

```
get_full_vector(x: Optional[numpy.ndarray], x_fixed_vals: Iterable[float] = None) → Optional[numpy.ndarray]
    Map vector from dim to dim_full. Usually used for x, grad.
```

Parameters

- `x` (*array_like, shape=(dim,)*) – The vector in dimension dim.
- `x_fixed_vals` (*array_like, ndim=1, optional*) – The values to be used for the fixed indices. If None, then nans are inserted. Usually, None will be used for grad and problem.x_fixed_vals for x.

```
get_reduced_matrix(x_full: Optional[numpy.ndarray]) → Optional[numpy.ndarray]
    Map matrix from dim_full to dim, i.e. delete fixed indices.
```

Parameters `x_full` (*array_like, ndim=2*) – The matrix in dimension dim_full.

```
get_reduced_vector(x_full: Optional[numpy.ndarray]) → Optional[numpy.ndarray]
    Map vector from dim_full to dim, i.e. delete fixed indices.
```

Parameters `x_full` (*array_like, ndim=1*) – The vector in dimension dim_full.

property lb

```
normalize() → None
```

Reduce all vectors to dimension dim and have the objective accept vectors of dimension dim.

```
print_parameter_summary() → None
    Prints a summary of what parameters are being optimized and parameter boundaries.

property ub
unfix_parameters(parameter_indices: Union[Iterable[int], int]) → None
    Free specified parameters

property x_free_indices
property x_guesses
```

PETAB

pyPESTO support for the PETab data format.

```
class pypesto.petab.PetabImporter(petab_problem: petab.Problem, output_folder: str = None,
                                    model_name: str = None)
Bases: pypesto.objective.amici.AmiciObjectBuilder
MODEL_BASE_DIR = 'amici_models'

__init__(petab_problem: petab.Problem, output_folder: str = None, model_name: str = None)

petab_problem: Managing access to the model and data.
output_folder: Folder to contain the amici model. Defaults to './amici_models/{model_name}'.
model_name: Name of the model, which will in particular be the name of the compiled model python
module.
```

compile_model (**kwargs)

Compile the model. If the output folder exists already, it is first deleted.

Parameters **kwargs** (Extra arguments passed to *amici.SbmlImporter.sbml2amici*) –

create_edatas (model: amici.Model = None, simulation_conditions=None) → List[amici.ExpData]
Create list of amici.ExpData objects.

create_model (force_compile: bool = False, **kwargs) → amici.Model
Import amici model. If necessary or force_compile is True, compile first.

Parameters

- **force_compile** – If False, the model is compiled only if the output folder does not exist yet. If True, the output folder is deleted and the model (re-)compiled in either case.

Warning: If *force_compile*, then an existing folder of that name will be deleted.

- **kwargs** (Extra arguments passed to *amici.SbmlImporter.sbml2amici*) –

create_objective (model: amici.Model = None, solver: amici.Solver = None, edatas: Sequence[amici.ExpData] = None, force_compile: bool = False, **kwargs) → pypesto.objective.amici.AmiciObjective
Create a pypesto.AmiciObjective.

Parameters

- **model** – The AMICI model.
- **solver** – The AMICI solver.

- **edatas** – The experimental data in AMICI format.
- **force_compile** – Whether to force-compile the model if not passed.
- ****kwargs** – Additional arguments passed on to the objective.

Returns A `pypesto.AmiciObjective` for the model and the data.

Return type objective

create_prior() → `pypesto.objective.priors.NegLogParameterPriors`

Creates a prior from the parameter table. Returns None, if no priors are defined.

create_problem(*objective*: `pypesto.objective.amici.AmiciObjective` = `None`, `**kwargs`) → `pypesto.problem.Problem`

Create a `pypesto.Problem`.

Parameters

- **objective** – Objective as created by `create_objective`.
- ****kwargs** – Additional key word arguments passed on to the objective, if not provided.

Returns A `pypesto.Problem` for the objective.

Return type problem

create_solver(*model*: `amici.Model` = `None`) → `amici.Solver`

Return model solver.

static from_yaml(*yaml_config*: `Union[dict, str]`, *output_folder*: `str` = `None`, *model_name*: `str` = `None`) → `pypesto.petab.importer.PetabImporter`

Simplified constructor using a petab yaml file.

rdatas_to_measurement_df(*rdatas*: `Sequence[amici.ReturnData]`, *model*: `amici.Model` = `None`) → `pandas.core.frame.DataFrame`

Create a measurement dataframe in the petab format from the passed *rdatas* and own information.

Parameters

- **rdatas** – A list of *rdatas* as produced by `pypesto.AmiciObjective.__call__(x, return_dict=True)[‘rdatas’]`.
- **model** – The amici model.

Returns A dataframe built from the *rdatas* in the format as in `self.petab_problem.measurement_df`.

Return type measurement_df

rdatas_to_simulation_df(*rdatas*: `Sequence[amici.ReturnData]`, *model*: `amici.Model` = `None`) → `pandas.core.frame.DataFrame`

Same as `rdatas_to_measurement_df`, except a petab simulation dataframe is created, i.e. the measurement column label is adjusted.

OPTIMIZE

Multistart optimization with support for various optimizers.

```
class pypesto.optimize.DlibOptimizer(method: str, options: Dict = None)  
    Bases: pypesto.optimize.optimizer.Optimizer
```

Use the Dlib toolbox for optimization.

```
__init__(method: str, options: Dict = None)  
    Default constructor.
```

```
get_default_options()  
    Create default options specific for the optimizer.
```

```
is_least_squares()
```

```
minimize(problem, x0, id, allow_failed_starts, history_options=None)
```

```
class pypesto.optimize.IpoptOptimizer(options: Dict = None)  
    Bases: pypesto.optimize.optimizer.Optimizer
```

Use IpOpt (<https://pypi.org/project/ipopt/>) for optimization.

```
__init__(options: Dict = None)
```

Parameters `options` – Options are directly passed on to `ipopt.minimize_ipopt`.

```
is_least_squares()
```

```
minimize(problem, x0, id, allow_failed_starts, history_options=None)
```

```
class pypesto.optimize.OptimizeOptions(startpoint_resample: bool = False, allow_failed_starts: bool = True)  
    Bases: dict
```

Options for the multistart optimization.

Parameters

- `startpoint_resample` – Flag indicating whether initial points are supposed to be resampled if function evaluation fails at the initial point
- `allow_failed_starts` (`bool, optional`) – Flag indicating whether we tolerate that exceptions are thrown during the minimization process.

```
__init__(startpoint_resample: bool = False, allow_failed_starts: bool = True)  
    Initialize self. See help(type(self)) for accurate signature.
```

```
static assert_instance(maybe_options: Union[OptimizeOptions, Dict]) →  
    pypesto.optimize.options.OptimizeOptions
```

Returns a valid options object.

```
Parameters maybe_options (OptimizeOptions or dict) –
class pypesto.optimize.Optimizer
Bases: abc.ABC

This is the optimizer base class, not functional on its own.

An optimizer takes a problem, and possibly a start point, and then performs an optimization. It returns an OptimizerResult.

__init__()
    Default constructor.

get_default_options()
    Create default options specific for the optimizer.

abstract is_least_squares()

abstract minimize(problem, x0, id, allow_failed_starts, history_options=None)

class pypesto.optimize.OptimizerResult(id: str = None, x: numpy.ndarray = None, fval: float = None, grad: numpy.ndarray = None, hess: numpy.ndarray = None, res: numpy.ndarray = None, sres: numpy.ndarray = None, n_fval: int = None, n_grad: int = None, n_hess: int = None, n_res: int = None, n_sres: int = None, x0: numpy.ndarray = None, fval0: float = None, history: pypesto.objective.history.History = None, exitflag: int = None, time: float = None, message: str = None)
Bases: dict

The result of an optimizer run. Used as a standardized return value to map from the individual result objects returned by the employed optimizers to the format understood by pypesto.

Can be used like a dict.

id
    Id of the optimizer run. Usually the start index.

x
    The best found parameters.

fval
    The best found function value,  $fun(x)$ .

grad
    The gradient at  $x$ .

hess
    The Hessian at  $x$ .

res
    The residuals at  $x$ .

sres
    The residual sensitivities at  $x$ .

n_fval
    Number of function evaluations.

n_grad
    Number of gradient evaluations.
```

n_hess

Number of Hessian evaluations.

n_res

Number of residuals evaluations.

n_sres

Number of residual sensitivity evaluations.

x0

The starting parameters.

fval0

The starting function value, $fun(x0)$.

history

Objective history.

exitflag

The exitflag of the optimizer.

time

Execution time.

message

Textual comment on the optimization result.

Type str

Notes

Any field not supported by the optimizer is filled with None.

```
__init__(id: str = None, x: numpy.ndarray = None, fval: float = None, grad: numpy.ndarray = None, hess: numpy.ndarray = None, res: numpy.ndarray = None, sres: numpy.ndarray = None, n_fval: int = None, n_grad: int = None, n_hess: int = None, n_res: int = None, n_sres: int = None, x0: numpy.ndarray = None, fval0: float = None, history: pypesto.objective.history.History = None, exitflag: int = None, time: float = None, message: str = None)
    Initialize self. See help(type(self)) for accurate signature.
```

```
update_to_full(problem: pypesto.problem.Problem) → None
    Updates values to full vectors/matrices
```

Parameters **problem** – problem which contains info about how to convert to full vectors or matrices

```
class pypesto.optimize.PyswarmOptimizer(options: Dict = None)
    Bases: pypesto.optimize.optimizer.Optimizer
```

Global optimization using pyswarm.

```
__init__(options: Dict = None)
    Default constructor.
```

```
is_least_squares()
```

```
minimize(problem, x0, id, allow_failed_starts, history_options=None)
```

```
class pypesto.optimize.ScipyOptimizer(method: str = 'L-BFGS-B', tol: float = 1e-09, options: Dict = None)
    Bases: pypesto.optimize.optimizer.Optimizer
```

Use the SciPy optimizers.

```
__init__(method: str = 'L-BFGS-B', tol: float = 1e-09, options: Dict = None)  
    Default constructor.
```

```
get_default_options()
```

Create default options specific for the optimizer.

```
is_least_squares()
```

```
minimize(problem, x0, id, allow_failed_starts, history_options=None)
```

```
pypesto.optimize.minimize(problem: pypesto.problem.Problem, optimizer:  
    pypesto.optimize.optimizer.Optimizer = None, n_starts: int  
    = 100, ids: Iterable[str] = None, startpoint_method:  
    Union[Callable, bool] = None, result: pypesto.result.Result  
    = None, engine: pypesto.engine.base.Engine = None, op-  
    tions: pypesto.optimize.options.OptimizeOptions = None, his-  
    tory_options: pypesto.objective.history.HistoryOptions = None)  
    → pypesto.result.Result
```

This is the main function to call to do multistart optimization.

Parameters

- **problem** – The problem to be solved.
- **optimizer** – The optimizer to be used n_starts times.
- **n_starts** – Number of starts of the optimizer.
- **ids** – Ids assigned to the startpoints.
- **startpoint_method** – Method for how to choose start points. False means the optimizer does not require start points, e.g. ‘pso’ method in ‘GlobalOptimizer’
- **result** – A result object to append the optimization results to. For example, one might append more runs to a previous optimization. If None, a new object is created.
- **engine** – Parallelization engine. Defaults to sequential execution on a SingleCoreEngine.
- **options** – Various options applied to the multistart optimization.
- **history_options** – Optimizer history options.

Returns Result object containing the results of all multistarts in *result.optimize_result*.

Return type result

PROFILE

```
class pypesto.profile.ProfileOptions(default_step_size: float = 0.01, min_step_size: float = 0.001, max_step_size: float = 1.0, step_size_factor: float = 1.25, delta_ratio_max: float = 0.1, ratio_min: float = 0.145, reg_points: int = 10, reg_order: int = 4, magic_factor_obj_value: float = 0.5)
```

Bases: dict

Options for optimization based profiling.

Parameters

- **default_step_size** – Default step size of the profiling routine along the profile path (adaptive step lengths algorithms will only use this as a first guess and then refine the update).
- **min_step_size** – Lower bound for the step size in adaptive methods.
- **max_step_size** – Upper bound for the step size in adaptive methods.
- **step_size_factor** – Adaptive methods recompute the likelihood at the predicted point and try to find a good step length by a sort of line search algorithm. This factor controls step handling in this line search.
- **delta_ratio_max** – Maximum allowed drop of the posterior ratio between two profile steps.
- **ratio_min** – Lower bound for likelihood ratio of the profile, based on inverse chi²-distribution. The default 0.145 is slightly lower than the 95% quantile 0.1465 of a chi² distribution with one degree of freedom.
- **reg_points** – Number of profile points used for regression in regression based adaptive profile points proposal.
- **reg_order** – Maximum degree of regression polynomial used in regression based adaptive profile points proposal.
- **magic_factor_obj_value** – There is this magic factor in the old profiling code which slows down profiling at small ratios (must be ≥ 0 and < 1).

```
__init__(default_step_size: float = 0.01, min_step_size: float = 0.001, max_step_size: float = 1.0, step_size_factor: float = 1.25, delta_ratio_max: float = 0.1, ratio_min: float = 0.145, reg_points: int = 10, reg_order: int = 4, magic_factor_obj_value: float = 0.5)
```

Initialize self. See help(type(self)) for accurate signature.

```
static create_instance(maybe_options: Union[ProfileOptions, Dict]) → pypesto.profile.options.ProfileOptions
```

Returns a valid options object.

Parameters `maybe_options` (`ProfileOptions` or `dict`) –

```
class pypesto.profile.ProfilerResult(x_path: numpy.ndarray, fval_path: numpy.ndarray,
                                      ratio_path: numpy.ndarray, gradnorm_path:
                                      numpy.ndarray = None, exitflag_path: numpy.ndarray
                                      = None, time_path: numpy.ndarray = None, time_total:
                                      float = 0.0, n_fval: int = 0, n_grad: int = 0, n_hess: int
                                      = 0, message: str = None)
```

Bases: dict

The result of a profiler run. The standardized return value from pypesto.profile, which can either be initialized from an OptimizerResult or from an existing ProfilerResult (in order to extend the computation).

Can be used like a dict.

x_path

The path of the best found parameters along the profile (Dimension: n_par x n_profile_points)

fval_path

The function values, fun(x), along the profile.

ratio_path

The ratio of the posterior function along the profile.

gradnorm_path

The gradient norm along the profile.

exitflag_path

The exitflags of the optimizer along the profile.

time_path

The computation time of the optimizer runs along the profile.

time_total

The total computation time for the profile.

n_fval

Number of function evaluations.

n_grad

Number of gradient evaluations.

n_hess

Number of Hessian evaluations.

message

Textual comment on the profile result.

Notes

Any field not supported by the profiler or the profiling optimizer is filled with None. Some fields are filled by pypesto itself.

```
__init__(x_path: numpy.ndarray, fval_path: numpy.ndarray, ratio_path: numpy.ndarray, grad-
        norm_path: numpy.ndarray = None, exitflag_path: numpy.ndarray = None, time_path:
        numpy.ndarray = None, time_total: float = 0.0, n_fval: int = 0, n_grad: int = 0, n_hess:
        int = 0, message: str = None)
```

Initialize self. See help(type(self)) for accurate signature.

```
append_profile_point(x: numpy.ndarray, fval: float, ratio: float, gradnorm: float = nan, time:
                      float = nan, exitflag: float = nan, n_fval: int = 0, n_grad: int = 0, n_hess:
                      int = 0) → None
```

This function appends a new point to the profile path.

Parameters

- **x** – The parameter values.
- **fval** – The function value at x .
- **ratio** – The ratio of the function value at x by the optimal function value.
- **gradnorm** – The gradient norm at x .
- **time** – The computation time to find x .
- **exitflag** – The exitflag of the optimizer (useful if an optimization was performed to find x).
- **n_fval** – Number of function evaluations performed to find x .
- **n_grad** – Number of gradient evaluations performed to find x .
- **n_hess** – Number of Hessian evaluations performed to find x .

`flip_profile()` → None

This function flips the profiling direction (left-right) Profiling direction needs to be changed once (if the profile is new), or twice if we append to an existing profile.

All profiling paths are flipped in-place.

```
pypesto.profile.approximate_parameter_profile(problem: pypesto.problem.Problem, result: pypesto.result.Result, profile_index: Iterable[int] = None, profile_list: int = None, result_index: int = 0, n_steps: int = 100) → pypesto.result.Result
```

Calculate profiles based on an approximation via a normal likelihood centered at the chosen optimal parameter value, with the covariance matrix being the Hessian or FIM.

Parameters

- **problem** – The problem to be solved.
- **result** – A result object to initialize profiling and to append the profiling results to. For example, one might append more profiling runs to a previous profile, in order to merge these. The existence of an optimization result is obligatory.
- **profile_index** – Array with parameter indices, whether a profile should be computed (1) or not (0). Default is all profiles should be computed.
- **profile_list** – Integer which specifies whether a call to the profiler should create a new list of profiles (default) or should be added to a specific profile list.
- **result_index** – Index from which optimization result profiling should be started (default: global optimum, i.e., index = 0).
- **n_steps** – Number of profile steps in each dimension.

Returns The profile results are filled into `result.profile_result`.

Return type `result`

```
pypesto.profile.calculate_approximate_ci(xs: numpy.ndarray, ratios: numpy.ndarray, confidence_ratio: float) → Tuple[float, float]
```

Calculate approximate confidence interval based on profile. Interval bounds are linearly interpolated.

Parameters

- **xs** – The ordered parameter values along the profile for the coordinate of interest.
- **ratios** – The likelihood ratios corresponding to the parameter values.

- **confidence_ratio** – Minimum confidence ratio to base the confidence interval upon, as obtained via `pypesto.profile.chi2_quantile_to_ratio`.

Returns Bounds of the approximate confidence interval.

Return type lb, ub

`pypesto.profile.chi2_quantile_to_ratio(alpha: float = 0.95, df: int = 1)`

Transform lower tail probability *alpha* for a chi2 distribution with *df* degrees of freedom to a profile likelihood ratio threshold.

Parameters

- **alpha** – Lower tail probability, defaults to 95% interval.
- **df** – Degrees of freedom. Defaults to 1.

Returns Corresponds to a likelihood ratio.

Return type ratio

```
pypesto.profile.parameter_profile(problem: pypesto.problem.Problem, result: pypesto.result.Result, optimizer: pypesto.optimize.optimizer.Optimizer, profile_index: numpy.ndarray = None, profile_list: int = None, result_index: int = 0, next_guess_method: Union[Callable, str] = 'adaptive_step_regression', profile_options: pypesto.profile.options.ProfileOptions = None) → pypesto.result.Result
```

This is the main function to call to do parameter profiling.

Parameters

- **problem** – The problem to be solved.
- **result** – A result object to initialize profiling and to append the profiling results to. For example, one might append more profiling runs to a previous profile, in order to merge these. The existence of an optimization result is obligatory.
- **optimizer** – The optimizer to be used along each profile.
- **profile_index** – Array with parameter indices, whether a profile should be computed (1) or not (0). Default is all profiles should be computed.
- **profile_list** – Integer which specifies whether a call to the profiler should create a new list of profiles (default) or should be added to a specific profile list.
- **result_index** – Index from which optimization result profiling should be started (default: global optimum, i.e., index = 0).
- **next_guess_method** – Function handle to a method that creates the next starting point for optimization in profiling.
- **profile_options** – Various options applied to the profile optimization.

Returns The profile results are filled into *result.profile_result*.

Return type result

CHAPTER
TWELVE

SAMPLING

Draw samples from the distribution, with support for various samplers.

class pypesto.sample.**AdaptiveMetropolisSampler** (*options: Dict = None*)
Bases: pypesto.sample.metropolis.MetropolisSampler

Metropolis-Hastings sampler with adaptive proposal covariance.

__init__ (*options: Dict = None*)
Initialize self. See help(type(self)) for accurate signature.

classmethod default_options()
Convenience method to set/get default options.

Returns Default sampler options.

Return type default_options

initialize (*problem: pypesto.problem.Problem*, *x0: numpy.ndarray*)
Initialize the sampler.

Parameters

- **problem** – The problem for which to sample.
- **x0** – Should, but is not required to, be used as initial parameter.

class pypesto.sample.**AdaptiveParallelTemperingSampler** (*internal_sampler:*
pypesto.sample.sampler.InternalSampler,
betas: Sequence[float] = None, *n_chains: int = None*,
options: Dict = None)

Bases: pypesto.sample.parallel_tempering.ParallelTemperingSampler

Parallel tempering sampler with adaptive temperature adaptation.

adjust_betas (*i_sample: int*, *swapped: Sequence[bool]*)
Update temperatures as in Vousden2016.

classmethod default_options() → Dict
Convenience method to set/get default options.

Returns Default sampler options.

Return type default_options

class pypesto.sample.**InternalSampler** (*options: Dict = None*)
Bases: pypesto.sample.sampler.Sampler

Sampler to be used inside a parallel tempering sampler.

The last sample can be obtained via *get_last_sample* and set via *set_last_sample*.

abstract `get_last_sample()` → `pypesto.sample.sampler.InternalSample`
Get the last sample in the chain.

Returns The last sample in the chain in the exchange format.

Return type `internal_sample`

make_internal (`temper_lpost: bool`)

This function can be called by parallel tempering samplers during initialization to allow the inner samplers to adjust to them being used as inner samplers. Default: Do nothing.

Parameters `temper_lpost` – Whether to temperate the posterior or only the likelihood.

abstract `set_last_sample` (`sample: pypesto.sample.sampler.InternalSample`)

Set the last sample in the chain to the passed value.

Parameters `sample` – The sample that will replace the last sample in the chain.

class `pypesto.sample.McmcPtResult` (`trace_x: numpy.ndarray`, `trace_neglogpost: numpy.ndarray`,
`trace_neglogprior: numpy.ndarray`, `betas: Iterable[float]`,
`burn_in: int = None`, `time: float = 0.0`, `message: str = None`)

Bases: `dict`

The result of a sampler run using Markov-chain Monte Carlo, and optionally parallel tempering.

Can be used like a dict.

Parameters

- `trace_x` ([`n_chain`, `n_iter`, `n_par`]) – Parameters.
- `trace_neglogpost` ([`n_chain`, `n_iter`]) – Negative log posterior values.
- `trace_neglogprior` ([`n_chain`, `n_iter`]) – Negative log prior values.
- `betas` ([`n_chain`]) – The associated inverse temperatures.
- `burn_in` ([`n_chain`]) – The burn in index.
- `message` (`str`) – Textual comment on the profile result.
- `n_chain` denotes the number of chains, `n_iter` the number of
(Here,) –
- (i.e., the chain length), and `n_par` the number of
parameters. (iterations) –

__init__ (`trace_x: numpy.ndarray`, `trace_neglogpost: numpy.ndarray`, `trace_neglogprior: numpy.ndarray`, `betas: Iterable[float]`, `burn_in: int = None`, `time: float = 0.0`, `message: str = None`)

Initialize self. See help(type(self)) for accurate signature.

class `pypesto.sample.MetropolisSampler` (`options: Dict = None`)

Bases: `pypesto.sample.sampler.InternalSampler`

Simple Metropolis-Hastings sampler with fixed proposal variance.

__init__ (`options: Dict = None`)

Initialize self. See help(type(self)) for accurate signature.

classmethod `default_options()`

Convenience method to set/get default options.

Returns Default sampler options.

Return type `default_options`

get_last_sample() → pypesto.sample.sampler.InternalSample

Get the last sample in the chain.

Returns The last sample in the chain in the exchange format.

Return type internal_sample

get_samples() → pypesto.sample.result.McmcPtResult

Get the generated samples.

initialize(problem: pypesto.problem.Problem, x0: numpy.ndarray)

Initialize the sampler.

Parameters

- **problem** – The problem for which to sample.
- **x0** – Should, but is not required to, be used as initial parameter.

make_internal(temper_lpost: bool)

This function can be called by parallel tempering samplers during initialization to allow the inner samplers to adjust to them being used as inner samplers. Default: Do nothing.

Parameters **temper_lpost** – Whether to temperate the posterior or only the likelihood.

sample(n_samples: int, beta: float = 1.0)

Perform sampling.

Parameters

- **n_samples** – Number of samples to generate.
- **beta** – Inverse of the temperature to which the system is elevated.

set_last_sample(sample: pypesto.sample.sampler.InternalSample)

Set the last sample in the chain to the passed value.

Parameters **sample** – The sample that will replace the last sample in the chain.

class pypesto.sample.ParallelTemperingSampler(internal_sampler:

*pypesto.sample.sampler.InternalSampler,
betas: Sequence[float] = None, n_chains:
int = None, options: Dict = None*

Bases: pypesto.sample.sampler.Sampler

Simple parallel tempering sampler.

__init__(internal_sampler: pypesto.sample.sampler.InternalSampler, betas: Sequence[float] = None,

n_chains: int = None, options: Dict = None)

Initialize self. See help(type(self)) for accurate signature.

adjust_betas(i_sample: int, swapped: Sequence[bool])

Adjust temperature values. Default: Do nothing.

classmethod default_options() → Dict

Convenience method to set/get default options.

Returns Default sampler options.

Return type default_options

get_samples() → pypesto.sample.result.McmcPtResult

Concatenate all chains.

initialize(problem: pypesto.problem.Problem, x0: Union[numpy.ndarray, List[numpy.ndarray]])

Initialize the sampler.

Parameters

- **problem** – The problem for which to sample.
- **x0** – Should, but is not required to, be used as initial parameter.

sample (*n_samples*: int, *beta*: float = 1.0)

Perform sampling.

Parameters

- **n_samples** – Number of samples to generate.
- **beta** – Inverse of the temperature to which the system is elevated.

swap_samples () → Sequence[bool]

Swap samples as in Vousden2016.

class pypesto.sample.Pymc3Sampler (*step_function*=None, ***kwargs*)

Bases: pypesto.sample.sampler.Sampler

Wrapper around Pymc3 samplers.

Parameters

- **step_function** – A pymc3 step function, e.g. NUTS, Slice. If not specified, pymc3 determines one automatically (preferable).
- ****kwargs** – Options are directly passed on to *pymc3.sample*.

__init__ (*step_function*=None, ***kwargs*)

Initialize self. See help(type(self)) for accurate signature.

get_samples () → pypesto.sample.result.McmcPtResult

Get the generated samples.

initialize (*problem*: pypesto.problem.Problem, *x0*: numpy.ndarray)

Initialize the sampler.

Parameters

- **problem** – The problem for which to sample.
- **x0** – Should, but is not required to, be used as initial parameter.

sample (*n_samples*: int, *beta*: float = 1.0)

Perform sampling.

Parameters

- **n_samples** – Number of samples to generate.
- **beta** – Inverse of the temperature to which the system is elevated.

classmethod translate_options (*options*)

Convenience method to translate options and fill in defaults.

Parameters **options** – Options configuring the sampler.

class pypesto.sample.Sampler (*options*: Dict = None)

Bases: abc.ABC

Sampler base class, not functional on its own.

The sampler maintains an internal chain, which is initialized in *initialize*, and updated in *sample*.

__init__ (*options*: Dict = None)

Initialize self. See help(type(self)) for accurate signature.

```
classmethod default_options() → Dict
    Convenience method to set/get default options.
```

Returns Default sampler options.

Return type default_options

```
abstract get_samples() → pypesto.sample.result.McmcPtResult
    Get the generated samples.
```

```
abstract initialize(problem: pypesto.problem.Problem, x0: Union[numumpy.ndarray,
    List[numumpy.ndarray]])
```

Initialize the sampler.

Parameters

- **problem** – The problem for which to sample.
- **x0** – Should, but is not required to, be used as initial parameter.

```
abstract sample(n_samples: int, beta: float = 1.0)
```

Perform sampling.

Parameters

- **n_samples** – Number of samples to generate.
- **beta** – Inverse of the temperature to which the system is elevated.

```
classmethod translate_options(options)
```

Convenience method to translate options and fill in defaults.

Parameters **options** – Options configuring the sampler.

```
pypesto.sample.geweke_test(result: pypesto.result.Result, zscore: float = 2.0) → int
```

Calculates the burn-in of MCMC chains.

Parameters

- **result** – The pyPESTO result object with filled sample result.
- **zscore** – The Geweke test threshold. Default 2.

Returns Iteration where the first and the last fraction of the chain do not differ significantly regarding Geweke test -> Burn-In

Return type burn_in

```
pypesto.sample.sample(problem: pypesto.problem.Problem, n_samples: int, sampler:
    pypesto.sample.sampler.Sampler = None, x0: Union[numumpy.ndarray,
    List[numumpy.ndarray]] = None, result: pypesto.result.Result = None) →
    pypesto.result.Result
```

This is the main function to call to do parameter sampling.

Parameters

- **problem** – The problem to be solved. If None is provided, a pypesto.AdaptiveMetropolisSampler is used.
- **n_samples** – Number of samples to generate.
- **sampler** – The sampler to perform the actual sampling.
- **x0** – Initial parameter for the Markov chain. If None, the best parameter found in optimization is used. Note that some samplers require an initial parameter, some may ignore it. x0 can also be a list, to have separate starting points for parallel tempering chains.

- **result** – A result to write to. If None provided, one is created from the problem.

Returns A result with filled in sample_options part.

Return type result

CHAPTER
THIRTEEN

RESULT

The pypesto.Result object contains all results generated by the pypesto components. It contains sub-results for optimization, profiling, sampling.

class pypesto.result.OptimizeResult
Bases: object

Result of the minimize() function.

__init__()

Initialize self. See help(type(self)) for accurate signature.

append(optimizer_result: optimize.OptimizerResult)

Append an optimizer result to the result object.

Parameters **optimizer_result** – The result of one (local) optimizer run.

as_dataframe(keys=None) → pandas.core.frame.DataFrame

Get as pandas DataFrame. If keys is a list, return only the specified values.

as_list(keys=None) → Sequence

Get as list. If keys is a list, return only the specified values.

Parameters **keys** (list(str), optional) – Labels of the field to extract.

get_for_key(key) → list

Extract the list of values for the specified key as a list.

sort()

Sort the optimizer results by function value fval (ascending).

class pypesto.result.ProfileResult

Bases: object

Result of the profile() function.

It holds a list of profile lists. Each profile list consists of a list of *ProfilerResult* objects, one for each parameter.

__init__()

Initialize self. See help(type(self)) for accurate signature.

append_empty_profile_list() → int

Append an empty profile list to the list of profile lists.

Returns The index of the created profile list.

Return type index

append_profiler_result(profiler_result: profile.ProfilerResult = None, profile_list: int = None)

→ None

Append the profiler result to the profile list.

Parameters

- **profiler_result** – The result of one profiler run for a parameter, or None if to be left empty.
- **profile_list** – Index specifying the profile list to which we want to append. Defaults to the last list.

get_profiler_result (*i_par*: int, *profile_list*: int = None)Get the profiler result at parameter index *i_par* of profile list *profile_list*.**Parameters**

- **i_par** – Integer specifying the profile index.
- **profile_list** – Index specifying the profile list. Defaults to the last list.

set_profiler_result (*profiler_result*: *profile.ProfilerResult*, *i_par*: int, *profile_list*: int = None)

→ None

Write a profiler result to the result object at *i_par* of profile list *profile_list*.**Parameters**

- **profiler_result** – The result of one (local) profiler run.
- **i_par** – Integer specifying the parameter index.
- **profile_list** – Index specifying the profile list. Defaults to the last list.

class pypesto.result.Result (*problem*=None)

Bases: object

Universal result object for pypesto. The algorithms like optimize, profile, sample fill different parts of it.

problem

The problem underlying the results.

Type pypesto.Problem**optimize_result**

The results of the optimizer runs.

profile_result

The results of the profiler run.

sample_result

The results of the sampler run.

__init__ (*problem*=None)

Initialize self. See help(type(self)) for accurate signature.

class pypesto.result.SampleResult

Bases: object

Result of the sample() function.

__init__ ()

Initialize self. See help(type(self)) for accurate signature.

pypesto.result.Sequence

The central part of internal API.

This represents a generic version of type ‘origin’ with type arguments ‘params’. There are two kind of these aliases: user defined and special. The special ones are wrappers around builtin collections and ABCs in collections.abc. These must have ‘name’ always set. If ‘inst’ is False, then the alias can’t be instantiated, this is used by e.g. typing.List and typing.Dict.

alias of Sequence

CHAPTER
FOURTEEN

VISUALIZE

pypesto comes with various visualization routines. To use these, import pypesto.visualize.

class pypesto.visualize.ReferencePoint (*reference=None*, *x=None*, *fval=None*, *color=None*, *legend=None*)

Bases: dict

Reference point for plotting. Should contain a parameter value and an objective function value, may also contain a color and a legend.

Can be used like a dict.

x

Reference parameters.

Type ndarray

fval

Function value, fun(x), for reference parameters.

Type float

color

Color which should be used for reference point.

Type RGBA, optional

auto_color

flag indicating whether color for this reference point should be assigned automatically or whether it was assigned by user

Type boolean

legend

legend text for reference point

Type str

__init__ (*reference=None*, *x=None*, *fval=None*, *color=None*, *legend=None*)

Initialize self. See help(type(self)) for accurate signature.

pypesto.visualize.assign_clustered_colors (*vals*, *balance_alpha=True*, *high-light_global=True*)

Cluster and assign colors.

Parameters

- **vals** (*numeric list or array*) – List to be clustered and assigned colors.
- **balance_alpha** (*bool (optional)*) – Flag indicating whether alpha for large clusters should be reduced to avoid overplotting (default: True)

- **highlight_global** (bool (optional)) – flag indicating whether global optimum should be highlighted

Returns colors – One for each element in ‘vals’.

Return type list of RGBA

`pypesto.visualize.assign_clusters(vals)`

Find clustering.

Parameters **vals** (numeric list or array) – List to be clustered.

Returns

- **clust** (numeric list) – Indicating the corresponding cluster of each element from ‘vals’.
- **clustsize** (numeric list) – Size of clusters, length equals number of clusters.

`pypesto.visualize.assign_colors(vals, colors=None, balance_alpha=True, highlight_global=True)`

Assign colors or format user specified colors.

Parameters

- **vals** (numeric list or array) – List to be clustered and assigned colors.
- **colors** (list, or RGBA, optional) – list of colors, or single color
- **balance_alpha** (bool (optional)) – Flag indicating whether alpha for large clusters should be reduced to avoid overplotting (default: True)
- **highlight_global** (bool (optional)) – flag indicating whether global optimum should be highlighted

Returns colors – One for each element in ‘vals’.

Return type list of RGBA

`pypesto.visualize.create_references(references=None, x=None, fval=None, color=None, legend=None) → List[pypesto.visualize.reference_points.ReferencePoint]`

This function creates a list of reference point objects from user inputs

Parameters

- **references** (ReferencePoint or dict or list, optional) – Will be converted into a list of RefPoints
- **x** (ndarray, optional) – Parameter vector which should be used for reference point
- **fval** (float, optional) – Objective function value which should be used for reference point
- **color** (RGBA, optional) – Color which should be used for reference point.
- **legend** (str) – legend text for reference point

Returns colors – One for each element in ‘vals’.

Return type list of RGBA

`pypesto.visualize.delete_nan_inf(fvals: numpy.ndarray, x: numpy.ndarray = None) → Tuple[numpy.ndarray, numpy.ndarray]`

Delete nan and inf values in fvals. If parameters ‘x’ are passed, also the corresponding entries are deleted.

Parameters

- **x** – array of parameters

- **fvals** – array of fval

Returns

- **x** (*np.array*) – array of parameters without nan or inf
- **fvals** (*np.array*) – array of fval without nan or inf

```
pypesto.visualize.optimizer_history(results, ax=None, size=(18.5, 10.5), trace_x='steps',
                                      trace_y='fval', scale_y='log10', offset_y=None, colors=None,
                                      y_limits=None, start_indices=None, reference=None, legends=None)
```

Plot history of optimizer. Can plot either the history of the cost function or of the gradient norm, over either the optimizer steps or the computation time.

Parameters

- **results** (*pypesto.Result* or *list*) – Optimization result obtained by ‘optimize.py’ or list of those
- **ax** (*matplotlib.Axes*, optional) – Axes object to use.
- **size** (*tuple*, optional) – Figure size (width, height) in inches. Is only applied when no ax object is specified
- **trace_x** (*str*, optional) – What should be plotted on the x-axis? Possibilities: ‘time’, ‘steps’ Default: ‘steps’
- **trace_y** (*str*, optional) – What should be plotted on the y-axis? Possibilities: ‘fval’, ‘gradnorm’, ‘stepsize’ Default: ‘fval’
- **scale_y** (*str*, optional) – May be logarithmic or linear (‘log10’ or ‘lin’)
- **offset_y** (*float*, optional) – Offset for the y-axis-values, as these are plotted on a log10-scale Will be computed automatically if necessary
- **colors** (*list*, or *RGB*, optional) – list of colors, or single color color or list of colors for plotting. If not set, clustering is done and colors are assigned automatically
- **y_limits** (*float* or *ndarray*, optional) – maximum value to be plotted on the y-axis, or y-limits
- **start_indices** (*list* or *int*) – list of integers specifying the multistart to be plotted or int specifying up to which start index should be plotted
- **reference** (*list*, optional) – List of reference points for optimization results, containing at least a function value fval
- **legends** (*list* or *str*) – Labels for line plots, one label per result object

Returns **ax** – The plot axes.

Return type *matplotlib.Axes*

```
pypesto.visualize.optimizer_history_lowlevel(vals, scale_y='log10', colors=None, ax=None, size=(18.5, 10.5),
                                              x_label='Optimizer steps', y_label='Objective value', legend_text=None)
```

Plot optimizer history using list of numpy arrays.

Parameters

- **vals** (*list of numpy arrays*) – list of 2xn-arrays (x_values and y_values of the trace)

- **scale_y** (*str, optional*) – May be logarithmic or linear ('log10' or 'lin')
- **colors** (*list, or RGBA, optional*) – list of colors, or single color color or list of colors for plotting. If not set, clustering is done and colors are assigned automatically
- **ax** (*matplotlib.Axes, optional*) – Axes object to use.
- **size** (*tuple, optional*) – see waterfall
- **x_label** (*str*) – label for x-axis
- **y_label** (*str*) – label for y-axis
- **legend_text** (*str*) – Label for line plots

Returns `ax` – The plot axes.

Return type `matplotlib.Axes`

```
pypesto.visualize.parameters(results, ax=None, free_indices_only=True, lb=None, ub=None,
                               size=None, reference=None, colors=None, legends=None, balance_alpha=True, start_indices=None)
```

Plot parameter values.

Parameters

- **results** (*pypesto.Result or list*) – Optimization result obtained by 'optimize.py' or list of those
- **ax** (*matplotlib.Axes, optional*) – Axes object to use.
- **free_indices_only** (*bool, optional*) – If True, only free parameters are shown. If False, also the fixed parameters are shown.
- **ub** (*lb*,) – If not None, override result.problem.lb, problem.problem.ub. Dimension either result.problem.dim or result.problem.dim_full.
- **size** (*tuple, optional*) – Figure size (width, height) in inches. Is only applied when no ax object is specified
- **reference** (*list, optional*) – List of reference points for optimization results, containing at least a function value fval
- **colors** (*list, or RGBA, optional*) – list of colors, or single color color or list of colors for plotting. If not set, clustering is done and colors are assigned automatically
- **legends** (*list or str*) – Labels for line plots, one label per result object
- **balance_alpha** (*bool (optional)*) – Flag indicating whether alpha for large clusters should be reduced to avoid overplotting (default: True)
- **start_indices** (*list or int*) – list of integers specifying the multistarts to be plotted or int specifying up to which start index should be plotted

Returns `ax` – The plot axes.

Return type `matplotlib.Axes`

```
pypesto.visualize.parameters_lowlevel(xs, fvals, lb=None, ub=None, x_labels=None,
                                      ax=None, size=None, colors=None, linestyle='-', legend_text=None, balance_alpha=True)
```

Plot parameters plot using list of parameters.

Parameters

- **xs** (*nested list or array*) – Including optimized parameters for each startpoint. Shape: (n_starts, dim).

- **fvals** (*numeric list or array*) – Function values. Needed to assign cluster colors.
- **ub** (*lb, -*) – The lower and upper bounds.
- **x_labels** (*array_like of str, optional*) – Labels to be used for the parameters.
- **ax** (*matplotlib.Axes, optional*) – Axes object to use.
- **size** (*tuple, optional*) – see parameters
- **colors** (*list of RGBA*) – One for each element in ‘fvals’.
- **linestyle** (*str, optional*) – linestyle argument for parameter plot
- **legend_text** (*str*) – Label for line plots
- **balance_alpha** (*bool (optional)*) – Flag indicating whether alpha for large clusters should be reduced to avoid overplotting (default: True)

Returns `ax` – The plot axes.

Return type `matplotlib.Axes`

```
pypesto.visualize.process_offset_y(offset_y: Optional[float], scale_y: str, min_val: float) →  
                                float  
compute offset for y-axis, depend on user settings
```

Parameters

- **offset_y** – value for offsetting the later plotted values, in order to ensure positivity if a semilog-plot is used
- **scale_y** – Can be ‘lin’ or ‘log10’, specifying whether values should be plotted on linear or on log10-scale
- **min_val** – Smallest value to be plotted

Returns `offset_y` – value for offsetting the later plotted values, in order to ensure positivity if a semilog-plot is used

Return type `float`

```
pypesto.visualize.process_result_list(results, colors=None, legends=None)  
assigns colors and legends to a list of results, check user provided lists
```

Parameters

- **results** (*list or pypesto.Result*) – list of `pypesto.Result` objects or a single `pypesto.Result`
- **colors** (*list, optional*) – list of RGBA colors
- **legends** (*str or list*) – labels for line plots

Returns

- **results** (*list of pypesto.Result*) – list of `pypesto.Result` objects
- **colors** (*list of RGBA*) – One for each element in ‘results’.
- **legends** (*list of str*) – labels for line plots

```
pypesto.visualize.process_y_limits(ax, y_limits)  
apply user specified limits of y-axis
```

Parameters

- **ax** (`matplotlib.Axes`, *optional*) – Axes object to use.
- **y_limits** (`ndarray`) – y_limits, minimum and maximum, for current axes object
- **min_val** (`float`) – Smallest value to be plotted

Returns `ax` – Axes object to use.

Return type `matplotlib.Axes`, optional

```
pypesto.visualize.profile_cis(result: pypesto.result.Result, confidence_level: float = 0.95, profile_indices: Sequence[int] = None, profile_list: int = 0, color: Union[str, tuple] = 'C0', show_bounds: bool = False, ax: matplotlib.axes._axes.Axes = None) → matplotlib.axes._axes.Axes
```

Plot approximate confidence intervals based on profiles.

Parameters

- **result** – The result object after profiling.
- **confidence_level** – The confidence level in (0,1), which is translated to an approximate threshold assuming a chi2 distribution, using `pypesto.profile.chi2_quantile_to_ratio`.
- **profile_indices** – List of integer values specifying which profiles should be plotted. Defaults to the indices for which profiles were generated in profile list `profile_list`.
- **profile_list** – Index of the profile list to be used.
- **color** – Main plot color.
- **show_bounds** – Whether to show, and extend the plot to, the lower and upper bounds.
- **ax** – Axes object to use. Default: Create a new one.

```
pypesto.visualize.profile_lowlevel(fvals, ax=None, size: Tuple[float, float] = 18.5, 6.5, color=None, legend_text: str = None, show_bounds: bool = False, lb: float = None, ub: float = None)
```

Lowlevel routine for plotting one profile, working with a numpy array only

Parameters

- **fvals** (*numeric list or array*) – Values to plot.
- **ax** (`matplotlib.Axes`, *optional*) – Axes object to use.
- **size** (*tuple*, *optional*) – Figure size (width, height) in inches. Is only applied when no ax object is specified.
- **color** (*RGBA*, *optional*) – Color for profiles in plot.
- **legend_text** (`str`) – Label for line plots.
- **show_bounds** – Whether to show, and extend the plot to, the lower and upper bounds.
- **lb** – Lower bound.
- **ub** – Upper bound.

Returns `ax` – The plot axes.

Return type `matplotlib.Axes`

```
pypesto.visualize.profiles(results: Union[pypesto.result.Result, Sequence[pypesto.result.Result]], ax=None, profile_indices: Sequence[int] = None, size: Sequence[float] = 18.5, 6.5, reference: Union[pypesto.visualize.reference_points.ReferencePoint, Sequence[pypesto.visualize.reference_points.ReferencePoint]] = None, colors=None, legends: Sequence[str] = None, x_labels: Sequence[str] = None, profile_list_ids: Union[int, Sequence[int]] = 0, ratio_min: float = 0.0, show_bounds: bool = False)
```

Plot classical 1D profile plot (using the posterior, e.g. Gaussian like profile)

Parameters

- **results** (*list or pypesto.Result*) – List of or single *pypesto.Result* after profiling.
- **ax** (*list of matplotlib.Axes, optional*) – List of axes objects to use.
- **profile_indices** (*list of integer values*) – List of integer values specifying which profiles should be plotted.
- **size** (*tuple, optional*) – Figure size (width, height) in inches. Is only applied when no ax object is specified.
- **reference** (*list, optional*) – List of reference points for optimization results, containing at least a function value fval.
- **colors** (*list, or RGBA, optional*) – List of colors, or single color.
- **legends** (*list or str, optional*) – Labels for line plots, one label per result object.
- **x_labels** (*list of str*) – Labels for parameter value axes (e.g. parameter names).
- **profile_list_ids** (*int or list of ints, optional*) – Index or list of indices of the profile lists to be used for profiling.
- **ratio_min** – Minimum ratio below which to cut off.
- **show_bounds** – Whether to show, and extend the plot to, the lower and upper bounds.

Returns **ax** – The plot axes.

Return type matplotlib.Axes

```
pypesto.visualize.profiles_lowlevel(fvals, ax=None, size: Tuple[float, float] = 18.5, 6.5, color=None, legend_text: str = None, x_labels=None, show_bounds: bool = False, lb_full=None, ub_full=None)
```

Lowlevel routine for profile plotting, working with a list of arrays only, opening different axes objects in case

Parameters

- **fvals** (*numeric list or array*) – Values to plot.
- **ax** (*list of matplotlib.Axes, optional*) – List of axes object to use.
- **size** (*tuple, optional*) – Figure size (width, height) in inches. Is only applied when no ax object is specified.
- **size** – Figure size (width, height) in inches. Is only applied when no ax object is specified.
- **color** (*RGBA, optional*) – Color for profiles in plot.
- **legend_text** (*List[str]*) – Label for line plots.
- **legend_text** – Label for line plots.

- **show_bounds** – Whether to show, and extend the plot to, the lower and upper bounds.
- **lb_full** – Lower bound.
- **ub_full** – Upper bound.

Returns ax – The plot axes.

Return type matplotlib.Axes

```
pypesto.visualize.sampling_1d_marginals(result: pypesto.result.Result, i_chain: int = 0, step_size: int = 1, plot_type: str = 'both', bw: str = 'scott', suptitle: str = None, size: Tuple[float, float] = None)
```

Plot marginals.

Parameters

- **result** – The pyPESTO result object with filled sample result.
- **i_chain** – Which chain to plot. Default: First chain.
- **stepsize** – Only one in *stepsize* values is plotted.
- **plot_type** ({'hist' / 'kde' / 'both'}) – Specify whether to plot a histogram ('hist'), a kernel density estimate ('kde'), or both ('both').
- **bw** ({'scott', 'silverman' / scalar / pair of scalars}) – Kernel bandwidth method.
- **suptitle** – Figure super title.
- **size** – Figure size in inches.

Returns ax

Return type matplotlib-axes

```
pypesto.visualize.sampling_fval_trace(result: pypesto.result.Result, i_chain: int = 0, full_trace: bool = False, stepsize: int = 1, title: str = None, size: Tuple[float, float] = None, ax: matplotlib.axes._axes.Axes = None)
```

Plot log-posterior (=function value) over iterations.

Parameters

- **result** – The pyPESTO result object with filled sample result.
- **i_chain** – Which chain to plot. Default: First chain.
- **full_trace** – Plot the full trace including warm up. Default: False.
- **stepsize** – Only one in *stepsize* values is plotted.
- **title** – Axes title.
- **size** (ndarray) – Figure size in inches.
- **ax** – Axes object to use.

Returns The plot axes.

Return type ax

```
pypesto.visualize.sampling_parameters_trace(result: pypesto.result.Result, i_chain: int = 0, full_trace: bool = False, stepsize: int = 1, use_problem_bounds: bool = True, suptitle: str = None, size: Tuple[float, float] = None, ax: matplotlib.axes._axes.Axes = None)
```

Plot parameter values over iterations.

Parameters

- **result** – The pyPESTO result object with filled sample result.
- **i_chain** – Which chain to plot. Default: First chain.
- **full_trace** – Plot the full trace including warm up. Default: False.
- **stepsize** – Only one in *stepsize* values is plotted.
- **use_problem_bounds** – Defines if the y-limits shall be the lower and upper bounds of parameter estimation problem.
- **suptitle** – Figure suptitle.
- **size** – Figure size in inches.
- **ax** – Axes object to use.

Returns The plot axes.

Return type ax

```
pypesto.visualize.sampling_scatter(result: pypesto.result.Result, i_chain: int = 0, stepsize: int = 1, suptitle: str = None, size: Tuple[float, float] = None)
```

Parameter scatter plot.

Parameters

- **result** – The pyPESTO result object with filled sample result.
- **i_chain** – Which chain to plot. Default: First chain.
- **stepsize** – Only one in *stepsize* values is plotted.
- **suptitle** – Figure super title.
- **size** – Figure size in inches.

Returns The plot axes.

Return type ax

```
pypesto.visualize.waterfall(results, ax=None, size=18.5, 10.5, y_limits=None, scale_y='log10', offset_y=None, start_indices=None, reference=None, colors=None, legends=None)
```

Plot waterfall plot.

Parameters

- **results** (*pypesto.Result or list*) – Optimization result obtained by ‘optimize.py’ or list of those
- **ax** (*matplotlib.Axes, optional*) – Axes object to use.
- **size** (*tuple, optional*) – Figure size (width, height) in inches. Is only applied when no ax object is specified
- **y_limits** (*float or ndarray, optional*) – maximum value to be plotted on the y-axis, or y-limits

- **scale_y** (*str, optional*) – May be logarithmic or linear ('log10' or 'lin')
- **offset_y** – offset for the y-axis, if it is supposed to be in log10-scale
- **start_indices** (*list or int*) – list of integers specifying the multistart to be plotted or int specifying up to which start index should be plotted
- **reference** (*list, optional*) – List of reference points for optimization results, containing at least a function value fval
- **colors** (*list, or RGBA, optional*) – list of colors, or single color color or list of colors for plotting. If not set, clustering is done and colors are assigned automatically
- **legends** (*list or str*) – Labels for line plots, one label per result object

Returns `ax` – The plot axes.

Return type `matplotlib.Axes`

```
pypesto.visualize.waterfall_lowlevel(fvals, scale_y='log10', offset_y=0.0, ax=None, size=(18.5, 10.5), colors=None, legend_text=None)
```

Plot waterfall plot using list of function values.

Parameters

- **fvals** (*numeric list or array*) – Including values need to be plotted.
- **scale_y** (*str, optional*) – May be logarithmic or linear ('log10' or 'lin')
- **offset_y** – offset for the y-axis, if it is supposed to be in log10-scale
- **ax** (*matplotlib.Axes, optional*) – Axes object to use.
- **size** (*tuple, optional*) – see waterfall
- **colors** (*list, or RGBA, optional*) – list of colors, or single color color or list of colors for plotting. If not set, clustering is done and colors are assigned automatically
- **legend_text** (*str*) – Label for line plots

Returns `ax` – The plot axes.

Return type `matplotlib.Axes`

CHAPTER
FIFTEEN

ENGINES

The execution of the multistarts can be parallelized in different ways, e.g. multi-threaded or cluster-based. Note that it is not checked whether a single task itself is internally parallelized.

class pypesto.engine.Engine

Bases: abc.ABC

Abstract engine base class.

__init__()

Initialize self. See help(type(self)) for accurate signature.

abstract execute (tasks: List[pypesto.engine.task.Task])

Execute tasks.

Parameters **tasks** – List of tasks to execute.

class pypesto.engine.MultiProcessEngine (n_procs: int = None)

Bases: pypesto.engine.base.Engine

Parallelize the task execution using multiprocessing.

Parameters **n_procs** – The maximum number of processes to use in parallel. Defaults to the number of CPUs available on the system according to `os.cpu_count()`. The effectively used number of processes will be the minimum of `n_procs` and the number of tasks submitted.

__init__ (n_procs: int = None)

Initialize self. See help(type(self)) for accurate signature.

execute (tasks: List[pypesto.engine.task.Task])

Pickle tasks and distribute work over parallel processes.

class pypesto.engine.MultiThreadEngine (n_threads: int = None)

Bases: pypesto.engine.base.Engine

Parallelize the task execution using multithreading.

Parameters **n_threads** – The maximum number of threads to use in parallel. Defaults to the number of CPUs available on the system according to `os.cpu_count()`. The effectively used number of threads will be the minimum of `n_threads` and the number of tasks submitted.

__init__ (n_threads: int = None)

Initialize self. See help(type(self)) for accurate signature.

execute (tasks: List[pypesto.engine.task.Task])

Deepcopy tasks and distribute work over parallel threads.

class pypesto.engine.SingleCoreEngine

Bases: pypesto.engine.base.Engine

Dummy engine for sequential execution on one core. Note that the objective itself may be multithreaded.

`__init__()`

Initialize self. See help(type(self)) for accurate signature.

`execute(tasks: List[pypesto.engine.task.Task])`

Execute all tasks in a simple for loop sequentially.

`class pypesto.engine.Task`

Bases: abc.ABC

A task is one of a list of independent execution tasks that are submitted to the execution engine to be executed using the execute() method, commonly in parallel.

`__init__()`

Initialize self. See help(type(self)) for accurate signature.

`abstract execute()`

Execute the task and return its results.

CHAPTER
SIXTEEN

STARTPOINT

Methods for selecting points that can be used as start points for multistart optimization. All methods have the form

```
method (**kwargs) -> startpoints
```

where the kwargs can/should include the following parameters, which are passed by pypesto:

n_starts: int Number of points to generate.

lb, ub: ndarray Lower and upper bound, may for most methods not contain nan or inf values.

x_guesses: ndarray, shape=(g, dim), optional Parameter guesses by the user, where g denotes the number of guesses. Note that these are only possibly taken as reference points to generate new start points (e.g. to maximize some distance) depending on the method, but regardless of g, there are always n_starts points generated and returned.

objective: pypesto.Objective, optional The objective can be used to evaluate the goodness of start points.

max_n_fval: int, optional The maximum number of evaluations of the objective function allowed.

```
pypesto.startpoint.assign_startpoints(n_starts: int, startpoint_method: Callable, problem: pypesto.problem.Problem, startpoint_resample: bool) -> numpy.ndarray
```

Assign start points.

```
pypesto.startpoint.latin_hypercube(**kwargs) -> numpy.ndarray
```

Generate latin hypercube points.

```
pypesto.startpoint.uniform(**kwargs) -> numpy.ndarray
```

Generate uniform points.

CHAPTER
SEVENTEEN

STORAGE

Saving and loading traces and results objects.

class `pypesto.store.OptimizationResultHDF5Reader` (`storage_filename: str`)
Bases: `object`

Reader of the HDF5 result files written by class OptimizationResultHDF5Writer.

storage_filename
HDF5 result file name

__init__ (`storage_filename: str`)

Parameters **storage_filename** (`str`) – HDF5 result file name

read() → `pypesto.result.Result`

Read HDF5 result file and return pyPESTO result object.

class `pypesto.store.OptimizationResultHDF5Writer` (`storage_filename: str`)
Bases: `object`

Writer of the HDF5 result files.

storage_filename
HDF5 result file name

__init__ (`storage_filename: str`)

Parameters **storage_filename** (`str`) – HDF5 result file name

write (`result: pypesto.result.Result, overwrite=False`)

Write HDF5 result file from pyPESTO result object.

class `pypesto.store.ProblemHDF5Reader` (`storage_filename: str`)
Bases: `object`

Reader of the HDF5 problem files written by class ProblemHDF5Writer.

storage_filename
HDF5 problem file name

__init__ (`storage_filename: str`)

Parameters **storage_filename** (`str`) – HDF5 problem file name

read (`objective: pypesto.objective.base.ObjectiveBase = None`) → `pypesto.problem.Problem`

Read HDF5 problem file and return pyPESTO problem object.

Parameters **objective** – Objective function which is currently not saved to storage.

Returns A problem instance with all attributes read in.

Return type problem

```
class pypesto.store.ProblemHDF5Writer(storage_filename: str)  
Bases: object
```

Writer of the HDF5 problem files.

storage_filename

HDF5 result file name

```
__init__(storage_filename: str)
```

Parameters **storage_filename** (str) – HDF5 problem file name

```
write(problem, overwrite: bool = False)
```

Write HDF5 problem file from pyPESTO problem object.

CHAPTER
EIGHTEEN

LOGGING

Logging convenience functions.

```
pypesto.logging.log(name: str = 'pypesto', level: int = 10, console: bool = False, filename: str = '')
```

Log messages from a specified name with a specified level to any combination of console and file.

Parameters

- **name** – The name of the logger.
- **level** – The output level to use.
- **console** – If True, messages are logged to console.
- **filename** – If specified, messages are logged to a file with this name.

```
pypesto.logging.log_to_console(level: int = 10)
```

Log to console.

Parameters the log method. (See) –

```
pypesto.logging.log_to_file(level: int = 10, filename: str = 'pypesto_logging.log')
```

Log to file.

Parameters the log method. (See) –

RELEASE NOTES

19.1 0.2 series

19.1.1 0.2.0 (2020-06-17)

Major:

- Modularize import, to import optimization, sampling and profiling separately (#413)

Minor:

- Bug fixes in * sampling (#412) * visualization (#405) * PEtab import (#403) * Hessian computation (#390)
- Improve hdf5 error output (#409)
- Outlaw large new files in GitHub commits (#388)

19.2 0.1 series

19.2.1 0.1.0 (2020-06-17)

Objective

- Write solver settings to stream to enable serialization for distributed systems (#308)
- Refactor objective function (#347) * Removes necessity for all of the nasty binding/undbinding in AmiciObjective * Substantially reduces the complexity of the AggregatedObjective class * Aggregation of functions with inconsistent sensi_order/mode support * Introduce ObjectiveBase as an abstract Objective class * Introduce FunctionObjective for objectives from functions
- Implement priors with gradients, integrate with PEtab (#357)
- Fix minus sign in AmiciObjective.get_error_output (#361)
- Implement a prior class, derivatives for standard models, interface with PEtab (#357)
- Use *amici.import_model_module* to resolve module loading failure (#384)

Problem

- Tidy up problem vectors using properties (#393)

Optimization

- Interface IpOpt optimizer (#373)

Profiles

- Tidy up profiles (#356)
- Refactor profiles; add locally approximated profiles (#369)
- Fix profiling and visualization with fixed parameters (#393)

Sampling

- Geweke test for sampling convergence (#339)
- Implement basic Pymc3 sampler (#351)
- Make theano for pymc3 an optional dependency (allows using pypesto without pymc3) (#356)
- Progress bar for MCMC sampling (#366)
- Fix Geweke test crash for small sample sizes (#376)
- In parallel tempering, allow to only temperate the likelihood, not the prior (#396)

History and storage

- Allow storing results in a pre-filled hdf5 file (#290)
- Various fixes of the history (reduced vs. full parameters, read-in from file, chi2 values) (#315)
- Fix proper dimensions in result for failed start (#317)
- Create required directories before creating hdf5 file (#326)
- Improve storage and docs documentation (#328)
- Fix storing x_free_indices in hdf5 result (#334)
- Fix problem hdf5 return format (#336)
- Implement partial trace extraction, simplify History API (#337)
- Save really all attributes of a Problem to hdf5 (#342)

Visualization

- Customizable xLabels and tight layout for profile plots (#331)
- Fix non-positive bottom ylim on a log-scale axis in waterfall plots (#348)
- Fix “palette list has the wrong number of colors” in sampling plots (#372)
- Allow to plot multiple profiles from one result (#399)

Logging

- Allow easier specification of only logging for submodules (#398)

Tests

- Speed up travis build (#329)
- Update travis test system to latest ubuntu and python 3.8 (#330)
- Additional code quality checks, minor simplifications (#395)

19.3 0.0 series

19.3.1 0.0.13 (2020-05-03)

- Tidy up and speed up tests (#265 and others).
- Basic self-implemented Adaptive Metropolis and Adaptive Parallel Tempering sampling routines (#268).
- Fix namespace sample -> sampling (#275).
- Fix covariance matrix regularization (#275).
- Fix circular dependency *PetabImporter* - *PetabAmiciObjective* via *AmiciObjectBuilder*, *PetabAmiciObjective* becomes obsolete (#274).
- Define *AmiciCalculator* to separate the AMICI call logic (required for hierarchical optimization) (#277).
- Define initialize function for resetting steady states in *AmiciObjective* (#281).
- Fix scipy least squares options (#283).
- Allow failed starts by default (#280).
- Always copy parameter vector in objective to avoid side effects (#291).
- Add Dockerfile (#288).
- Fix header names in CSV history (#299).

Documentation:

- Use imported members in autodoc (#270).
- Enable python syntax highlighting in notebooks (#271).

19.3.2 0.0.12 (2020-04-06)

- Add typehints to global functions and classes.
- Add *PetabImporter.rdatas_to_simulation_df* function (all #235).
- Adapt y scale in waterfall plot if convergence was too good (#236).
- Clarify that *Objective* is of type negative log-posterior, for minimization (#243).
- Tidy up *AmiciObjective.parameter_mapping* as implemented in AMICI now (#247).
- Add *MultiThreadEngine* implementing multi-threading aside the *MultiProcessEngine* implementing multi-processing (#254).
- Fix copying and pickling of *AmiciObjective* (#252, #257).
- Remove circular dependence history-objective (#254).
- Fix problem of visualizing results with failed starts (#249).
- Rework history: make thread-safe, use factory methods, make context-specific (#256).
- Improve PEtab usage example (#258).
- Define history base contract, enabling different backends (#260).
- Store optimization results to HDF5 (#261).
- Simplify tests (#263).

Breaking changes:

- *HistoryOptions* passed to `pypesto.minimize` instead of *Objective* (#256).
- *GlobalOptimizer* renamed to *PyswarmOptimizer* (#235).

19.3.3 0.0.11 (2020-03-17)

- Rewrite AmiciObjective and PetabAmiciObjective simulation routine to directly use amici.petab_objective routines (#209, #219, #225).
- Implement petab test suite checks (#228).
- Various error fixes, in particular regarding PEtab and visualization.
- Improve trace structure.
- Fix conversion between fval and chi2, fix FIM (all #223).

19.3.4 0.0.10 (2019-12-04)

- Only compute FIM when sensitivities are available (#194).
- Fix documentation build (#197).
- Add support for pyswarm optimizer (#198).
- Run travis tests for documentation and notebooks only on pull requests (#199).

19.3.5 0.0.9 (2019-10-11)

- Update to AMICI 0.10.13, fix API changes (#185).
- Start using PEtab import from AMICI to be able to import constant species (#184, #185)
- Require PEtab>=0.0.0a16 (#183)

19.3.6 0.0.8 (2019-09-01)

- Add logo (#178).
- Fix petab API changes (#179).
- Some minor bugfixes (#168).

19.3.7 0.0.7 (2019-03-21)

- Support noise models in Petab and Amici.
- Minor Petab update bug fixes.

19.3.8 0.0.6 (2019-03-13)

- Several minor error fixes, in particular on tests and steady state.

19.3.9 0.0.5 (2019-03-11)

- Introduce AggregatedObjective to use multiple objectives at once.
- Estimate steady state in AmiciObjective.
- Check amici model build version in PetabImporter.
- Use Amici multithreading in AmiciObjective.
- Allow to sort multistarts by initial value.
- Show usage of visualization routines in notebooks.
- Various fixes, in particular to visualization.

19.3.10 0.0.4 (2019-02-25)

- Implement multi process parallelization engine for optimization.
- Introduce PrePostProcessor to more reliably handle pre- and post-processing.
- Fix problems with simulating for multiple conditions.
- Add more visualization routines and options for those (colors, reference points, plotting of lists of result obejcts)

19.3.11 0.0.3 (2019-01-30)

- Import amici models and the petab data format automatically using pypesto.PetabImporter.
- Basic profiling routines.

19.3.12 0.0.2 (2018-10-18)

- Fix parameter values
- Record trace of function values
- Amici objective to directly handle amici models

19.3.13 0.0.1 (2018-07-25)

- Basic framework and implementation of the optimization

**CHAPTER
TWENTY**

AUTHORS

This package was mainly developed by:

- Jan Hasenauer
- Yannik Schälte
- Fabian Fröhlich
- Daniel Weindl
- Paul Stapor
- Leonard Schmiester
- Dantong Wang
- Leonard Schmiester
- Caro Loos

CHAPTER
TWENTYONE

CONTACT

Discovered an error? Need help? Not sure if something works as intended? Please contact us!

- Yannik Schälte: yannik.schaelte@gmail.com

CHAPTER
TWENTYTWO

LICENSE

Copyright (c) 2018, Jan Hasenauer
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are
→permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list
→of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this
→list of conditions and the following disclaimer in the documentation and/or other
→materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be
→used to endorse or promote products derived from this software without specific
→prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
→EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
→WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
→IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
→INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
→NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
→PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
→WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
→ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
→POSSIBILITY OF SUCH DAMAGE.

CHAPTER
TWENTYTHREE

LOGO



pyPESTO's logo can be found in multiple variants in the doc/logo directory on github, in svg and png format. It is made available under a [creative commons CC0 license](#). You are encouraged to use it e.g. in presentations and posters.

We thank Patrick Beart for his contribution to the logo.

CHAPTER
TWENTYFOUR

INDICES AND TABLES

- genindex
- modindex
- search

PYTHON MODULE INDEX

p

`pypesto.engine`, 126
`pypesto.logging`, 132
`pypesto.objective`, 71
`pypesto.optimize`, 98
`pypesto.petab`, 96
`pypesto.problem`, 90
`pypesto.profile`, 102
`pypesto.result`, 112
`pypesto.sample`, 106
`pypesto.startpoint`, 128
`pypesto.store`, 129
`pypesto.visualize`, 115

INDEX

Symbols

`__call__()` (*pypesto.objective.AmiciCalculator method*), 74
`__call__()` (*pypesto.objective.ObjectiveBase method*), 86
`__call__()` (*pypesto.problem.ObjectiveBase method*), 92
`__init__()` (*pypesto.engine.Engine method*), 127
`__init__()` (*pypesto.engine.MultiProcessEngine method*), 127
`__init__()` (*pypesto.engine.MultiThreadEngine method*), 127
`__init__()` (*pypesto.engine.SingleCoreEngine method*), 128
`__init__()` (*pypesto.engine.Task method*), 128
`__init__()` (*pypesto.objective.AggregatedObjective method*), 73
`__init__()` (*pypesto.objective.AmiciCalculator method*), 74
`__init__()` (*pypesto.objective.AmiciObjective method*), 75
`__init__()` (*pypesto.objective.CsvHistory method*), 77
`__init__()` (*pypesto.objective.Hdf5History method*), 78
`__init__()` (*pypesto.objective.History method*), 79
`__init__()` (*pypesto.objective.HistoryOptions method*), 81
`__init__()` (*pypesto.objective.MemoryHistory method*), 82
`__init__()` (*pypesto.objective.NegLogParameterPriors method*), 84
`__init__()` (*pypesto.objective.Objective method*), 85
`__init__()` (*pypesto.objective.ObjectiveBase method*), 87
`__init__()` (*pypesto.objective.OptimizerHistory method*), 89
`__init__()` (*pypesto.optimize.DlibOptimizer method*), 99
`__init__()` (*pypesto.optimize.IpoptOptimizer method*), 99
`__init__()` (*pypesto.optimize.OptimizeOptions method*), 99
`__init__()` (*pypesto.optimize.Optimizer method*), 100
`__init__()` (*pypesto.optimize.OptimizerResult method*), 101
`__init__()` (*pypesto.optimize.PyswarmOptimizer method*), 101
`__init__()` (*pypesto.optimize.ScipyOptimizer method*), 102
`__init__()` (*pypesto.petab.PetabImporter method*), 97
`__init__()` (*pypesto.problem.ObjectiveBase method*), 92
`__init__()` (*pypesto.problem.Problem method*), 95
`__init__()` (*pypesto.profile.ProfileOptions method*), 103
`__init__()` (*pypesto.profile.ProfilerResult method*), 104
`__init__()` (*pypesto.result.OptimizeResult method*), 113
`__init__()` (*pypesto.result.ProfileResult method*), 113
`__init__()` (*pypesto.result.Result method*), 114
`__init__()` (*pypesto.result.SampleResult method*), 114
`__init__()` (*pypesto.sample.AdaptiveMetropolisSampler method*), 107
`__init__()` (*pypesto.sample.McmcPtResult method*), 108
`__init__()` (*pypesto.sample.MetropolisSampler method*), 108
`__init__()` (*pypesto.sample.ParallelTemperingSampler method*), 109
`__init__()` (*pypesto.sample.Pymc3Sampler method*), 110
`__init__()` (*pypesto.sample.Sampler method*), 110
`__init__()` (*pypesto.store.OptimizationResultHDF5Reader method*), 131
`__init__()` (*pypesto.store.OptimizationResultHDF5Writer method*), 131
`__init__()` (*pypesto.store.ProblemHDF5Reader method*), 131
`__init__()` (*pypesto.store.ProblemHDF5Writer method*), 132

`__init__(pypesto.visualize.ReferencePoint method), 117`

A

`AdaptiveMetropolisSampler (class in pypesto.sample), 107`

`AdaptiveParallelTemperingSampler (class in pypesto.sample), 107`

`adjust_betas() (pypesto.sample.AdaptiveParallelTemperingSampler method), 107`

`adjust_betas() (pypesto.sample.ParallelTemperingSampler method), 109`

`AggregatedObjective (class in pypesto.objective), 73`

`AmiciCalculator (class in pypesto.objective), 74`

`AmiciObjectBuilder (class in pypesto.objective), 74`

`AmiciObjective (class in pypesto.objective), 74`

`append() (pypesto.result.OptimizeResult method), 113`

`append_empty_profile_list() (pypesto.result.ProfileResult method), 113`

`append_profile_point() (pypesto.profile.ProfilerResult method), 104`

`append_profiler_result() (pypesto.result.ProfileResult method), 113`

`apply_steadystate_guess() (pypesto.objective.AmiciObjective method), 75`

`approximate_parameter_profile() (in module pypesto.profile), 105`

`as_dataframe() (pypesto.result.OptimizeResult method), 113`

`as_list() (pypesto.result.OptimizeResult method), 113`

`assert_instance() (pypesto.objective.HistoryOptions method), 82`

`assert_instance() (pypesto.optimize.OptimizeOptions method), 99`

`assign_clustered_colors() (in module pypesto.visualize), 117`

`assign_clusters() (in module pypesto.visualize), 118`

`assign_colors() (in module pypesto.visualize), 118`

`assign_startpoints() (in module pypesto.startpoint), 129`

`auto_color (pypesto.visualize.ReferencePoint attribute), 117`

C

`calculate_approximate_ci() (in module pypesto.profile), 105`

`call_unprocessed() (pypesto.objective.AggregatedObjective`

`method), 73`

`call_unprocessed() (pypesto.objective.AmiciObjective method), 76`

`call_unprocessed() (pypesto.objective.NegLogParameterPriors method), 84`

`call_unprocessed() (pypesto.objective.Objective method), 85`

`call_unprocessed() (pypesto.objective.ObjectiveBase method), 87`

`call_unprocessed() (pypesto.problem.ObjectiveBase method), 92`

`check_grad() (pypesto.objective.ObjectiveBase method), 87`

`check_grad() (pypesto.problem.ObjectiveBase method), 92`

`check_mode() (pypesto.objective.AggregatedObjective method), 73`

`check_mode() (pypesto.objective.AmiciObjective method), 76`

`check_mode() (pypesto.objective.NegLogParameterPriors method), 84`

`check_mode() (pypesto.objective.Objective method), 86`

`check_mode() (pypesto.objective.ObjectiveBase method), 87`

`check_mode() (pypesto.problem.ObjectiveBase method), 93`

`check_sensi_orders() (pypesto.objective.AggregatedObjective method), 73`

`check_sensi_orders() (pypesto.objective.AmiciObjective method), 76`

`check_sensi_orders() (pypesto.objective.NegLogParameterPriors method), 84`

`check_sensi_orders() (pypesto.objective.Objective method), 86`

`check_sensi_orders() (pypesto.objective.ObjectiveBase method), 88`

`check_sensi_orders() (pypesto.problem.ObjectiveBase method), 93`

`chi2_quantile_to_ratio() (in module pypesto.profile), 106`

`color (pypesto.visualize.ReferencePoint attribute), 117`

`compile_model() (pypesto.petab.PetabImporter method), 97`

`create_edatas() (pypesto.objective.AmiciObjectBuilder method), 74`

`create_edatas() (pypesto.petab.PetabImporter`

method), 97
`create_history()` (*pypesto.objective.HistoryOptions method*), 82
`create_instance()` (*pypesto.profile.ProfileOptions static method*), 103
`create_model()` (*pypesto.objective.AmiciObjectBuilder method*), 74
`create_model()` (*pypesto.petab.PetabImporter method*), 97
`create_objective()` (*pypesto.petab.PetabImporter method*), 97
`create_prior()` (*pypesto.petab.PetabImporter method*), 98
`create_problem()` (*pypesto.petab.PetabImporter method*), 98
`create_references()` (*in module pypesto.visualize*), 118
`create_solver()` (*pypesto.objective.AmiciObjectBuilder method*), 74
`create_solver()` (*pypesto.petab.PetabImporter method*), 98
`CsvHistory` (*class in pypesto.objective*), 76

D

`default_options()`
(pypesto.sample.AdaptiveMetropolisSampler class method), 107
`default_options()`
(pypesto.sample.AdaptiveParallelTemperingSampler class method), 107
`default_options()`
(pypesto.sample.MetropolisSampler method), 108
`default_options()`
(pypesto.sample.ParallelTemperingSampler class method), 109
`default_options()` (*pypesto.sample.Sampler class method*), 110
`delete_nan_inf()` (*in module pypesto.visualize*), 118
`dim()` (*pypesto.problem.Problem property*), 95
`DlibOptimizer` (*class in pypesto.optimize*), 99

E

`Engine` (*class in pypesto.engine*), 127
`execute()` (*pypesto.engine.Engine method*), 127
`execute()` (*pypesto.engine.MultiProcessEngine method*), 127
`execute()` (*pypesto.engine.MultiThreadEngine method*), 127
`execute()` (*pypesto.engine.SingleCoreEngine method*), 128
`execute()` (*pypesto.engine.Task method*), 128

exitflag (*pypesto.optimize.OptimizerResult attribute*), 101
`exitflag_path` (*pypesto.profile.ProfilerResult attribute*), 104
`extract_from_history()`
(pypesto.objective.OptimizerHistory method), 89

F

`finalize()` (*pypesto.objective.CsvHistory method*), 77
`finalize()` (*pypesto.objective.Hdf5History method*), 78
`finalize()` (*pypesto.objective.History method*), 79
`finalize()` (*pypesto.objective.HistoryBase method*), 79
`finalize()` (*pypesto.objective.OptimizerHistory method*), 89
`fix_parameters()` (*pypesto.problem.Problem method*), 95
`flip_profile()` (*pypesto.profile.ProfilerResult method*), 105
`from_yaml()` (*pypesto.petab.PetabImporter static method*), 98
`full_index_to_free_index()`
(pypesto.problem.Problem method), 95
`fval` (*pypesto.optimize.OptimizerResult attribute*), 100
`fval` (*pypesto.visualize.ReferencePoint attribute*), 117
`fval0` (*pypesto.optimize.OptimizerResult attribute*), 101
`fval_path` (*pypesto.profile.ProfilerResult attribute*), 104

G

`get_chi2_trace()` (*pypesto.objective.CsvHistory method*), 77
`get_chi2_trace()` (*pypesto.objective.HistoryBase method*), 79
`get_chi2_trace()` (*pypesto.objective.MemoryHistory method*), 82
`get_default_options()`
(pypesto.optimize.DlibOptimizer method), 99
`get_default_options()`
(pypesto.optimize.Optimizer method), 100
`get_default_options()`
(pypesto.optimize.ScipyOptimizer method), 102
`get_for_key()` (*pypesto.result.OptimizeResult method*), 113
`get_full_matrix()` (*pypesto.problem.Problem method*), 95
`get_full_vector()` (*pypesto.problem.Problem method*), 95

```
get_fval()          (pypesto.objective.ObjectiveBase
                   method), 88
get_fval()          (pypesto.problem.ObjectiveBase method),
                   93
get_fval_trace()   (pypesto.objective.CsvHistory
                   method), 77
get_fval_trace()   (pypesto.objective.HistoryBase
                   method), 79
get_fval_trace()   (pypesto.objective.MemoryHistory
                   method), 82
get_grad()          (pypesto.objective.ObjectiveBase
                   method), 88
get_grad()          (pypesto.problem.ObjectiveBase method),
                   93
get_grad_trace()   (pypesto.objective.CsvHistory
                   method), 77
get_grad_trace()   (pypesto.objective.HistoryBase
                   method), 80
get_grad_trace()   (pypesto.objective.MemoryHistory
                   method), 82
get_hess()          (pypesto.objective.ObjectiveBase
                   method), 88
get_hess()          (pypesto.problem.ObjectiveBase method),
                   93
get_hess_trace()   (pypesto.objective.CsvHistory
                   method), 77
get_hess_trace()   (pypesto.objective.HistoryBase
                   method), 80
get_hess_trace()   (pypesto.objective.MemoryHistory
                   method), 82
get_last_sample()  (pypesto.sample.InternalSampler
                   method), 107
get_last_sample()  (pypesto.sample.MetropolisSampler
                   method), 108
get_profiler_result()  (pypesto.result.ProfileResult method), 114
get_reduced_matrix()  (pypesto.problem.Problem
                   method), 95
get_reduced_vector()  (pypesto.problem.Problem
                   method), 95
get_res()           (pypesto.objective.ObjectiveBase method),
                   88
get_res()           (pypesto.problem.ObjectiveBase method),
                   93
get_res_trace()    (pypesto.objective.CsvHistory
                   method), 77
get_res_trace()    (pypesto.objective.HistoryBase
                   method), 80
get_res_trace()    (pypesto.objective.MemoryHistory
                   method), 82
get_samples()       (pypesto.sample.MetropolisSampler
                   method), 109
get_samples()       (pypesto.sample.ParallelTemperingSampler
                   method), 109
get_samples()       (pypesto.sample.Pymc3Sampler
                   method), 110
get_samples()       (pypesto.sample.Sampler method),
                   111
get_schi2_trace()  (pypesto.objective.CsvHistory
                   method), 77
get_schi2_trace()  (pypesto.objective.HistoryBase
                   method), 80
get_sres()          (pypesto.objective.ObjectiveBase
                   method), 88
get_sres()          (pypesto.problem.ObjectiveBase method),
                   93
get_sres_trace()   (pypesto.objective.CsvHistory
                   method), 77
get_sres_trace()   (pypesto.objective.HistoryBase
                   method), 80
get_sres_trace()   (pypesto.objective.MemoryHistory
                   method), 83
get_time_trace()   (pypesto.objective.CsvHistory
                   method), 77
get_time_trace()   (pypesto.objective.HistoryBase
                   method), 80
get_time_trace()   (pypesto.objective.MemoryHistory
                   method), 83
get_x_trace()      (pypesto.objective.CsvHistory
                   method), 78
get_x_trace()      (pypesto.objective.HistoryBase
                   method), 80
get_x_trace()      (pypesto.objective.MemoryHistory
                   method), 83
geweke_test()       (in module pypesto.sample), 111
grad(pypesto.optimize.OptimizerResult attribute), 100
grad_min(pypesto.objective.OptimizerHistory attribute), 89
gradient_neg_log_density()  (pypesto.objective.NegLogParameterPriors
                   method), 84
gradnorm_path(pypesto.profile.ProfilerResult attribute), 104
```

H

```
has_fun()           (pypesto.objective.Objective property), 86
has_fun()           (pypesto.objective.ObjectiveBase property), 88
has_fun()           (pypesto.problem.ObjectiveBase property),
                   93
has_grad()          (pypesto.objective.Objective property), 86
has_grad()          (pypesto.objective.ObjectiveBase property), 88
```

has_grad() (*pypesto.problem.ObjectiveBase* property), 93

has_hess() (*pypesto.objective.Objective* property), 86

has_hess() (*pypesto.objective.ObjectiveBase* property), 88

has_hess() (*pypesto.problem.ObjectiveBase* property), 93

has_hessp() (*pypesto.objective.Objective* property), 86

has_hessp() (*pypesto.objective.ObjectiveBase* property), 88

has_hessp() (*pypesto.problem.ObjectiveBase* property), 93

has_res() (*pypesto.objective.Objective* property), 86

has_res() (*pypesto.objective.ObjectiveBase* property), 88

has_res() (*pypesto.problem.ObjectiveBase* property), 93

has_sres() (*pypesto.objective.Objective* property), 86

has_sres() (*pypesto.objective.ObjectiveBase* property), 88

has_sres() (*pypesto.problem.ObjectiveBase* property), 93

Hdf5History (*class in pypesto.objective*), 78

hess (*pypesto.optimize.OptimizerResult* attribute), 100

hess_min (*pypesto.objective.OptimizerHistory* attribute), 89

hessian_neg_log_density() (*pypesto.objective.NegLogParameterPriors* method), 84

hessian_vp_neg_log_density() (*pypesto.objective.NegLogParameterPriors* method), 84

History (*class in pypesto.objective*), 78

history (*pypesto.objective.ObjectiveBase* attribute), 86

history (*pypesto.optimize.OptimizerResult* attribute), 101

history (*pypesto.problem.ObjectiveBase* attribute), 91

HistoryBase (*class in pypesto.objective*), 79

HistoryOptions (*class in pypesto.objective*), 81

|

id (*pypesto.optimize.OptimizerResult* attribute), 100

initialize() (*pypesto.objective.AggregatedObjective* method), 74

initialize() (*pypesto.objective.AmiciCalculator* method), 74

initialize() (*pypesto.objective.AmiciObjective* method), 76

initialize() (*pypesto.objective.ObjectiveBase* method), 88

initialize() (*pypesto.problem.ObjectiveBase* method), 93

initialize() (*pypesto.sample.AdaptiveMetropolisSampler* method), 107

initialize() (*pypesto.sample.MetropolisSampler* method), 109

initialize() (*pypesto.sample.ParallelTemperingSampler* method), 109

initialize() (*pypesto.sample.Pymc3Sampler* method), 110

initialize() (*pypesto.sample.Sampler* method), 111

InternalSampler (*class in pypesto.sample*), 107

IpoptOptimizer (*class in pypesto.optimize*), 99

is_least_squares() (*pypesto.optimize.DlibOptimizer* method), 99

is_least_squares() (*pypesto.optimize.IpoptOptimizer* method), 99

is_least_squares() (*pypesto.optimize.Optimizer* method), 100

is_least_squares() (*pypesto.optimize.PyswarmOptimizer* method), 101

is_least_squares() (*pypesto.optimize.ScipyOptimizer* method), 102

Iterable (*in module pypesto.problem*), 91

L

latin_hypercube() (*in module pypesto.startpoint*), 129

lb() (*pypesto.problem*.Problem property), 95

legend (*pypesto.visualize.ReferencePoint* attribute), 117

List (*in module pypesto.problem*), 91

log() (*in module pypesto.logging*), 133

log_to_console() (*in module pypesto.logging*), 133

log_to_file() (*in module pypesto.logging*), 133

M

make_internal() (*pypesto.sample.InternalSampler* method), 108

make_internal() (*pypesto.sample.MetropolisSampler* method), 109

McmcPtResult (*class in pypesto.sample*), 108

MemoryHistory (*class in pypesto.objective*), 82

message (*pypesto.optimize.OptimizerResult* attribute), 101

message (*pypesto.profile.ProfilerResult* attribute), 104

MetropolisSampler (*class in pypesto.sample*), 108

minimize() (*in module pypesto.optimize*), 102

minimize() (*pypesto.optimize.DlibOptimizer* method), 99

minimize() (*pypesto.optimize.IpoptOptimizer* method), 99

```

minimize() (pypesto.optimize.Optimizer method), 100
minimize() (pypesto.optimize.PyswarmOptimizer
    method), 101
minimize() (pypesto.optimize.ScipyOptimizer
    method), 102
MODEL_BASE_DIR (pypesto.petab.PetabImporter at-
    tribute), 97
module
    pypesto.engine, 126
    pypesto.logging, 132
    pypesto.objective, 71
    pypesto.optimize, 98
    pypesto.petab, 96
    pypesto.problem, 90
    pypesto.profile, 102
    pypesto.result, 112
    pypesto.sample, 106
    pypesto.startpoint, 128
    pypesto.store, 129
    pypesto.visualize, 115
MultiProcessEngine (class in pypesto.engine), 127
MultiThreadEngine (class in pypesto.engine), 127

```

N

```

n_fval (pypesto.optimize.OptimizerResult attribute),
    100
n_fval (pypesto.profile.ProfilerResult attribute), 104
n_fval() (pypesto.objective.History property), 79
n_fval() (pypesto.objective.HistoryBase property), 80
n_grad (pypesto.optimize.OptimizerResult attribute),
    100
n_grad (pypesto.profile.ProfilerResult attribute), 104
n_grad() (pypesto.objective.History property), 79
n_grad() (pypesto.objective.HistoryBase property), 80
n_hess (pypesto.optimize.OptimizerResult attribute),
    100
n_hess (pypesto.profile.ProfilerResult attribute), 104
n_hess() (pypesto.objective.History property), 79
n_hess() (pypesto.objective.HistoryBase property), 80
n_res (pypesto.optimize.OptimizerResult attribute), 101
n_res() (pypesto.objective.History property), 79
n_res() (pypesto.objective.HistoryBase property), 80
n_sres (pypesto.optimize.OptimizerResult attribute),
    101
n_sres() (pypesto.objective.History property), 79
n_sres() (pypesto.objective.HistoryBase property), 80
neg_log_density()
    (pypesto.objective.NegLogParameterPriors
        method), 84
NegLogParameterPriors (class in
    pypesto.objective), 83
NegLogPriors (class in pypesto.objective), 84
NegLogPriors (class in pypesto.problem), 91
normalize() (pypesto.problem.Problem method), 95

```

O

```

Objective (class in pypesto.objective), 85
ObjectiveBase (class in pypesto.objective), 86
ObjectiveBase (class in pypesto.problem), 91
OptimizationResultHDF5Reader (class in
    pypesto.store), 131
OptimizationResultHDF5Writer (class in
    pypesto.store), 131
optimize_result (pypesto.result.Result attribute),
    114
OptimizeOptions (class in pypesto.optimize), 99
Optimizer (class in pypesto.optimize), 100
optimizer_history() (in module
    pypesto.visualize), 119
optimizer_history_lowlevel() (in module
    pypesto.visualize), 119
OptimizeResult (class in pypesto.result), 113
OptimizerHistory (class in pypesto.objective), 89
OptimizerResult (class in pypesto.optimize), 100
output_to_tuple()
    (pypesto.objective.ObjectiveBase static
        method), 88
output_to_tuple()
    (pypesto.problem.ObjectiveBase static
        method), 93

```

P

```

par_arr_to_dct () (pypesto.objective.AmiciObjective
    method), 76
ParallelTemperingSampler (class in
    pypesto.sample), 109
parameter_profile() (in module pypesto.profile),
    106
parameters () (in module pypesto.visualize), 120
parameters_lowlevel() (in module
    pypesto.visualize), 120
PetabImporter (class in pypesto.petab), 97
pre_post_processor
    (pypesto.objective.ObjectiveBase attribute), 86
pre_post_processor
    (pypesto.problem.ObjectiveBase attribute),
    91
print_parameter_summary()
    (pypesto.problem.Problem method), 95
Problem (class in pypesto.problem), 94
problem (pypesto.result.Result attribute), 114
ProblemHDF5Reader (class in pypesto.store), 131
ProblemHDF5Writer (class in pypesto.store), 132
process_offset_y() (in module pypesto.visualize),
    121
process_result_list() (in module
    pypesto.visualize), 121
process_y_limits() (in module pypesto.visualize),
    121

```

p
 profile_cis() (*in module pypesto.visualize*), 122
 profile_lowlevel() (*in module pypesto.visualize*), 122
 profile_result (*pypesto.result.Result attribute*), 114
 ProfileOptions (*class in pypesto.profile*), 103
 ProfileResult (*class in pypesto.result*), 113
 ProfilerResult (*class in pypesto.profile*), 104
 profiles() (*in module pypesto.visualize*), 122
 profiles_lowlevel() (*in module pypesto.visualize*), 123
 Pymc3Sampler (*class in pypesto.sample*), 110
 pypesto.engine
 module, 126
 pypesto.logging
 module, 132
 pypesto.objective
 module, 71
 pypesto.optimize
 module, 98
 pypesto.petab
 module, 96
 pypesto.problem
 module, 90
 pypesto.profile
 module, 102
 pypesto.result
 module, 112
 pypesto.sample
 module, 106
 pypesto.startpoint
 module, 128
 pypesto.store
 module, 129
 pypesto.visualize
 module, 115
 PyswarmOptimizer (*class in pypesto.optimize*), 101

R
 ratio_path (*pypesto.profile.ProfilerResult attribute*), 104
 rdatas_to_measurement_df() (*pypesto.petab.PetabImporter method*), 98
 rdatas_to_simulation_df() (*pypesto.petab.PetabImporter method*), 98
 read() (*pypesto.store.OptimizationResultHDF5Reader method*), 131
 read() (*pypesto.store.ProblemHDF5Reader method*), 131
 ReferencePoint (*class in pypesto.visualize*), 117
 res (*pypesto.optimize.OptimizerResult attribute*), 100
 res_min (*pypesto.objective.OptimizerHistory attribute*), 89
 res_to_chi2() (*in module pypesto.objective*), 89

reset_steadystate_guesses()
 (*pypesto.objective.AmiciObjective method*), 76
 Result (*class in pypesto.result*), 114

S
 sample() (*in module pypesto.sample*), 111
 sample() (*pypesto.sample.MetropolisSampler method*), 109
 sample() (*pypesto.sample.ParallelTemperingSampler method*), 110
 sample() (*pypesto.sample.Pymc3Sampler method*), 110
 sample() (*pypesto.sample.Sampler method*), 111
 sample_result (*pypesto.result.Result attribute*), 114
 Sampler (*class in pypesto.sample*), 110
 SampleResult (*class in pypesto.result*), 114
 sampling_1d_marginals() (*in module pypesto.visualize*), 124
 sampling_fval_trace() (*in module pypesto.visualize*), 124
 sampling_parameters_trace() (*in module pypesto.visualize*), 124
 sampling_scatter() (*in module pypesto.visualize*), 125
 ScipyOptimizer (*class in pypesto.optimize*), 101
 Sequence (*in module pypesto.result*), 114
 set_last_sample()
 (*pypesto.sample.InternalSampler method*), 108
 set_last_sample()
 (*pypesto.sample.MetropolisSampler method*), 109
 set_profiler_result()
 (*pypesto.result.ProfileResult method*), 114
 SingleCoreEngine (*class in pypesto.engine*), 127
 sort() (*pypesto.result.OptimizeResult method*), 113
 sres (*pypesto.optimize.OptimizerResult attribute*), 100
 sres_min (*pypesto.objective.OptimizerHistory attribute*), 89
 sres_to_schi2() (*in module pypesto.objective*), 90
 start_time() (*pypesto.objective.History property*), 79
 start_time() (*pypesto.objective.HistoryBase property*), 81
 storage_filename (*pypesto.store.OptimizationResultHDF5Reader attribute*), 131
 storage_filename (*pypesto.store.OptimizationResultHDF5Writer attribute*), 131
 storage_filename (*pypesto.store.ProblemHDF5Reader attribute*), 131
 storage_filename (*pypesto.store.ProblemHDF5Writer attribute*), 132
 store_steadystate_guess()
 (*pypesto.objective.AmiciObjective method*), 76

swap_samples() (*pypesto.sample.ParallelTemperingSampler* method), 104
time (*pypesto.optimize.OptimizerResult* attribute), 101
time_path (*pypesto.profile.ProfilerResult* attribute), 104
time_total (*pypesto.profile.ProfilerResult* attribute), 104
translate_options()
 (*pypesto.sample.Pymc3Sampler* class method), 110
translate_options() (*pypesto.sample.Sampler* class method), 111

T

Task (*class* in *pypesto.engine*), 128
time (*pypesto.optimize.OptimizerResult* attribute), 101
time_path (*pypesto.profile.ProfilerResult* attribute), 104
time_total (*pypesto.profile.ProfilerResult* attribute), 104
translate_options()
 (*pypesto.sample.Pymc3Sampler* class method), 110
translate_options() (*pypesto.sample.Sampler* class method), 111

U

ub() (*pypesto.problem.Problem* property), 96
unfix_parameters() (*pypesto.problem.Problem* method), 96
uniform() (in module *pypesto.startpoint*), 129
update() (*pypesto.objective.CsvHistory* method), 78
update() (*pypesto.objective.Hdf5History* method), 78
update() (*pypesto.objective.History* method), 79
update() (*pypesto.objective.HistoryBase* method), 81
update() (*pypesto.objective.MemoryHistory* method), 83
update() (*pypesto.objective.OptimizerHistory* method), 89
update_from_problem()
 (*pypesto.objective.ObjectiveBase* method), 88
update_from_problem()
 (*pypesto.problem.ObjectiveBase* method), 93
update_to_full() (*pypesto.optimize.OptimizerResult* method), 101

W

waterfall() (in module *pypesto.visualize*), 125
waterfall_lowlevel() (in module *pypesto.visualize*), 126
write() (*pypesto.store.OptimizationResultHDF5Writer* method), 131
write() (*pypesto.store.ProblemHDF5Writer* method), 132

X

x (*pypesto.optimize.OptimizerResult* attribute), 100
x (*pypesto.visualize.ReferencePoint* attribute), 117
x0 (*pypesto.optimize.OptimizerResult* attribute), 101
x_free_indices() (*pypesto.problem.Problem* property), 96
x_guesses() (*pypesto.problem.Problem* property), 96